



越南智家五金有限公司

VIETNAM ZHIJIA HARDWARE CO.,LIMITED
CÔNG TY TNHH NGŨ KIM TRÍ GIA VIỆT NAM

地址：西宁市展鹏坊成功工业区N4路第A0.5区

Address: A0.5 Lot, N4 Street, Thanh Thanh Cong Industrial Park, Trang Bang Ward,
Tay Ninh Province, Vietnam

浙江家家卫浴科技股份有限公司

Zhejiang HOMES Bathroom Technology Co.,Ltd.

地址：浙江省玉环市经济开发区金海大道256号

Address: No.256 Jinhai road, economic development zone,Yuhuan, Zhejiang,China. P.C: 317600

E-mail: sales3@homes-group.cn sales@homes-group.cn

Tel: +86-576-80766633 M: +86 18968631331

HOMES

Since 2004

DRAIN COLLECTION



Automatic Bathtub Drain

2026



About Homes bathroom

Homes bathroom established in 2004, With standardized workshop more than 60000 square meters.

- In 2019 Homes bought a tap factory that established in 2002.
- In 2024 HOMES established a branch factory in Vietnam, covering an area of 10,500 square meters.

Homes is a professional OEM & ODM manufacturer in kitchen and bathroom products and one-stop sourcing service provider.

Research and development is the inexhaustible driving force for continuous progress of HOMES.

Now there are 20 professional engineers, and has been granted a number of patents.

Every key component has been approved by PPAP process, to avoid congenital defects involved in the products.

Every link from raw material to surface quality control is in line with the ISO9001 quality system and is equipped with corresponding testing positions.

Specialization and internationalization of product quality standards is one of the goals of HOMES.

HOMES pays attention to handling customer complaints in a timely manner, and implement corrective & preventive measures by formulating an 8D report to avoid the recurrence of similar problems.

Homes has set up complete supporting production workshops in house from casting to finishing and achieved 85% of workload by automation.

The electric towel rack produced by HOMES can save 50~60% energy compared with similar products.

In 2022, HOMES build Anti-Fingerprint PVD procedure, which greatly improved the metal texture, corrosion resistance and easy cleaning of the product surface; At the same time, it can quickly meet the customer customized colours, all production processes are controlled by ERP system.

In 2021, HOMES build 1800KW photovoltaic power station, what shipping in time rate improve lots.

From design to after-sales service and energy independence, we have formed a complete team. Therefore, HOMES has a high advantage in new product promotion, quality management, and timely shipment rate.

We are looking forward to cooperating with you!

关于家家卫浴

家家卫浴成立于2004，标准化厂房60000多平方米，并于2019年收购一家成立于2002年的古典水龙头工厂。2024年，家家卫浴在越南成立了分厂，占地10500平方米。

家家卫浴是一家专注于厨房和卫浴产品研发制造商和一站式采购服务商。

研发是HOMES不断进步的不竭动力。

现在已经有专业工程师20名，并拥有多项专利，每一个关键配件都经过PPAP，避免产品涉及先天性或安全、卫生缺陷。

从原材料到表面质量控制的每一个环节都符合ISO9001质量管理体系和配备了相应的检测岗位。

产品质量标准专业化，国际化是HOMES的工作目标之一。

家家卫浴非常重视及时处理客诉，通过制定8D报告落实纠正&预防措施，避免类似的问题重复发生。

从毛坯到表面处理，家家卫浴已建成完整配套生产车间并已经实现自动化率85%。

家家卫浴生产的电热毛巾架，与同类产品相比能节能50~60%。

2022年家家卫浴引进了防指纹的PVD生产方案，产品表面的金属质感、防腐蚀能力和表面清洁功能得到了大幅提高，同时可以快速的满足客人对产品表面颜色的定制化需求，从PO到发货全程由ERP系统完成。

2021年家家卫浴自建1800KW光伏电站，它为按时交货提供了“绿色能源”保障。

从设计到售后服务以及能源独立，家家卫浴已经组建了完整团队。因此，家家卫浴在新品推广、质量管理、出货及时率都具有较高的优势。

我们期待与您合作！

发展历程 History

经营理念：创新强企

品牌理念：专业化，国际化，自主化的国际品牌

核心价值观：强企 高品 育人

Business Philosophy
The Master of Core Technology!

Brand Philosophy
Professional ,international self-dependent of international brands

Core Values
Make a strong Homes ,High quality products and people education



2007

通过了ISO9001认证和CUPC认证
HOMES Obtained ISO9001
and CUPC certificate for valve

2004

家家卫浴成立于2004年
Homes bathroom established in 2004



2013

通过CE认证
Pass the CE certification



2015

46000m² 厂房投入生产
46000m² new facility are running



2018

20100 m² 研发中心投入使用
20100 m² R&D center for EPOPEE




2024

HOMES 成立越南工厂
HOMES establishes vietnam
factory



Raw material /原材料



R&D/设计与研发



Quality control/质控




Production Equipment/生产设备



HOMES 6层电镀，品质可以承诺"5"年

HOMES 6 layers colour plating guaranteed 5 years



- AR/AF-Easy Cleaning/Anti-Fingerprint 易清洗/防指纹
- PVD Customized Various Colour 定制各种颜色
- Matts/Brushed/Brightness 磨砂/拉丝/光亮
- Chromed 镀铬
- Nikel 8um~10um 镀镍 8um~10um
- Copper 镀铜

With anti-fingerprint PVD process
PVD 防指纹处理后的表面，金属质感不影响，保持5年
The metallic texture of surface will be not affected after anti-fingerprint PVD process , keep five years

Without anti-fingerprint PVD process
PVD 无防指纹处理工艺



Color can be customized according to customer requirements



HOMES 6层电镀，品质可以承诺"5"年

6 layers plating process for various colours 6层表面处理工序			Function of plating process 功能介绍
6	AR/AF		It has Anti-fingerprint processing 防指纹/易清洗
			It has easy to clean 易清洗
			It has anti-friction and anti-scrach capabilities 表面耐磨和防刮伤
5	PVD 高端真空镀膜		PVD customized various colour 定制各种颜色
4	Surface effects 表面效果		Brightness 光亮
			Matts 磨砂
			Brushed 拉丝
3	Chrome 镀铬		
2	Nikel 镀镍		
1	Copper 镀酸铜		
BAES ON 基材	Homes used high grade brass SS304 and ABS material Homes选用优质铜或 SS304/ABS757材料		
			
			

HOMES 6 layers colour plating guaranteed 5 years

Testing 测试		
Items 测试项目	Equipment picture 图 片	Technical requirements 技术要求
Falling sand test 落砂测试		After 12 L quartz sand drop test, the surface of PVD plating was not penetrated. 12升石英砂的落砂测试，镀层没有被 穿透
Adhesion test 百格测试		Draw the lattice pattern on the surface of PVD plating , apply pressure with 3M tape, and then remove, whose peeling area does not exceed 5% of the grid area. 在镀层表面划晶格图案，用3M胶带粘在晶格 图案上施加压力，然后去除，其剥落面积 不超过划格区域面积的5%
CASS 铜加速醋酸盐雾试验		After 48 hours CASS, no corrosion on the PVD plating surface. 48小时CASS，镀层表面无腐蚀现象
Wear test 橡胶头耐磨测试		The PVD plating surface is rubbed back and forth 100 times without fading and peeling. 表面来回摩擦100次镀层无退色、脱落
Cleaning test 水滴测试		Drop 3-5 drops of water on surface of PVD plating and rest for 48 hours, use a dry towel to wipe no watermark residue. 取3-5滴水至镀层表面，静置48小时 后，用干毛巾擦拭无水印残留
Hot&Cold test 冷热测试		PVD product put into the 70 degrees water tank keep 30 minutes, then move product to low temperature-30 degrees box keep 30 minutes . Cycle test five times, the surface of PVD plating does not crack, peeling and wrinkles. 放置高温70度水箱静置30分钟，然后移入低温- 30度静置30分钟，循环测试五次，镀层无裂 纹，脱落，起皱

CONTENTS

下水系列 WASTE SERIES

浴缸出水 Bath Filler.....	001
浴缸下水 Bath Wastes.....	019
浴缸排水管 Bath Traps.....	051
面盆下水 Basin Wastes.....	052
小便池下水 Urinal Wastes.....	076
面盆瓶式下水 Basin Bottle Traps.....	077
厨房下水 Kitchen Sink Wastes.....	097
地漏 Floor Drains.....	137
美式下水 USA Drains.....	163
面盆下水 Basin Drains.....	163
浴缸下水 Bath Drains.....	167
台盆支架 Basin Stands.....	169
下水配件 Waste Accessories.....	189
过滤网 Mesh Strainer.....	192
角阀 Angle Vavles.....	193

马桶系列 TOILET SERIES

高位&低位马桶 High & Low Level Toilets.....	195
马桶&马桶盖 Toilets & Toilet Seats.....	200
水箱手柄&按钮 Cistern Levers & Push Buttons.....	201
冲水管 Flush Pipes.....	212
排水阀 Flush Valves.....	219
隐藏式水箱 Concealed Cisterns.....	220
水泵系统 Macetator System.....	221
马桶排污移位器 WC Drainer Shifter.....	226
马桶配件 Toilet Accessories.....	228

无障碍浴室系列 ACCESSIBLE BATHROOM SERIES

浴室扶手&把手 Bathroom Grab Rails & Grips.....	231
淋浴座椅 Shower Seats.....	238

WASTE SERIES

下水系列 浴缸出水 Bath Filler

HOMES®

浴缸出水
BATH FILLER

浴缸出水
BATH FILLER

General Instruction

Installation tooling included
包含安装工具

Option1
Plastic waste body
塑料下水体

Option2
Brass waste body
铜下水体

Brass elbow and locknut to prevent Plastic overflow body bursting
铜内衬接头，防止塑料爆裂

G1/2

Click easy cleaning design
提拉式易清洗结构

Three Seal Washers
Suitable for bathtub with thickness of 1-15mm and drain hole of 48-52mm, perfect fit and better sealing after installation.
适配于浴缸厚度1-15mm，排水孔48-52mm，安装后完美贴合，密封性更好

Pair G1/2×22mm×30cm flexible connector
一对 G1/2×22mm×30cm 编织软管

Push fit waterfall effluent effect
瀑布式出水效果

1-1/2" low profile bath trap c/w 40mm flexible outlet pipe
1-1/2" 低矮型浴室存水弯，配40mm可伸缩出水管

High pressure hose can be cut to meet request
高压管可以根据需要的尺寸剪短

Brass inlet connector, applicable to two inlet modes, double water inlet and single water inlet
铜材质进水接头,适用两种进水方式，双进水和单进水

Model: WE248U



Overflow conforms to EN274 standard, 36L/min

Why does HOMES recommend that guests use the high-pressure bathtub drain pipe?

Comments: 1、Homes got 1/2500 complaints from split overflow hose and subsequent damage caused as attached picture below: 2、High pressure hose can be cut to meet request.	High-pressure bathtub drain pipe New structure Steel wire Old structure General drain pipe
Split Overflow Hose	Subsequent Damage Caused ceiling leakage water drop from light

BATH FILLER


浴缸出水 Bath Filler

HOMES®

Model: WE239TH



温控浴缸出水+排水
Brass Thermostatic Bath Filler and Click Waste

New



Advanced

- * **Thermostatic** Bath Filler with Overflow and Waste
- * **Easy** installation



BATH FILLER

浴缸出水 Bath Filler

HOMES®


浴缸出水
BATH FILLER

浴缸出水
BATH FILLER

Model: WE239V

全铜瀑布混合出水浴缸弹跳排水-高压管
Brass Waterfall Click Clack Bath Waste with Overflow - High Pressure Hose

New



Advanced

- * The length of spout from 74mm **Shorter** to 36mm
- * **Easy** installatio - front lock

Front mounted



Side mounted



BATH FILLER


浴缸出水 Bath Filler

HOMES[®]

Model: WE271V

全铜数显底部出水浴缸弹跳下水-高压管
Brass Digital Display Click Clack Bath Waste with Bottom Outlet and Overflow - High Pressure Hose

New



BATH FILLER

浴缸出水 Bath Filler

Model: WE299HP

冷启动浴缸淋浴出水+排水
Cold Start Bath & Shower Mix Filler with Click Waste


New




Advantage

- * Two Outlets Bath Filler Mixer
- * Contemporary Design

APPLICATIONS SCENARIOS 1




APPLICATIONS SCENARIOS 2



WASTE SERIES
下水系列 >>> 浴缸出水 Bath Filler

浴缸出水
BATH FILLER



Model: WE271PHP

底部浴缸出水龙头+弹调下水功能+高压管
Mixer Bottom Bath Filler and Click Clack Waste with High Pressure Hose

下水器技术规格要求 / Technical specifications for launching apparatus								产品毛重/Product G.W.		2.7 kg
材质/Material		铜/Brass、不锈钢/Stainless Steel、PP						装箱数量/QTY		5 pcs
开孔尺寸/Hole size		溢水/Overflow: 40mm		排水/Drainage: 50mm				装箱净重/PKG N.W.		13.50 kgs
适合浴缸厚度 Suitable thickness size for bathtub		2~12mm						装箱毛重/PKG G.W.		14.16 kgs
参考标准/Reference standards		EN274						外箱尺寸/MEAS		525x335x215 mm
产品特点/Product features		底部出水和排水, 温度可调, 流量可控 Dual functions of water outlet and drainage at the bottom, adjustable temperature, and controllable flow rate						可定制表面颜色 Customizable surface color		
下水器流量 / Drainer flow										
溢水流量/Overflow flow (L/min)		0.5Bar	1Bar	1.5Bar	2Bar	3Bar	4Bar	5Bar	镀铬 拉丝铬金 拉丝枪黑 哑黑 哑白 CH PVD UABG PVD BBL MB HMWH	
		7	12	14.2	16.7	20.3	22	25		
排水流量/Drainage flow: 62L/min		最高使用温度/Maximum service temperature: 60℃								


HOMES®

浴缸出水
BATH FILLER



WASTE SERIES

下水系列 >>> 浴缸出水 Bath Filler




Model: WE290P

铜PVC管圆形浴缸出水和弹跳下水混合体
Brass PVC Pipe Round Bath Mixer Filler and Click Clack Waste Combination

下水器技术规格要求 / Technical specifications for launching apparatus		产品毛重/Product G.W.	1.443 kg
材质/Material	铜/Brass、不锈钢/Stainless Steel、PP、PVC	装箱数量/QTY	8 pcs
	溢水/Overflow: 48~52mm	装箱净重/PKG N.W.	14.40 kgs
开孔尺寸/Hole size	排水/Drainage: 48~52mm	装箱毛重/PKG G.W.	15.00 kgs
适合浴缸厚度 Suitable thickness size for bathtub	5~15mm	外箱尺寸/MEAS	650x400x250 mm
参考标准 Reference standards	EN274	可定制表面颜色 Customizable surface color	
产品特点/Product features	G1/2 or G3/4 进水接头, PVC硬管可伸缩35~51cm G1/2 or G3/4 inlet joint, PVC hard pipe expandable 35-51cm		
下水器流量 / Drainer flow			
溢水流量/Overflow flow: 33L/min	排水流量/Drainage flow: 62L/min		
最高使用温度/Maximum service temperature	60℃		

HOMES®




Model: WE243PHP

PVC高压管圆形铜浴缸出水和塑料弹跳下水混合体
Round Brass Bath Mixer Filler with PVC High Pressure Hose and Plastic Click Clack Waste and Overflow Combination

下水器技术规格要求 / Technical specifications for launching apparatus		产品毛重/Product G.W.	2.284 kg
材质/Material	铜/Brass、不锈钢/Stainless Steel、PP、PVC	装箱数量/QTY	8 pcs
	溢水/Overflow: 48~52mm	装箱净重/PKG N.W.	17.64 kgs
开孔尺寸/Hole size	排水/Drainage: 48~52mm	装箱毛重/PKG G.W.	18.27 kgs
适合浴缸厚度 Suitable thickness size for bathtub	5~15mm	外箱尺寸/MEAS	655x410x225 mm
参考标准 Reference standards	EN274	可定制表面颜色 Customizable surface color	
产品特点/Product features	G1/2 or G3/4 进水接头, 提篮设计方便清理避免管道堵塞 / G1/2 or G3/4 inlet joint, cage design for easy cleaning and avoiding pipeline blockage		
下水器流量 / Drainer flow			
溢水流量/Overflow flow: 32L/min	排水流量/Drainage flow: 62L/min		
最高使用温度/Maximum service temperature	60℃		


WASTE SERIES
下水系列 >>> 浴缸出水 Bath Filler

浴缸出水
BATH FILLER



Model: WE256PPL

顶部铜出水嘴塑料浴缸弹跳下水混合体（加长手柄）
Touch Bottom Mixer Bath Filler with Click Clack Waste Combination (Long Handle)

下水器技术规格要求 / Technical specifications for launching apparatus		产品毛重/Product G.W.	1.107 kg
材质/Material	铜/Brass、不锈钢/Stainless Steel、PP	装箱数量/QTY	12 pcs
开孔尺寸/Hole size	溢水/Overflow: 48~52mm	装箱净重/PKG N.W.	13.28 kgs
	排水/Drainage: 48~52mm	装箱毛重/PKG G.W.	14.62 kgs
适合浴缸厚度 Suitable thickness size for bathtub	1~9mm	外箱尺寸/MEAS	710x450x445 mm
参考标准 Reference standards	EN274	可定制表面颜色 Customizable surface color	
产品特点/Product features	G1/2 双进水接头, 手轮线控排水功能, wras认证进水编织管 G1/2 dual inlet connector, handwheel wire controlled drainage function, WRAS approval inlet braided pipe		
下水器流量 / Drainer flow			
溢水流量/Overflow flow: 27.23L/min	排水流量/Drainage flow: 48.95L/min		
最高使用温度/Maximum service temperature	60℃		



浴缸出水
BATH FILLER



WASTE SERIES

下水系列 >>> 浴缸出水 Bath Filler



Model: TTZ19005

传统浴缸出水3/4"台面角阀 (一对)
Traditional 3/4" Deck Bath Side Valves for Bath Filler (Pair)



Model: XTZ19023L5

浴缸出水3/4"台面角阀 (一对)
3/4" Deck Bath Side Valves for bath filler (Pair)



Model: XTZ19023L4

浴缸出水3/4"台面角阀 (一对)
3/4" Deck Bath Side Valves for Bath Filler (Pair)

HOMES®



Model: WE243HPKIT

带浴缸下水器的圆形浴缸侧阀
Round Deck Bath Side Valves with Bath Filler




Model: WE243RQKIT

易清洗方形浴缸下水&方形溢水口&圆形卡扣盖-带塑料管&铜下水体
Easy Cleaning Square Bath Filler Waste & Square Overflow & Round Click Cap
- with Plastic Tube & Brass Waste Body

WASTE SERIES
下水系列 >>> 浴缸下水 Bath Wastes

浴缸下水
BATH WASTES

Other Optional Configuration




Model: WE231

塑料浴缸弹跳下水
Clic-clac Bath Waste with Large Plan ABS Overflow Longer Flange

下水器技术规格要求 / Technical specifications for launching apparatus		产品毛重/Product G.W.	0.665 kg
材质/Material	铜/Brass、不锈钢/Stainless Steel、PP	装箱数量/QTY	20 pcs
开孔尺寸/Hole size	溢水/Overflow: 48~52mm	装箱净重/PKG N.W.	12.77 kgs
	排水/Drainage: 48~52mm	装箱毛重/PKG G.W.	13.30 kgs
适合浴缸厚度 Suitable thickness size for bathtub	5~15mm	外箱尺寸/MEAS	600x410x425 mm
参考标准 Reference standards	EN274	可定制表面颜色 Customizable surface color	
产品特点/Product features	大封盖弹跳排水, 安装简单便捷 Large cover bounce drainage, easy and convenient installation		
下水器流量 / Drainer flow			
溢水流量/Overflow flow: 29.45L/min	排水流量/Drainage flow: 72.29L/min		
最高使用温度/Maximum service temperature	60℃		

HOMES®

浴缸下水
BATH WASTES



Model: WE291B


圆形铜溢水盖弹跳浴缸下水和可调节57~72cm PVC管&塑料下水体
Round brass overflow cover with Click Clack bath Waste and adjustable 57~72cm PVC pipe
& plastice waste body

下水器技术规格要求 / Technical specifications for launching apparatus		产品毛重/Product G.W.	0.85 kg
材质/Material	铜/Brass、PVC	装箱数量/QTY	8 pcs
开孔尺寸/Hole size	溢水/Overflow: 48~52mm	装箱净重/PKG N.W.	8.00 kgs
	排水/Drainage: 48~52mm	装箱毛重/PKG G.W.	8.80 kgs
适合浴缸厚度 Suitable thickness size for bathtub	5~15mm	外箱尺寸/MEAS	455x430x332 mm
参考标准 Reference standards	EN274	可定制表面颜色 Customizable surface color	
产品特点/Product features	G1/2 or G3/4 进水接头, PVC硬管可伸缩35~51cm G1/2 or G3/4 inlet joint, PVC hard pipe expandable 35~51cm		
下水器流量 / Drainer flow			
溢水流量/Overflow flow: 32.64L/min	排水流量/Drainage flow: 65.8L/min		
最高使用温度/Maximum service temperature	60℃		

WASTE SERIES

下水系列 >>> 浴缸下水 Bath Wastes

HOMES®



Model: WE237U

易清洗可卸式全铜浴缸弹跳下水-通用型设计
Easy Cleaning Brass Bath Tub Drain with
Overflow Pipe

Model: WE237E


易清洗可卸式全铜浴缸弹跳下水
Easy Clean Brass Bath Tub Drain with Overflow
Pipe With Remove Brass Pulg

下水器技术规格要求 / Technical specifications for launching apparatus		产品毛重/Product G.W.	
材质/Material	铜/Brass、不锈钢/Stainless Steel	装箱数量/QTY	
开孔尺寸/Hole size	溢水/Overflow: 48~52mm	装箱净重/PKG N.W.	
	排水/Drainage: 48~52mm	装箱毛重/PKG G.W.	
适合浴缸厚度 Suitable thickness size for bathtub	4~17mm	外箱尺寸/MEAS	
参考标准 Reference standards	EN274	可定制表面颜色 Customizable surface color	
产品特点/Product features	提笼设计方便清理避免管道堵塞，带万象球连接适用任意角度 The cage design is convenient for cleaning and avoids pipeline blockage, with a versatile ball connection suitable for any angle		
下水器流量 / Drainer flow			
溢水流量/Overflow flow: 20.72L/min	排水流量/Drainage flow: 43.89L/min		
最高使用温度/Maximum service temperature	60℃		



Model: WE922KIT

铜浴缸弹跳排水组合件
Brass Freestand Bath Clic-clac Waste with Extended Legs Kit




WASTE SERIES
下水系列 >>> 浴缸下水 Bath Wastes

HOMES®



Model: WA227
豪华塑料浴缸下水
Free Standing Bath Combination Waste & Daisy Chain



Model: WE216DCW
古典铜浴缸通用型陶瓷头下水配粗链条
Traditional Easy Clean Brass Bath Mixer Filler with Daisy Chain and Click Clack Waste Combination




Model: WA228CL-G
立式铜下水配陶瓷手柄溢水
Brass Adjustable Click Bath Waste with Ceramic Lever

下水器技术规格要求 / Technical specifications for launching apparatus		产品毛重/Product G.W.	1.34 kg
材质/Material	铜/Brass、不锈钢/Stainless Steel、陶瓷/Ceramic	装箱数量/QTY	10 pcs
开孔尺寸/Hole size	溢水/Overflow: 48~52mm	装箱净重/PKG N.W.	12.40 kgs
	排水/Drainage: 48~52mm	装箱毛重/PKG G.W.	13.40 kgs
适合浴缸厚度 Suitable thickness size for bathtub	1~10mm	外箱尺寸/MEAS	520x420x395 mm
参考标准 Reference standards	EN274	可定制表面颜色 Customizable surface color  镀铬 CH  拉丝锆金 PVD UABG  拉丝枪黑 PVD BBL  哑黑 MB  哑白 HMWH	
产品特点/Product features	陶瓷溢水盖加水塞式下水 Ceramic overflow cover with water plug type drain		
下水器流量 / Drainer flow			
溢水流量/Overflow flow: 29L/min	排水流量/Drainage flow: 46L/min		
最高使用温度/Maximum service temperature	60℃		


WASTE SERIES
下水系列 >>> 浴缸下水 Bath Wastes

浴缸下水
BATH WASTES




Model: WE216DCWESKIT-PVD UABG

古典不锈钢可调节浴缸下水,珠链带L型排水弯管
Traditional Stainless Steel Adjustable Exposed Bath Drain with Ball Chain with L Drain Pipe

下水器技术规格要求 / Technical specifications for launching apparatus		产品毛重/Product G.W.	3.38 kg
材质/Material	不锈钢/Stainless Steel、铜/Brass、陶瓷/Ceramic、PP	装箱数量/QTY	1 pcs
开孔尺寸/Hole size	溢水/Overflow: 48~52mm	装箱净重/PKG N.W.	2.50 kgs
	排水/Drainage: 48~52mm	装箱毛重/PKG G.W.	3.38 kgs
适合浴缸厚度 Suitable thickness size for bathtub	1~10mm	外箱尺寸/MEAS	840x466x85 mm
参考标准 Reference standards	EN274	可定制表面颜色 Customizable surface color	
产品特点/Product features	陶瓷溢水盖加水塞式下水, 配环形链条+S弯排水管+塑料快速连接接头 / Ceramic overflow cover with water plug type drain, equipped with daisy chain+S-shaped drainage pipe+plastic quick connect joint		
下水器流量 / Drainer flow			
溢水流量/Overflow flow:	29.98L/min		
排水流量/Drainage flow:	50.73L/min		
最高使用温度/Maximum service temperature	60℃		


HOMES®

浴缸下水
BATH WASTES




Model: WE721S-PVD UABG

不锈钢浴缸下水排水+S型弯头
Stainless Steel Freestanding Bath Elbow 38mm with Plastic Pipe Connector

下水器技术规格要求 / Technical specifications for launching apparatus		产品毛重/Product G.W.	1.475 kg
材质/Material	不锈钢/Stainless Steel、铜/Brass、PP	装箱数量/QTY	10 pcs
开孔尺寸/Hole size	溢水/Overflow: 48~52mm	装箱净重/PKG N.W.	14.16 kgs
	排水/Drainage: 48~52mm	装箱毛重/PKG G.W.	14.75 kgs
适合浴缸厚度 Suitable thickness size for bathtub		外箱尺寸/MEAS	640x535x345 mm
参考标准 Reference standards	EN274	可定制表面颜色 Customizable surface color	
产品特点/Product features	38mm排水管+S型弯头+塑料快速连接接头 38mm drainage pipe+S-shaped elbow+plastic quick connect joint		
下水器流量 / Drainer flow			
溢水流量/Overflow flow:			
排水流量/Drainage flow:			
最高使用温度/Maximum service temperature	60℃		

WASTE SERIES
下水系列 >>> 浴缸下水 Bath Wastes

浴缸下水
BATH WASTES



Model: WE216S-PVD UABG

铜明装浴缸下水配圆球链条
Brass Luxury Exposed Retainer Bathtub Waste & Ball Chain

下水器技术规格要求 / Technical specifications for launching apparatus		产品毛重/Product G.W.	1.254 kg
材质/Material	铜/Brass	装箱数量/QTY	10 pcs
	溢水/Overflow: 48~52mm	装箱净重/PKG N.W.	11.70 kgs
开孔尺寸/Hole size	排水/Drainage: 48~52mm	装箱毛重/PKG G.W.	12.54 kgs
适合浴缸厚度 Suitable thickness size for bathtub	1~10mm	外箱尺寸/MEAS	520x420x395 mm
参考标准 Reference standards	EN274	可定制表面颜色 Customizable surface color	
产品特点/Product features	大流量排水 Large flow drainage		
下水器流量 / Drainer flow		镀铬CH 拉丝锆金PVD UABG 拉丝枪黑PVD BBL 哑黑MB 哑白HMWH	
溢水流量/Overflow flow: 29.98L/min	排水流量/Drainage flow: 50.73L/min		
最高使用温度/Maximum service temperature	60℃		

HOMES®

浴缸下水
BATH WASTES



Model: WE216GMSKIT-PVD UAG

铜可调节浴缸下水,珠链带S型排水弯管
Brass Adjustable Exposed Bath Drain with Ball Chain with S Drain Pipe

下水器技术规格要求 / Technical specifications for launching apparatus		产品毛重/Product G.W.	1.69 kg
材质/Material	铜/Brass	装箱数量/QTY	10 pcs
	溢水/Overflow: 48~52mm	装箱净重/PKG N.W.	16.22 kgs
开孔尺寸/Hole size	排水/Drainage: 48~52mm	装箱毛重/PKG G.W.	16.90 kgs
适合浴缸厚度 Suitable thickness size for bathtub	2~15mm	外箱尺寸/MEAS	590x405x350 mm
参考标准 Reference standards	EN274	可定制表面颜色 Customizable surface color	
产品特点/Product features	大流量排水, 配S弯排水接管+P型排水管 Large flow drainage, equipped with S-shaped drainage connection and P-type drainage pipe		
下水器流量 / Drainer flow		镀铬CH 拉丝锆金PVD UABG 拉丝枪黑PVD BBL 哑黑MB 哑白HMWH	
溢水流量/Overflow flow:	排水流量/Drainage flow:		
最高使用温度/Maximum service temperature	60℃		

WASTE SERIES
下水系列 >>> 浴缸下水 Bath Wastes

HOMES®




Model: WE216F

全铜可调节浴缸圆球链条下水
Flexible Exposed Retainer Brass Bath Waste



Model: WE250

全铜可调节浴缸弹跳下水带溢水
Flexible Exposed Click Clack Bath Waste with Overflow



Model: WE264U

全铜易安装豪华通用浴缸弹跳下水Ø32mm管
Easy Installation Universal Brass Clic-Clac Luxurious Bath Waste with Large Plan Overflow & Ø32mm L Pipe



Model: WE266U

全铜豪华大封盖浴缸下水Ø30mm管
Brass Clic-clac Luxurious Bath Waste with Large Plan Overflow & Ø30mm L Pipe


WASTE SERIES
下水系列 >>> 浴缸下水 Bath Wastes

HOMES®



Model: WE918KITSS-PVD UABG

不锈钢浴缸链条排水组合件
Stainless Steel Free Stand Bath Waste Ball Chian with Extended Legs Kit




材 质 / Material	不锈钢 / Stainless Steel 铜 / Brass & 塑料 / PP
产品毛重 / Product G.W.	4.44 kg
装箱数量 / QTY	1 pcs
装箱净重 / PKG N.W.	3.44 kgs
装箱毛重 / PKG G.W.	4.44 kgs
外箱尺寸 / MEAS	660x310x100 mm



Model: WE925KITSS-PVD UABG

浴缸排水组合件,配环形链条加长S弯,不配90度排水管
Exposed Bath Waste Kit C/W Plug & Chain and extended Trap & without 2 Pair Brass Connector and L 38mm Flush Pipe




材 质 / Material	不锈钢 / Stainless Steel 铜 / Brass
产品毛重 / Product G.W.	4.38 kg
装箱数量 / QTY	1 pcs
装箱净重 / PKG N.W.	4.25 kgs
装箱毛重 / PKG G.W.	4.38 kgs
外箱尺寸 / MEAS	660x310x100 mm

WASTE SERIES

下水系列 >>> 浴缸下水 Bath Wastes

HOMES®




Model: WE240

铜线控浴缸下水
Brass Bath Pop-up Waste

Model: WE240CL-PVD UAG


古典铜线控浴缸下水
Traditional Brass Bath Pop-up Waste

下水器技术规格要求 / Technical specifications for launching apparatus		产品毛重/Product G.W.	2.628 kg
材质/Material	铜/Brass、不锈钢/Stainless Steel	装箱数量/QTY	5 pcs
开孔尺寸/Hole size	溢水/Overflow: 48~52mm	装箱净重/PKG N.W.	12.05 kgs
	排水/Drainage: 48~52mm	装箱毛重/PKG G.W.	13.14 kgs
适合浴缸厚度 Suitable thickness size for bathtub	2~10mm	外箱尺寸/MEAS	370x350x470 mm
参考标准 Reference standards	EN274	可定制表面颜色 Customizable surface color	
产品特点/Product features	小封盖易清洁, 排水管伸缩35-50cm Small cover easy to clean, drainage pipe expandable 35-50cm		
下水器流量 / Drainer flow			
溢水流量/Overflow flow:	排水流量/Drainage flow:		
最高使用温度/Maximum service temperature	60℃		



Model: WE929KIT


铜浴缸机动排水组合件
Freestand and Pop-up Bath Waste with Legs Kit



材 质 / Material	不锈钢 / Stainless Steel 铜 / Brass & 塑料 / PP
产品毛重 / Product G.W.	4.42 kg
装箱数量 / QTY	1 pcs
装箱净重 / PKG N.W.	4.24 kgs
装箱毛重 / PKG G.W.	4.42 kgs
外箱尺寸 / MEAS	665x290x145 mm


WASTE SERIES
下水系列 >>> 浴缸下水 Bath Wastes

浴缸下水
BATH WASTES



Model: WE920SS

不锈钢浴缸龙头可伸缩固定脚
Traditional Standpipes with Adjustable
Shrouds for Roll Top Bath




Model: WE921SS

不锈钢不可伸缩固定脚
Stainless Steel Un-extended Legs Kit



Model: WE979A-PVD UABG

传统立管支架
Traditional Stand Pipe Support Bracket




材 质 / Material	铜 / Brass
产品毛重 / Product G.W.	0.91 kg
装箱数量 / QTY	20 pcs
装箱净重 / PKG N.W.	17.60 kgs
装箱毛重 / PKG G.W.	18.20 kgs
外箱尺寸 / MEAS	540x245x270 mm



HOMES®

浴缸下水
BATH WASTES


WASTE SERIES
下水系列 >>> 浴缸下水 Bath Wastes



Model: WE212-PVD BBL

豪华塑料浴缸下水
Luxury Pop-up Bath Waste

下水器技术规格要求 / Technical specifications for launching apparatus		产品毛重/Product G.W.	0.98 kg
材质/Material	锌合金/Zinc、铜/Brass、不锈钢/Stainless Steel、PP	装箱数量/QTY	20 pcs
开孔尺寸/Hole size	溢水/Overflow: 48~52mm	装箱净重/PKG N.W.	18.60 kgs
	排水/Drainage: 48~52mm	装箱毛重/PKG G.W.	19.60 kgs
适合浴缸厚度 Suitable thickness size for bathtub	1~8mm	外箱尺寸/MEAS	730x380x450 mm
参考标准 Reference standards	EN274	可定制表面颜色 Customizable surface color	
产品特点/Product features	小封盖易清洁, 减少日常维护 The small cover is easy to clean and reduces daily maintenance		
下水器流量 / Drainer flow			
溢水流量/Overflow flow: 25.31L/min	排水流量/Drainage flow: 78.48L/min		
最高使用温度/Maximum service temperature	60℃		



Model: WE261-PVD UABG

塑料线控提拉浴缸下水
Plastic Pop Up Bath Waste with Overflow

下水器技术规格要求 / Technical specifications for launching apparatus		产品毛重/Product G.W.	0.753 kg
材质/Material	锌合金/Zinc、铜/Brass、不锈钢/Stainless Steel、PP	装箱数量/QTY	20 pcs
开孔尺寸/Hole size	溢水/Overflow: 48~52mm	装箱净重/PKG N.W.	14.00 kgs
	排水/Drainage: 48~52mm	装箱毛重/PKG G.W.	15.06 kgs
适合浴缸厚度 Suitable thickness size for bathtub	2~25mm	外箱尺寸/MEAS	670x460x445 mm
参考标准 Reference standards	EN274	可定制表面颜色 Customizable surface color	
产品特点/Product features	小封盖易清洁, 减少日常维护 The small cover is easy to clean and reduces daily maintenance		
下水器流量 / Drainer flow			
溢水流量/Overflow flow: 36L/min	排水流量/Drainage flow: 59L/min		
最高使用温度/Maximum service temperature	60℃		


WASTE SERIES
下水系列 >>> 浴缸下水 Bath Wastes

HOMES®




Model: WE205

经济型线控浴缸下水
Economic Bath Pop Up Waste



Model: WE233

塑料浴缸下水，锌合金手轮
Freeflow Bath Filler with Pop-up Waste and Overflow



Model: WE294

塑料浴缸弹跳下水配塑料弯头
Plastic Click Clack Bath Waste with Elbow

下水器技术规格要求 / Technical specifications for launching apparatus		产品毛重/Product G.W.	
材质/Material	铜/Brass、不锈钢/Stainless Steel、PP	装箱数量/QTY	
开孔尺寸/Hole size	溢水/Overflow: 48~52mm	装箱净重/PKG N.W.	
	排水/Drainage: 48~52mm	装箱毛重/PKG G.W.	
适合浴缸厚度 Suitable thickness size for bathtub	1~8mm	外箱尺寸/MEAS	
参考标准 Reference standards	EN274	可定制表面颜色 Customizable surface color	
产品特点/Product features	下水自带隔臭功能，隔绝异味，方便清理 The drain has a built-in odor isolation function, which isolates odors and facilitates cleaning		
下水器流量 / Drainer flow			
溢水流量/Overflow flow:	排水流量/Drainage flow:		
最高使用温度/Maximum service temperature	60℃		

WASTE SERIES
下水系列 >>> 浴缸下水 Bath Wastes

HOMES®




Model: WE220E

易清洗塑料浴缸下水
Easy Clean Sprung Plug Bath Waste
with Minimalist Overflow

Model: WE222E-PVD UABG

易清洗塑料浴缸弹跳下水
Easy Clean Clic-Clack Bath Waste



Model: WE219-PVD BBL

塑料浴缸下水
Round Bath Pop Up Waste & Overflow

Model: WE226-PVD UABG


塑料浴缸四方弹跳下水
Square Slotted Sprung Plug Bath
Waste & Overflow

下水器技术规格要求 / Technical specifications for launching apparatus		产品毛重/Product G.W.	0.473 kg
材质/Material	铜/Brass、不锈钢/Stainless Steel、PP	装箱数量/QTY	42 pcs
开孔尺寸/Hole size	溢水/Overflow: 48~52mm	装箱净重/PKG N.W.	18.86 kgs
	排水/Drainage: 48~52mm	装箱毛重/PKG G.W.	19.86 kgs
适合浴缸厚度 Suitable thickness size for bathtub	1~10mm	外箱尺寸/MEAS	540x390x440 mm
参考标准 Reference standards	EN274	可定制表面颜色 Customizable surface color	
产品特点/Product features	提笼设计方便清理避免管道堵塞，安装简单便捷 The cage design is easy to clean and avoids pipeline blockage, and the installation is simple and convenient		
下水器流量 / Drainer flow			
溢水流量/Overflow flow: 19.96L/min	排水流量/Drainage flow: 56L/min		
最高使用温度/Maximum service temperature	60℃		

下水器技术规格要求 / Technical specifications for launching apparatus		产品毛重/Product G.W.	0.561 kg
材质/Material	铜/Brass、不锈钢/Stainless Steel、PP	装箱数量/QTY	30 pcs
开孔尺寸/Hole size	溢水/Overflow: 48~52mm	装箱净重/PKG N.W.	15.81 kgs
	排水/Drainage: 48~52mm	装箱毛重/PKG G.W.	16.84 kgs
适合浴缸厚度 Suitable thickness size for bathtub	1~18mm	外箱尺寸/MEAS	390x390x440 mm
参考标准 Reference standards	EN274	可定制表面颜色 Customizable surface color	
产品特点/Product features	经济型浴缸下水器，圆形溢水盖，大封盖弹跳排水 Economy bathtub drain, circular overflow cover, large cover bounce drainage		
下水器流量 / Drainer flow			
溢水流量/Overflow flow: 14.64L/min	排水流量/Drainage flow: 72.17L/min		
最高使用温度/Maximum service temperature	60℃		

WASTE SERIES
下水系列 >>> 浴缸下水 Bath Wastes

HOMES®





Model: WE203-PVD UKG

塑料浴缸下水配45CM圆珠链条
Bath Waste with Metal Plug & Plug Parking
& Ball Chain

Model: WE203Y-PVD UABG

塑料浴缸排水
Enhanced 1 1/2" Bath Waste with Metal Plug
& Plug Parking

下水器技术规格要求 / Technical specifications for launching apparatus		产品毛重/Product G.W.	0.286 kg
材质/Material	铜/Brass、不锈钢/Stainless Steel、PP	装箱数量/QTY	42 pcs
开孔尺寸/Hole size	溢水/Overflow: 48~52mm	装箱净重/PKG N.W.	11.32 kgs
	排水/Drainage: 48~52mm	装箱毛重/PKG G.W.	12.00 kgs
适合浴缸厚度 Suitable thickness size for bathtub	1~15mm	外箱尺寸/MEAS	540x390x440 mm
参考标准 Reference standards	EN274	可定制表面颜色 Customizable surface color	
产品特点/Product features	45cm圆珠链条, 安装简单便捷 45cm round ball chain, easy and convenient to install		
下水器流量 / Drainer flow			
溢水流量/Overflow flow:	21.46L/min		
排水流量/Drainage flow:	50.23L/min		
最高使用温度/Maximum service temperature	60℃		




Model: WE206-PVD UABG

浴缸弹跳下水配小面盖
Push Button Bath Combi Waste with
Small Cap



Model: WE207

塑料浴缸弹跳排水
Sprung Plug Bath Waste & Overflow

下水器技术规格要求 / Technical specifications for launching apparatus		产品毛重/Product G.W.	0.48 kg
材质/Material	铜/Brass、不锈钢/Stainless Steel、PP	装箱数量/QTY	30 pcs
开孔尺寸/Hole size	溢水/Overflow: 48~52mm	装箱净重/PKG N.W.	14.40 kgs
	排水/Drainage: 48~52mm	装箱毛重/PKG G.W.	14.98 kgs
适合浴缸厚度 Suitable thickness size for bathtub	1~8mm	外箱尺寸/MEAS	390x390x440 mm
参考标准 Reference standards	EN274	可定制表面颜色 Customizable surface color	
产品特点/Product features	经济型浴缸下水器, 圆形溢水盖, 小封盖弹跳排水 Economy bathtub drain, circular overflow cover, small cover bounce drainage		
下水器流量 / Drainer flow			
溢水流量/Overflow flow:	18.31L/min		
排水流量/Drainage flow:	73.4L/min		
最高使用温度/Maximum service temperature	60℃		

WASTE SERIES
下水系列 >>> 浴缸下水 Bath Wastes

HOMES®



Model: WE204RP

塑料浴缸排水,橡胶塞头
Bath Waste with Rubber Plug

Model: WE204

塑料浴缸下水
Bath Waste with Brass Plug & Ball Chain & Overflow

Model: WE214

塑料浴缸排水,圆珠链条
Bath Combined Waste & Overflow with
Ball Chain

Model: WE214BCDC


塑料浴缸排水,陶瓷盖,粗链条,铜螺母
Bath Combined Waste & Overflow & Daisy Chain
& ceramic Plug & Brass Backnut

下水器技术规格要求 / Technical specifications for launching apparatus		产品毛重/Product G.W.	0.91 kg
材质/Material	ABS、不锈钢/Stainless Steel、橡胶/Rubber、PP	装箱数量/QTY	50 pcs
开孔尺寸/Hole size	溢水/Overflow: 48~52mm	装箱净重/PKG N.W.	8.00 kgs
	排水/Drainage: 48~52mm	装箱毛重/PKG G.W.	9.52 kgs
适合浴缸厚度 Suitable thickness size for bathtub	1~8mm	外箱尺寸/MEAS	545x400x335 mm
参考标准 Reference standards	EN274	可定制表面颜色 Customizable surface color	
产品特点/Product features	橡胶塞头, 安装简单便捷 Rubber plug, easy and convenient to install		
下水器流量 / Drainer flow			
溢水流量/Overflow flow: 22.96L/min	排水流量/Drainage flow: 49.6L/min		
最高使用温度/Maximum service temperature	60℃		

下水器技术规格要求 / Technical specifications for launching apparatus		产品毛重/Product G.W.	0.378 kg
材质/Material	ABS、铜/Brass、不锈钢/Stainless Steel、PP	装箱数量/QTY	30 pcs
开孔尺寸/Hole size	溢水/Overflow: 48~52mm	装箱净重/PKG N.W.	10.80 kgs
	排水/Drainage: 48~52mm	装箱毛重/PKG G.W.	11.40 kgs
适合浴缸厚度 Suitable thickness size for bathtub	1~12mm	外箱尺寸/MEAS	390x390x440 mm
参考标准 Reference standards	EN274	可定制表面颜色 Customizable surface color	
产品特点/Product features	铜塞头, 安装简单便捷 Brass plug, easy and convenient to install		
下水器流量 / Drainer flow			
溢水流量/Overflow flow: 19.2L/min	排水流量/Drainage flow: 70.03L/min		
最高使用温度/Maximum service temperature	60℃		


WASTE SERIES
下水系列 >>> 浴缸下水 Bath Wastes

浴缸下水
BATH WASTES




Model: WE210

塑料四方溢水盖铜浴缸弹跳下水
Bath Waste with Square Overflow Cap and Square Flat Pipe

下水器技术规格要求 / Technical specifications for launching apparatus		产品毛重/Product G.W.	
材质/Material	铜/Brass、不锈钢/Stainless Steel、PP	装箱数量/QTY	
开孔尺寸/Hole size	溢水/Overflow: 48~52mm	装箱净重/PKG N.W.	
	排水/Drainage: 48~52mm	装箱毛重/PKG G.W.	
适合浴缸厚度 Suitable thickness size for bathtub	2~10mm	外箱尺寸/MEAS	
参考标准 Reference standards	EN274	可定制表面颜色 Customizable surface color	
产品特点/Product features	长方形溢水口, 扁管塑料排水管, 大封盖弹跳排水 Rectangular overflow outlet, flat plastic drainage pipe, large cover bounce drainage		
下水器流量 / Drainer flow			
溢水流量/Overflow flow:	排水流量/Drainage flow:		
最高使用温度/Maximum service temperature	60℃		

HOMES®

浴缸下水
BATH WASTES




Model: WE201U


浴缸弹跳排水,大盖子,高50MM,无溢水
Push Button Bath Waste without Overflow

Model: WE201B-74

大封盖浴缸弹跳下水,有溢水孔,下水体高74mm
Clicker Bath Waste 74mm Tail - Slotted


下水器技术规格要求 / Technical specifications for launching apparatus		产品毛重/Product G.W.	0.282 kg
材质/Material	不锈钢/Stainless Steel、铜/Brass、ABS	装箱数量/QTY	50 pcs
开孔尺寸/Hole size	溢水/Overflow: 48~52mm	装箱净重/PKG N.W.	13.50 kgs
	排水/Drainage: 48~52mm	装箱毛重/PKG G.W.	14.10 kgs
适合浴缸厚度 Suitable thickness size for bathtub	1~25mm	外箱尺寸/MEAS	395x395x160 mm
参考标准 Reference standards	EN274	可定制表面颜色 Customizable surface color	
产品特点/Product features	大流量排水 Large flow drainage		
下水器流量 / Drainer flow			
溢水流量/Overflow flow:	排水流量/Drainage flow: 62L/min		
最高使用温度/Maximum service temperature	60℃		

WASTE SERIES
下水系列 >>> 浴缸下水 Bath Wastes



Model: WE201UKIT


浅直插式浴缸存水弯套件(WE201下水+塑料软管+疏水阀)
Shallow In-Line Bath Trap Kit
(Waste+Plastic Flexible pipe +Trap)



Model: WE202UB

浴缸弹跳排水,小盖子,高50MM
1 1/2" X 2" Tail Unslotted (Bath Clic-clack Waste)
with Brass Backnut

下水器技术规格要求 / Technical specifications for launching apparatus		产品毛重/Product G.W.	0.55 kg
材质/Material	不锈钢/Stainless Steel、铜/Brass、PP、ABS	装箱数量/QTY	10 pcs
开孔尺寸/Hole size	溢水/Overflow: 48~52mm	装箱净重/PKG N.W.	4.50 kgs
	排水/Drainage: 48~52mm	装箱毛重/PKG G.W.	5.50 kgs
适合浴缸厚度 Suitable thickness size for bathtub	1~19mm	外箱尺寸/MEAS	350x300x420 mm
参考标准 Reference standards	EN274	可定制表面颜色 Customizable surface color	
产品特点/Product features	塑料弯头+波纹伸缩排水管组合件 Plastic elbow+corrugated telescopic drainage pipe assembly		
下水器流量 / Drainer flow			
溢水流量/Overflow flow:	排水流量/Drainage flow: 52.14L/min		
最高使用温度/Maximum service temperature	60℃		



Model: WE208

浴缸排水,铜塞头,高50MM
Bath Waste with Brass Plug & Ball Chain H=50mm



Model: WE208RP


浴缸排水,橡胶塞头,高50MM
Bath Waste with Rubber Plug & Ball Chain H=50mm

下水器技术规格要求 / Technical specifications for launching apparatus		产品毛重/Product G.W.	0.22 kg
材质/Material	不锈钢/Stainless Steel、铜/Brass、ABS	装箱数量/QTY	50 pcs
开孔尺寸/Hole size	溢水/Overflow: 48~52mm	装箱净重/PKG N.W.	11.00 kgs
	排水/Drainage: 48~52mm	装箱毛重/PKG G.W.	11.56 kgs
适合浴缸厚度 Suitable thickness size for bathtub	1~30mm	外箱尺寸/MEAS	395x395x160 mm
参考标准 Reference standards	EN274	可定制表面颜色 Customizable surface color	
产品特点/Product features	铜塞头+45cm圆珠链条 Brass plug + 45cm ball chain		
下水器流量 / Drainer flow			
溢水流量/Overflow flow:	排水流量/Drainage flow: 77.26L/min		
最高使用温度/Maximum service temperature	60℃		

WASTE SERIES


下水系列 >>> 浴缸排水管 Bath Traps

浴缸排水管
BATH TRAPS




Model: WE901

浴缸塑料45度排水管
S Plastic Bath Trap for 38mm Pipe




Model: WE904PL

S型弯头/侧面带堵头
Traditional Bath Trap with Plug




Model: WE904PLP

浴缸铜S弯38MM排水管
Brass 1-1/2 Bath S Trap with P38OD Pipe




Model: WE908

塑料排水管组合件
Bath Trap with Rotational Outlet



Model: WE904EP-38/42

配38/42管铜S弯浴缸排水
Brass 1-1/2 Bath S Trap with Adapter for 38OD & 42OD Pipe



Model: WE916


可调节浴缸/淋浴房塑料直波纹管
Adjustable Plastic Flexible Pipe for Shower and Bath Waste

WASTE SERIES

下水系列 >>> 面盆下水 Basin Wastes

HOMES®

Double Filtration
New



Matched with any basin waste body

Model: WE157

面盆下水塞头
Replacement Plug for Basin Waste

下水器技术规格要求 / Technical specifications for launching apparatus			
材质/Material	不锈钢/Stainless Steel	产品毛重/Product G.W.	0.12 kg
适合孔径/Suitable aperture	35mm	装箱数量/QTY	50 pcs
参考标准 Reference standards	EN274		
产品特点/Product features	适用35孔径下水口，过滤网设计方便清理避免管道堵塞， 按键排水，自带防臭功能 / Suitable for 35 aperture water outlet, filter screen design for easy cleaning to avoid pipeline blockage, button drainage, built-in odor prevention function	装箱净重/PKG N.W.	6.00 kgs
		装箱毛重/PKG G.W.	6.50 kgs
下水器流量 / Drainer flow			
排水流量/Drainage flow:		外箱尺寸/MEAS	395x395x160 mm
最高使用温度/Maximum service temperature	60℃		
 镀铬 CH  拉丝锆金 PVD UABG  拉丝枪黑 PVD BBL  哑黑 MB  哑白 HMWH		可定制表面颜色 Customizable surface color	



WASTE SERIES

下水系列 >>> 面盆下水 Basin Wastes

面盆弹跳下水可任意组合
The basin click clack waste can be combined as desired



可更换封盖/Cover option



圆形盖/Round cap 陶瓷盖/Ceramic cap 方形盖/Square cap 小封盖/Small cap

可更换弹跳芯子/Clicker mechanism option



铜弹跳芯子/brass clicker mechanism 塑料弹跳芯子/POM clicker mechanism

可更换下水体/Waste body option



铜/Brass 不锈钢/Stainless Steel 锌合金/Zinc 无溢水孔/Unslotted 塑料/PP

HOMES®

可更换易清洗结构/Easy clean option



铜/Brass 抓头发/Hair Catch 塑料/ABS

可更换螺母/Back nut option



塑料/ABS 铜/Brass 铜/Brass 不锈钢/Stainless Steel

可更换垫片/Gasket option



橡胶垫片/Rubber gasket V 橡胶垫片/V rubber gasket 硅胶/Silicone



橡胶垫片/Rubber gasket 橡胶垫片/Rubber gasket 硅胶/Silicone

WASTE SERIES
下水系列 >>> 面盆下水 Basin Wastes

HOMES®

面盆下水
BASIN WASTES



面盆下水
BASIN WASTES

Model: WE101

SS304面盆下水圆形链条带溢水孔
SS304 Basin Waste with Brass Plug & Slotted

Model: WE102

SS304面盆下水圆形链条带溢水孔，橡胶塞头
SS304 Basin Waste with Rubber Plug & Slotted

Model: WE104

塑料面盆下水-铜塞头
Basin Waste Slotted Brass Plug

Model: WE104RP

塑料面盆下水-塑料塞头
Basin Waste Slotted Rubber Plug

下水器技术规格要求 / Technical specifications for launching apparatus			
材质/Material	不锈钢/Stainless Steel、铜/Brass、ABS	产品毛重/Product G.W.	0.23 kg
开孔尺寸/Hole size	42~45mm	装箱数量/QTY	50 pcs
参考标准 Reference standards	EN274		
产品特点/Product features	25cm圆珠链条，铜塞头，带溢水孔 25cm round ball chain, brass plug, slotted	装箱净重/PKG N.W.	11.00 kgs
		装箱毛重/PKG G.W.	11.48 kgs
下水器流量 / Drainer flow			
排水流量/Drainage flow： 37.77L/min			
最高使用温度/Maximum service temperature		外箱尺寸/MEAS	375x375x215 mm
60℃			
 镀铬 CH  拉丝铬金 PVD UABG  拉丝枪黑 PVD BBL  哑黑 MB  哑白 HMWH		可定制表面颜色 Customizable surface color	

下水器技术规格要求 / Technical specifications for launching apparatus				
材质/Material	铜/Brass、不锈钢/Stainless Steel、ABS		产品毛重/Product G.W.	0.12 kg
开孔尺寸/Hole size	42~45mm		装箱数量/QTY	50 pcs
参考标准 Reference standards	EN274			
产品特点/Product features	25cm圆珠链条，铜塞头，带溢水孔 25cm round ball chain, brass plug, lotted		装箱净重/PKG N.W.	6.00 kgs
			装箱毛重/PKG G.W.	6.72 kgs
下水器流量 / Drainer flow				
排水流量/Drainage flow：19.20L/min			外箱尺寸/MEAS	375x375x230 mm
最高使用温度/Maximum service temperature	60℃			
 镀铬 CH  拉丝铬金 PVD UABG  拉丝枪黑 PVD BBL  哑黑 MB  哑白 HMWH			可定制表面颜色 Customizable surface color	

WASTE SERIES
下水系列 >>> 面盆下水 Basin Wastes

HOMES®



Model: WE114B

面盆下水圆形链条-有溢水孔，铜锁紧帽
SS304 Basin Waste Slotted C/w Ceramic
Plug & Ball Chain Brass Nut

Model: WE115DC

面盆下水粗链条-有溢水孔
SS304 Basin Waste Slotted C/w Metal Plug
& Daisy Chain

下水器技术规格要求 / Technical specifications for launching apparatus				
材质/Material	不锈钢/Stainless Steel、陶瓷/Ceramic、铜/Brass		产品毛重/Product G.W.	0.3 kg
开孔尺寸/Hole size	42~45mm		装箱数量/QTY	50 pcs
参考标准 Reference standards	EN274			
产品特点/Product features	25cm圆珠链条，铜塞头，铜锁紧帽，带溢水孔 25cm round ball chain, brass plug, Copper locking cap, slotted		装箱净重/PKG N.W.	12.40 kgs
			装箱毛重/PKG G.W.	14.75 kgs
下水器流量 / Drainer flow				
排水流量/Drainage flow: 37.54L/min			外箱尺寸/MEAS	350x350x230 mm
最高使用温度/Maximum service temperature	60℃			
 镀铬 CH  拉丝锆金 PVD UABG  拉丝枪黑 PVD BBL  哑黑 MB  哑白 HMWH			可定制表面颜色 Customizable surface color	



Model: WE109

翻板面盆下水-有溢水
Swivel Top Basin Waste (slotted)

Model: WE105

面盆弹跳下水,有溢水孔,小封盖
Small Cap Slotted Click Clack Basin Waste

下水器技术规格要求 / Technical specifications for launching apparatus				
材质/Material	不锈钢/Stainless Steel、ABS		产品毛重/Product G.W.	0.27 kg
开孔尺寸/Hole size	42~45mm		装箱数量/QTY	50 pcs
参考标准 Reference standards	EN274			
产品特点/Product features	翻版面盆下水器，带溢水孔 Pirated basin drain slotted		装箱净重/PKG N.W.	11.65 kgs
			装箱毛重/PKG G.W.	13.60 kgs
下水器流量 / Drainer flow				
排水流量/Drainage flow： 37.19L/min			外箱尺寸/MEAS	375x375x215 mm
最高使用温度/Maximum service temperature	60℃			
 镀铬 CH  拉丝锆金 PVD UABG  拉丝枪黑 PVD BBL  哑黑 MB  哑白 HMWH			可定制表面颜色 Customizable surface color	

WASTE SERIES
下水系列 >>> 面盆下水 Basin Wastes

HOMES®



Model: WE106

面盆弹跳下水，大面盖
Click Clack Basin Waste (slotted)

Model: WE106E

易清洗面盆弹跳下水，有溢水
Easy Clean Basin Waste with
Removable Clic-clac (slotted)



Model: WE106WC

面盆弹跳下水带溢水孔,黑色陶瓷大封盖
Push Button 1 1/4, Basin Waste Slotted
with White Ceramic Cap

Model: WE107WC

白色四方陶瓷盖面盆下水,铜六角帽
Push Button Brass 1 1/4, Basin Waste
Slotted with White Ceramic Cap

下水器技术规格要求 / Technical specifications for launching apparatus		产品毛重/Product G.W.	0.27 kg
材质/Material	不锈钢/Stainless Steel、铜/Brass、ABS	装箱数量/QTY	50 pcs
开孔尺寸/Hole size	42~45mm	装箱净重/PKG N.W.	13.13 kgs
参考标准 Reference standards	EN274	装箱毛重/PKG G.W.	13.68 kgs
产品特点/Product features	弹跳面盆下水器，带溢水孔 Bouncing basin drain slotted	外箱尺寸/MEAS	375x375x230 mm
下水器流量 / Drainer flow			
排水流量/Drainage flow: 35.72L/min			
最高使用温度/Maximum service temperature	60℃		
镀铬 CH 拉丝铬金 PVD UABG 拉丝枪黑 PVD BBL 哑黑 MB 哑白 HMWH		可定制表面颜色 Customizable surface color	

下水器技术规格要求 / Technical specifications for launching apparatus		产品毛重/Product G.W.	0.34 kg
材质/Material	铜/Brass、陶瓷/Ceramic、ABS	装箱数量/QTY	50 pcs
开孔尺寸/Hole size	42~45mm	装箱净重/PKG N.W.	16.20 kgs
参考标准 Reference standards	EN274	装箱毛重/PKG G.W.	17.20 kgs
产品特点/Product features	陶瓷大封盖，带溢水孔 Ceramic large cover slotted	外箱尺寸/MEAS	375x375x230 mm
下水器流量 / Drainer flow			
排水流量/Drainage flow: 36.20L/min			
最高使用温度/Maximum service temperature	60℃		
镀铬 CH 拉丝铬金 PVD UABG 拉丝枪黑 PVD BBL 哑黑 MB 哑白 HMWH		可定制表面颜色 Customizable surface color	

WASTE SERIES
下水系列 >>> 面盆下水 Basin Wastes

HOMES®



Model: WE107S

四方盖面盆弹跳下水带溢水
SS304 Square Push Button Basin Waste Slotted

Model: WE117S

易清洗面盆弹跳下水，有溢水
SS304 Easy Clean Basin Waste with
Removable Clic-clac (slotted)

Model: WE119

塑料面盆弹跳下水带溢水孔
G1 1/4 Basin Waste Slotted

Model: WE114BIGCAP

面盆下水带溢水孔，大封盖
Basin Waste Slotted Big Cap

下水器技术规格要求 / Technical specifications for launching apparatus			
材质/Material	不锈钢/Stainless Steel、铜/Brass、ABS	产品毛重/Product G.W.	0.33 kg
开孔尺寸/Hole size	42~45mm	装箱数量/QTY	50 pcs
参考标准 Reference standards	EN274		
产品特点/Product features	不锈钢下水体，带溢水孔 Stainless steel waste body slotted	装箱净重/PKG N.W.	15.65 kgs
		装箱毛重/PKG G.W.	16.30 kgs
下水器流量 / Drainer flow			
排水流量/Drainage flow： 34.60L/min		外箱尺寸/MEAS	375x375x230 mm
最高使用温度/Maximum service temperature	60℃		
 镀铬 CH  拉丝铬金 PVD UABG  拉丝枪黑 PVD BBL  哑黑 MB  哑白 HMWH		可定制表面颜色 Customizable surface color	

下水器技术规格要求 / Technical specifications for launching apparatus				
材质/Material	不锈钢/Stainless Steel、ABS		产品毛重/Product G.W.	0.145 kg
开孔尺寸/Hole size	42~45mm		装箱数量/QTY	50 pcs
参考标准 Reference standards	EN274			
产品特点/Product features	不锈钢包塑料弹跳大封盖，带溢水孔 Stainless steel wrapped with plastic big cover, slotted		装箱净重/PKG N.W.	7.25 kgs
			装箱毛重/PKG G.W.	7.75 kgs
下水器流量 / Drainer flow				
排水流量/Drainage flow:			外箱尺寸/MEAS	375x375x230 mm
最高使用温度/Maximum service temperature	60℃			
 镀铬 CH  拉丝铬金 PVD UABG  拉丝枪黑 PVD BBL  哑黑 MB  哑白 HMWH			可定制表面颜色 Customizable surface color	

WASTE SERIES
下水系列 >>> 面盆下水 Basin Wastes

HOMES®



Model: WE108

有溢水孔弹跳面盆下水
Push Button Basin Big Plug Waste Slotted

Model: WE108X

面盆下水带溢水孔
Basin Extended Tail Click Clack Waste - Slotted

下水器技术规格要求 / Technical specifications for launching apparatus				
材质/Material	铜/Brass		产品毛重/Product G.W.	0.34 kg
开孔尺寸/Hole size	42~45mm		装箱数量/QTY	50 pcs
参考标准 Reference standards	EN274			
产品特点/Product features	弹跳大封盖，带溢水孔 Click clack large cover slotted		装箱净重/PKG N.W.	16.25 kgs
			装箱毛重/PKG G.W.	17.15 kgs
下水器流量 / Drainer flow				
排水流量/Drainage flow：41.63L/min			外箱尺寸/MEAS	375x375x230 mm
最高使用温度/Maximum service temperature	60℃			
 镀铬 CH  拉丝铬金 PVD UABG  拉丝枪黑 PVD BBL  哑黑 MB  哑白 HMWH			可定制表面颜色 Customizable surface color	

Model: WE127U

铜直漏面盆下水无溢水孔
Brass Free Flow Basin Waste Unslotted

Model: WE148B

顶部按钮面盆弹跳下水带溢水孔，铜螺母
Top Button Click Basin Waste with Brass Backnut - Slotted

下水器技术规格要求 / Technical specifications for launching apparatus				
材质/Material	铜/Brass、ABS		产品毛重/Product G.W.	0.26 kg
开孔尺寸/Hole size	42~45mm		装箱数量/QTY	50 pcs
参考标准 Reference standards	EN274			
产品特点/Product features	弹跳大封盖，带溢水孔 Click clack large cover unslotted		装箱净重/PKG N.W.	12.70 kgs
			装箱毛重/PKG G.W.	13.20 kgs
下水器流量 / Drainer flow				
排水流量/Drainage flow:			外箱尺寸/MEAS	375x375x230 mm
最高使用温度/Maximum service temperature	60℃			
镀铬 CH 拉丝铬金 PVD UABG 拉丝枪黑 PVD BBL 哑黑 MB 哑白 HMWH			可定制表面颜色 Customizable surface color	

WASTE SERIES
下水系列 >>> 面盆下水 Basin Wastes



Model: WE142S
不锈钢直漏面盆下水有溢水孔
SS304 Basin Waste for Free Flow Slotted

Model: WE118
台盆塑料直漏下水
Plastic Basin Free Flow Waste

下水器技术规格要求 / Technical specifications for launching apparatus			
材质/Material	不锈钢/Stainless Steel、ABS	产品毛重/Product G.W.	0.21 kg
开孔尺寸/Hole size	42~45mm	装箱数量/QTY	50 pcs
参考标准 Reference standards	EN274	装箱净重/PKG N.W.	10.00 kgs
产品特点/Product features	直漏面盆下水器，带溢水孔 Free flow basin drain with slotted	装箱毛重/PKG G.W.	10.42 kgs
下水器流量 / Drainer flow			
排水流量/Drainage flow：42.68L/min		外箱尺寸/MEAS	375x375x230 mm
最高使用温度/Maximum service temperature	60℃		
 镀铬 CH  拉丝铬金 PVD UABG  拉丝枪黑 PVD BBL  哑黑 MB  哑白 HMWH		可定制表面颜色 Customizable surface color	



HOMES®


HOMES

WASTE SERIES

下水系列 >>> 面盆下水 Basin Wastes

HOMES®


Universal Waste




Model: WE132U

通用面盆弹跳下水，大面盖
Universal Push Button Basin Waste

下水器技术规格要求 / Technical specifications for launching apparatus		产品毛重/Product G.W.	0.35 kg
材质/Material	不锈钢/Stainless Steel		
开孔尺寸/Hole size	42~45mm	装箱数量/QTY	50 pcs
参考标准 Reference standards	EN274		
产品特点/Product features	弹跳大封盖，适用于所有台盆 Click click large cover, suitable for all basins	装箱净重/PKG N.W.	16.82 kgs
		装箱毛重/PKG G.W.	17.32 kgs
下水器流量 / Drainer flow		外箱尺寸/MEAS	375x375x280 mm
排水流量/Drainage flow： 37.07L/min			
最高使用温度/Maximum service temperature	60℃		
 镀铬 CH  拉丝铬金 PVD UABG  拉丝枪黑 PVD BBL  哑黑 MB  哑白 HMWH		可定制表面颜色 Customizable surface color	



SLOTTED



UNSLOTTED


Easily adjusted for slotted and unslotted basins

Our universal basin wastes is suitable for any basin as it works as both a slotted and unslotted waste. It can be adjusted to be both a free flow or click clack waste depending on what is required.

for free flow




Ceramic cap



Model: WE132-WC

WASTE SERIES
下水系列 >>> 面盆下水 Basin Wastes

HOMES®



Model: WE132EF


通用型易清洗弹跳面盆下水
Universal Push Button Basin Waste Easy Clean

下水器技术规格要求 / Technical specifications for launching apparatus			
材质/Material	不锈钢/Stainless Steel	产品毛重/Product G.W.	2.282 kg
开孔尺寸/Hole size	42~45mm	装箱数量/QTY	50 pcs
参考标准 Reference standards	EN274		
产品特点/Product features	易清洗功能，适用于所有台盆 Easy to clean function, suitable for all basins	装箱净重/PKG N.W.	13.35 kgs
		装箱毛重/PKG G.W.	14.20 kgs
下水器流量 / Drainer flow			
排水流量/Drainage flow: 37.66L/min (弹跳) 39.82L/min (直漏)		外箱尺寸/MEAS	375x375x280 mm
最高使用温度/Maximum service temperature	60℃		
 镀铬 CH  拉丝铬金 PVD UABG  拉丝枪黑 PVD BBL  哑黑 MB  哑白 HMWH		可定制表面颜色 Customizable surface color	

Home and Public use universal basin waste




Convert HOME use to Public use



WASTE SERIES
下水系列 >>> 面盆下水 Basin Wastes

HOMES®



Model: WE156

直漏和小盖弹跳面盆下水
1 1/4 Free Flow and Button Click Basin Waste

Model: WE158

面盆直漏下水
Free Flow Basin Waste

Model: WE132F


面盆直漏下水
Free Flow Basin Waste Large Cap

下水器技术规格要求 / Technical specifications for launching apparatus		产品毛重/Product G.W.	0.211 kg
材质/Material	铜/Brass	装箱数量/QTY	50 pcs
开孔尺寸/Hole size	42~45mm	装箱净重/PKG N.W.	11.00 kgs
参考标准 Reference standards	EN274	装箱毛重/PKG G.W.	11.40 kgs
产品特点/Product features	易清洁，安装简单便捷 Easy to clean, simple and convenient to install	外箱尺寸/MEAS	375x375x280 mm
下水器流量 / Drainer flow			
排水流量/Drainage flow:			
最高使用温度/Maximum service temperature	60℃		
镀铬 CH 拉丝铬金 PVD UABG 拉丝枪黑 PVD BBL 哑黑 MB 哑白 HMWH		可定制表面颜色 Customizable surface color	

下水器技术规格要求 / Technical specifications for launching apparatus		产品毛重/Product G.W.	
材质/Material	不锈钢/Stainless Steel、铜/Brass	装箱数量/QTY	
开孔尺寸/Hole size	42~45mm	装箱净重/PKG N.W.	
参考标准 Reference standards	EN274	装箱毛重/PKG G.W.	
产品特点/Product features	直漏面盆下水器，适用于所有台盆 DFree flow basin drain, suitable for all basins	外箱尺寸/MEAS	
下水器流量 / Drainer flow			
排水流量/Drainage flow:			
最高使用温度/Maximum service temperature	60℃		
镀铬 CH 拉丝铬金 PVD UABG 拉丝枪黑 PVD BBL 哑黑 MB 哑白 HMWH		可定制表面颜色 Customizable surface color	

WASTE SERIES
下水系列 >>> 面盆下水 Basin Wastes

HOMES®



Model: WE120P

大欧式提拉台盘塑料下水
Plastic Basin Pop-up Waste

下水器技术规格要求 / Technical specifications for launching apparatus		产品毛重/Product G.W.	0.26 kg
材质/Material	不锈钢/Stainless Steel、ABS	装箱数量/QTY	50 pcs
开孔尺寸/Hole size	42~45mm	装箱净重/PKG N.W.	12.00 kgs
参考标准 Reference standards	EN274	装箱毛重/PKG G.W.	12.80 kgs
产品特点/Product features	塑料+不锈钢包边塞子 Plastic+stainless steel edging plug	外箱尺寸/MEAS	417x285x295 mm
下水器流量 / Drainer flow			
排水流量/Drainage flow: 41.06L/min			
最高使用温度/Maximum service temperature	60℃		
镀铬 CH 拉丝铬金 PVD UABG 拉丝枪黑 PVD BBL 哑黑 MB 哑白 HMWH		可定制表面颜色 Customizable surface color	



Model: WE120BIU

大欧式提拉面盆下水
Basin Pop-up Waste

下水器技术规格要求 / Technical specifications for launching apparatus		产品毛重/Product G.W.	0.64 kg
材质/Material	不锈钢/Stainless Steel、铜/Brass	装箱数量/QTY	15 pcs
开孔尺寸/Hole size	42~45mm	装箱净重/PKG N.W.	9.60 kgs
参考标准 Reference standards	EN274	装箱毛重/PKG G.W.	10.04 kgs
产品特点/Product features	铜塞头加塑料过滤芯子, 防止管道堵塞 brass plug with plastic filter core to prevent pipeline blockage	外箱尺寸/MEAS	415x320x370 mm
下水器流量 / Drainer flow			
排水流量/Drainage flow: 41.06L/min			
最高使用温度/Maximum service temperature	60℃		
镀铬 CH 拉丝铬金 PVD UABG 拉丝枪黑 PVD BBL 哑黑 MB 哑白 HMWH		可定制表面颜色 Customizable surface color	

WASTE SERIES

下水系列 >>> 面盆下水 Basin Wastes



Model: WE113

台盘塑料下水带溢水孔,铜塞头
Basin Waste with Metal Plug and Overflow

Model: WE113BBP


台盘塑料下水, 橡胶塞头
Basin Waste with Rubber Plug and Overflow

下水器技术规格要求 / Technical specifications for launching apparatus			
材质/Material	不锈钢/Stainless Steel、铜/Brass、ABS	产品毛重/Product G.W.	0.2 kg
开孔尺寸/Hole size	42~45mm	装箱数量/QTY	42 pcs
参考标准 Reference standards	EN274		
产品特点/Product features	25cm圆珠链条, G1-1/4螺纹接口, 铜塞头 25cm ball chain, G1-1/4 threaded interface, brass plug	装箱净重/PKG N.W.	7.22 kgs
		装箱毛重/PKG G.W.	8.20 kgs
下水器流量 / Drainer flow			
排水流量/Drainage flow:		外箱尺寸/MEAS	540x390x440 mm
最高使用温度/Maximum service temperature	60℃		
镀铬 CH 拉丝铬金 PVD UABG 拉丝枪黑 PVD BBL 哑黑 MB 哑白 HMWH		可定制表面颜色 Customizable surface color	

HOMES®


WASTE SERIES

下水系列 >>> 小便池下水 Urinal Wastes




Model: WE801-1-1/2

塑料小便池下水1-1/2
1-1/2 Plastic Urinal Waste




Model: WE801

塑料小便池下水1-1/4
1-1/4 Plastic Urinal Waste



Model: WE802-1-1/2

不锈钢小便池下水1-1/2
1-1/2 Stainless Steel Urinal Waste




Model: WE802

不锈钢小便池下水1-1/4
1-1/4 Stainless Steel Urinal Waste

WASTE SERIES

下水系列 >>> 面盆瓶式下水 Basin Bottle Traps


HOMES®



Model: WE601

传统型瓶式下水（Φ35mm×300mm铜管，调节高度 0~110mm）
Traditional Extended Basin Bottle Trap (35mm×300mm Tube and Extended 0~110mm)

下水器技术规格要求 / Technical specifications for launching apparatus			
材质/Material	不锈钢/Stainless Steel	产品毛重/Product G.W.	0.76 kg
		装箱数量/QTY	24 pcs
参考标准 Reference standards	EN274		
产品特点/Product features	防臭设计隔绝异味, G1-1/4螺纹接口, 适用墙排出水口, 配 Φ35x300mm管和密封垫 / Anti odor design to isolate odors, G1-1/4 threaded interface, suitable for wall discharge outlets, equipped with a Φ35x300mm pipe and sealing gasket	装箱净重/PKG N.W.	18.24 kgs
		装箱毛重/PKG G.W.	18.96 kgs
下水器流量 / Drainer flow			
排水流量/Drainage flow:		外箱尺寸/MEAS	520x335x400 mm
最高使用温度/Maximum service temperature	60℃		
 镀铬 CH  拉丝铬金 PVD UABG  拉丝枪黑 PVD BBL  哑黑 MB  哑白 HMWH		可定制表面颜色 Customizable surface color	



Model: WE602

四方瓶式下水（Φ35mm×300mm铜管，调节高度 0~110mm）
Extended Square Basin Bottle Trap (35mm×300mm Tube and Extended 0~110mm)

下水器技术规格要求 / Technical specifications for launching apparatus			
材质/Material	不锈钢/Stainless Steel	产品毛重/Product G.W.	0.96 kg
参考标准 Reference standards	EN274	装箱数量/QTY	24 pcs
产品特点/Product features	防臭设计隔绝异味，G1-1/4螺纹接口，适用墙排水口，配Φ35x300mm管和密封垫 / Anti odor design to isolate odors, G1-1/4 threaded interface, suitable for wall discharge outlets, equipped with a Φ35x300mm pipe and sealing gasket	装箱净重/PKG N.W.	22.25 kgs
		装箱毛重/PKG G.W.	22.94 kgs
下水器流量 / Drainer flow			
排水流量/Drainage flow:		外箱尺寸/MEAS	520x335x455 mm
最高使用温度/Maximum service temperature	60℃		
镀铬 CH 拉丝铬金 PVD UABG 拉丝枪黑 PVD BBL 哑黑 MB 哑白 HMWH		可定制表面颜色 Customizable surface color	


WASTE SERIES
下水系列 >>> 面盆瓶式下水 Basin Bottle Traps



Model: WE603

圆形瓶式下水 (Φ 35mm× 300mm SS201 管, 调节高度 0~90mm)
Extended Round Basin Bottle Trap (35mm× 300mm SS201 Tube and Extended 0~90mm)

下水器技术规格要求 / Technical specifications for launching apparatus		产品毛重/Product G.W.	0.91 kg
材质/Material	不锈钢/Stainless Steel		
参考标准 Reference standards	EN274		
产品特点/Product features	防臭设计隔绝异味, G1-1/4螺纹接口, 适用墙排出水口, 配 Φ35x300mm管和密封垫 / Anti odor design to isolate odors, G1-1/4 threaded interface, suitable for wall discharge outlets, equipped with a Φ35x300mm pipe and sealing gasket		
下水器流量 / Drainer flow		装箱数量/QTY	24 pcs
排水流量/Drainage flow:		装箱净重/PKG N.W.	18.72 kgs
		装箱毛重/PKG G.W.	21.88 kgs
最高使用温度/Maximum service temperature	60℃	外箱尺寸/MEAS	535x395x335 mm
镀铬 CH 拉丝铬金 PVD UABG 拉丝枪黑 PVD BBL 哑黑 MB 哑白 HMWH		可定制表面颜色 Customizable surface color	




Model: WE603ELBOW

节省空间的面盆瓶式下水
Space saving basin trap

下水器技术规格要求 / Technical specifications for launching apparatus		产品毛重/Product G.W.	1.18 kg
材质/Material	不锈钢/Stainless Steel	装箱数量/QTY	10 pcs
参考标准 Reference standards	EN274	装箱净重/PKG N.W.	11.80 kgs
产品特点/Product features	防臭设计隔绝异味, 可任意安装于任意墙排水口, 安装简单便捷 / Anti odor design isolates odors and can be installed at any wall outlet, making installation simple and convenient	装箱毛重/PKG G.W.	12.42 kgs
下水器流量 / Drainer flow		外箱尺寸/MEAS	450x280x310 mm
排水流量/Drainage flow:			
最高使用温度/Maximum service temperature	60℃		
镀铬 CH 拉丝铬金 PVD UABG 拉丝枪黑 PVD BBL 哑黑 MB 哑白 HMWH		可定制表面颜色 Customizable surface color	

WASTE SERIES
下水系列 >>> 面盆瓶式下水 Basin Bottle Traps



Model: WE604

圆形瓶式下水 (Φ35mm×300mm SS201管, 调节高度 0~110mm)
Extended Round Basin Bottle Trap (35mm×300mm SS201 Tube and Extended 0~110mm)



Model: WE604L-PVD UABG

圆形瓶式下水+长管
SS304 Round Basin Bottle Trap + Tube to Floor Pipe Set


下水器技术规格要求 / Technical specifications for launching apparatus				
材质/Material	不锈钢/Stainless Steel		产品毛重/Product G.W.	1.02 kg
参考标准 Reference standards	EN274		装箱数量/QTY	24 pcs
产品特点/Product features	加长型, 防臭设计隔绝异味, G1-1/4螺纹接口, 适用墙排水口, 配Φ35x300mm管和密封垫 / Extended type, odor proof design to isolate odors, G1-1/4 threaded interface, suitable for wall discharge outlets, equipped with a Φ35x300mm pipe and sealing gasket		装箱净重/PKG N.W.	23.31 kgs
			装箱毛重/PKG G.W.	24.48 kgs
下水器流量 / Drainer flow				
排水流量/Drainage flow:			外箱尺寸/MEAS	520x335x400 mm
最高使用温度/Maximum service temperature	60℃			
 镀铬 CH  拉丝铬金 PVD UABG  拉丝枪黑 PVD BBL  哑黑 MB  哑白 HMWH			可定制表面颜色 Customizable surface color	

下水器技术规格要求 / Technical specifications for launching apparatus				
材质/Material		不锈钢/Stainless Steel		
参考标准 Reference standards		EN274		
产品特点/Product features	防臭设计隔绝异味, G1-1/4螺纹接口, 适用地排水口, 配密封垫 / Odor proof design to isolate odors, G1-1/4 threaded interface, suitable discharge outlet, equipped with sealing gasket		装箱净重/PKG N.W.	13.33 kgs
			装箱毛重/PKG G.W.	14.52 kgs
下水器流量 / Drainer flow				
排水流量/Drainage flow:				
最高使用温度/Maximum service temperature		60℃		
 镀铬 CH  拉丝铬金 PVD UABG  拉丝枪黑 PVD BBL  哑黑 MB  哑白 HMWH		可定制表面颜色 Customizable surface color		

WASTE SERIES

下水系列 >>> 面盆瓶式下水 Basin Bottle Traps

HOMES®



Model: WE609S

不锈钢S型瓶式下水
SS304 "S" Basin Trap



Model: WE607

S弯排水带排污口 (Φ32MM×300MM SS304管, 调节高度 0~90MM)
Brass P Trap with Plug 32mm×300mm SS304 Tube

下水器技术规格要求 / Technical specifications for launching apparatus						
材质/Material		不锈钢/Stainless Steel		产品毛重/Product G.W.	0.52 kg	
参考标准 Reference standards		EN274		装箱数量/QTY	24 pcs	
产品特点/Product features		防臭设计隔绝异味，配Φ32管径和密封垫 Anti odor design to isolate odors, equipped with a diameter of Φ32 pipe and sealing gasket		装箱净重/PKG N.W.	11.87 kgs	
				装箱毛重/PKG G.W.	12.36 kgs	
下水器流量 / Drainer flow						
排水流量/Drainage flow:						
最高使用温度/Maximum service temperature			60℃		外箱尺寸/MEAS	535x395x335 mm
镀铬 CH 拉丝铬金 PVD UABG 拉丝枪黑 PVD BBL 哑黑 MB 哑白 HMWH 可定制表面颜色 Customizable surface color						


下水器技术规格要求 / Technical specifications for launching apparatus				
材质/Material		铜/Brass	产品毛重/Product G.W. 0.67 kg	
参考标准 Reference standards		EN274	装箱数量/QTY 20 pcs	
产品特点/Product features		豪华型，防臭设计隔绝异味，配Φ32管径和密封垫 Luxury type, odor proof design to isolate odors, equipped with a diameter of 32 and sealing gasket	装箱净重/PKG N.W. 13.40 kgs	
			装箱毛重/PKG G.W. 13.94 kgs	
下水器流量 / Drainer flow				
排水流量/Drainage flow:			外箱尺寸/MEAS 520x335x400 mm	
最高使用温度/Maximum service temperature		60℃		
 镀铬 CH  拉丝铬金 PVD UABG  拉丝枪黑 PVD BBL  哑黑 MB  哑白 HMWH			可定制表面颜色 Customizable surface color	

WASTE SERIES

下水系列 >>> 面盆瓶式下水 Basin Bottle Traps

HOMES®

EASY INSTALLATION



Model: WE625


铜面盆入墙瓶式下水，易安装任意孔位（Φ32排水管带万向球）
Brass Wall Mounted Round Basin Bottle Trap, Easy to Install In Any Hole Position
(Φ32 Drainage Pipe with Universal Ball)

EASY INSTALLATION




Model: WE627

铜面盆入墙&落地双用瓶式下水，易安装
(Φ32排水管)
Brass Wall Mounted & Floor Mounted Dual Use Round Basin Bottle Trap, Easy to Install
(Φ32 Drainage Pipe)




EASY INSTALLATION



Model: WE626

铜面盆落地瓶式下水，易安装任意孔位（Φ32排水管带万向球）
Brass Floor Mounted Round Basin Bottle Trap, Easy to Install In Any Hole Position
(Φ32 Drainage Pipe with Universal Ball)

Universal




Wall Mounted

Floor Mounted

WASTE SERIES

下水系列 >>> 面盆瓶式下水 Basin Bottle Traps

HOMES®



Suitable for any basin waste

产品特点/Product features

- 1. Transparent design, visible dirt, can be removed in time
- 2. Odor prevention
- 3. Easy to install
- 4. Save space

- 1. 透明设计，污物可见，可以及时清除
- 2. 防臭气
- 3. 易安装
- 4. 节约空间



Floor drain
地排



Wall drain
墙排

Model: WE621

通用且易安装，易清洗排水管
Universal & Easy Installation Easy Clean Up Dirty Trap

下水器技术规格要求 / Technical specifications for launching apparatus				
材质/Material	PP、ABS		产品毛重/Product G.W.	
			装箱数量/QTY	
参考标准/Reference standards	EN274			
产品特点/Product features	1.透明设计，污物可见，可以及时清理 / Transparent design, visible dirt, can be removed in time 2.防臭气 / Odor prevention 3.易安装 / Easy to install 4.节约空间 / Save space		装箱净重/PKG N.W.	
			装箱毛重/PKG G.W.	
下水器流量 / Drainer flow				
排水流量/Drainage flow:			外箱尺寸/MEAS	
最高使用温度/Maximum service temperature	60℃			
 镀铬 CH  拉丝铬金 PVD UABG  拉丝枪黑 PVD BBL  哑黑 MB  哑白 HMWH			可定制表面颜色 Customizable surface color	



Insect and odor prevention
防虫，防臭




Easy installation
易安装

WASTE SERIES


下水系列 >>> 面盆瓶式下水 Basin Bottle Traps

HOMES®




Model: WE9116

G1 1/4可调节进气管旋转P型下水
G1 1/4 Adjustable Inlet Tubular Swivel P Trap




Model: WE9120

G1-1/4" X Φ 37 排水管
G1-1/4" X Φ 37 Drain Pipe




Model: WE9141

G1-1/4" X Φ 37 排水管
G1-1/4" X Φ 37 Drain Pipe




Model: WE9118

G1-1/4" X Φ 37 X Φ 26 排水管
G1-1/4" X Φ 37 X Φ 26 Drain Pipe




Model: WE9119

G1-1/2" X Φ 43 排水管
G1-1/2" X Φ 43 Drain Pipe




Model: WE9123

G1-1/4" X Φ 37 排水管
G1-1/4" X Φ 37 Drain Pipe




Model: WE9117

G1-1/2" X Φ 43 排水管+快插接头
G1-1/2" X Φ 43 Drain Pipe + Quick Connector




Model: WE9132

G1-1/2" X Φ 43 排水管+快插接头
G1-1/2" X Φ 43 Drain Pipe + Quick Connector




Model: WE9142

G1-1/2" X Φ 43 排水管
G1-1/2" X Φ 43 Drain Pipe




Model: WE9124

G1-1/4" X Φ 37 排水管
G1-1/4" X Φ 37 Drain Pipe



Model: WE9127

Φ 37 X Φ 37 排水管
 Φ 37 X Φ 37 Drain Pipe




Model: WE9130

Φ 43 X Φ 43 排水管
 Φ 43 X Φ 43 Drain Pipe

WASTE SERIES


下水系列 >>> 面盆瓶式下水 Basin Bottle Traps

HOMES®




Model: WE9134

G1-1/2" X Φ 43 排水管+双快插接头
G1-1/2" X Φ 43 Drain Pipe + Double Quick Connector




Model: WE9121

G1-1/2" X Φ 43 X Φ 20 排水管+快插接头
G1-1/2" X Φ 43 X Φ 20 Drain Pipe + Quick Connector



Model: WE9135

G1-1/2" X Φ 43 排水管+快插接头
G1-1/2" X Φ 43 Drain Pipe + Quick Connector



Model: WE9131

G1-1/2" X G1-1/2" 排水管+快插接头
G1-1/2" X G1-1/2" Drain Pipe + Quick Connector



Model: WE9113

1.5水槽下水连接管组合件
1.5 Bowl Sink Waste Connection Pack





Model: WE9126

G1-1/2" X G1-1/2" X Φ 43 双排水管+快插接头
G1-1/2" X G1-1/2" X Φ 43 Double Drain Pipe + Quick Connector



Model: WE9129

G1-1/2" X G1-1/2" X Φ 43 双排水管+双快插接头
G1-1/2" X G1-1/2" X Φ 43 Double Drain Pipe + Double Quick Connector



WASTE SERIES

下水系列 >>> 面盆瓶式下水 Basin Bottle Traps

HOMES®






Model: WE9128

G1-1/2" X Φ 43 排水管+双快插接头
G1-1/2" X Φ 43 Drain Pipe + Double Quick Connector




Model: WE9133

Φ 43 X Φ 40 排水管
 Φ 43 X Φ 40 Drain Pipe




Model: WE9138

G1-1/4" X Φ 37 塑料瓶式下水
G1-1/4" X Φ 37 Plastic Bottle Trap




Model: WE9136

G1-1/2" X Φ 43 塑料瓶式下水
G1-1/2" X Φ 43 Plastic Bottle Trap




Model: WE9139

G1-1/4" X Φ 37 塑料瓶式下水
G1-1/4" X Φ 37 Plastic Bottle Trap




Model: WE9122

G1-1/2" X Φ 43 塑料S型弯头下水
G1-1/2" X Φ 43 Plastic S-Trap



Model: WE9140

G1-1/4" X Φ 37 塑料瓶式下水
G1-1/4" X Φ 37 Plastic Bottle Trap




Model: WE9137

G1-1/2" X Φ 43 塑料瓶式下水
G1-1/2" X Φ 43 Plastic Bottle Trap

WASTE SERIES


下水系列 >>> 面盆瓶式下水 Basin Bottle Traps

HOMES®



Model: WE9102

多功能集成连接排水管
Multiple Kitchen Drain Connector



Universal

WE913




Universal

WE913W




Model: WE913

通用面盆/浴缸/厨房ABS直波纹管，32MM排水管,入地板式
Universal Plastic Flexible for 32/38/42 Drain Pipe and 1-1/4"/1-1/2" Thread for
Basin/bath/kitchen Waste Body



材 质 / Material	塑料 / ABS
产品毛重 / Product G.W.	0.135 kg
装箱数量 / QTY	100 pcs
装箱净重 / PKG N.W.	12.96 kgs
装箱毛重 / PKG G.W.	13.50 kgs
外箱尺寸 / MEAS	625x380x500 mm

WASTE SERIES
下水系列 >>> 厨房下水 Kitchen Sink Wastes



Model: WE313C
传统陶瓷塞头厨房下水过滤篮
Traditional Basket Strainer Waste with Ceramic Plug


Model: WE313-60
厨房塑料下水螺丝长度60mm
Economy Basket Strainer Waste 60mm

下水器技术规格要求 / Technical specifications for launching apparatus			产品毛重/Product G.W.	0.26 kg
材质/Material	不锈钢/Stainless Steel、PP、铜/Brass		装箱数量/QTY	50 pcs
开孔尺寸/Hole size	90mm			
参考标准 Reference standards	EN274			
产品特点/Product features	大流量排水，提笼设计避免管道堵塞，G1-1/2适配大多数水槽，易安装 / High-flow drainage, with a lifting cage design to prevent pipe blockage, G1-1/2 compatible with most sinks, easy to install.		装箱净重/PKG N.W.	13.00 kgs
			装箱毛重/PKG G.W.	14.34 kgs
下水器流量 / Drainer flow			外箱尺寸/MEAS	630x630x220 mm
排水流量/Drainage flow:				
最高使用温度/Maximum service temperature	10~60℃			
 镀铬 CH  拉丝锆金 PVD UABG  拉丝枪黑 PVD BBL  哑黑 MB  哑白 HMWH			可定制表面颜色 Customizable surface color	

HOMES®



WASTE SERIES
下水系列 >>> 厨房下水 Kitchen Sink Wastes



Model: WE316SRU-PVD UABG

通用型水槽下水
Universal Basket Strainer Waste

下水器技术规格要求 / Technical specifications for launching apparatus		产品毛重/Product G.W.	0.38 kg
材质/Material	不锈钢/Stainless Steel、PP、铜/Brass	装箱数量/QTY	20 pcs
开孔尺寸/Hole size	90mm	装箱净重/PKG N.W.	7.60 kgs
参考标准/Reference standards	EN274	装箱毛重/PKG G.W.	8.04 kgs
产品特点/Product features	1.大流量排水 2.提篮设计方便清理避免管道堵塞 3.溢水提供圆形和方形溢水盖适配大部分水槽 4.提供两种平垫和圆弧垫, 5.适配没有溢水孔水槽 6.配G1-1/2螺纹接口, 安装简单便捷 1. High-flow drainage 2. Cage lifting design facilitates cleaning and prevents pipe blockage 3. Overflow provides round and square overflow covers to fit most sinks 4. Offers two types of flat pads and arc pads 5. Fits sinks without overflow holes 6. Equipped with G1-1/2 threaded interface, making installation simple and convenient.		
下水器流量 / Drainer flow		外箱尺寸/MEAS	630x305x220 mm
排水流量/Drainage flow:		可定制表面颜色 Customizable surface color	
镀铬 CH 拉丝铬金 PVD UABG 拉丝铬黑 PVD BBL 哑黑 MB 哑白 HMWH			



WASTE SERIES
下水系列 >>> 厨房下水 Kitchen Sink Wastes




Model: WE316SBRO

方形铜溢水厨房塑料下水和ABS圆形溢水
Basket Strainer Waste S/S Gird with Square Brass Overflow & ABS Round Overflow

下水器技术规格要求 / Technical specifications for launching apparatus			
材质/Material	不锈钢/Stainless Steel、PP、ABS、铜/Brass	产品毛重/Product G.W.	0.412 kg
开孔尺寸/Hole size	90mm		
参考标准/Reference standards	EN274	装箱数量/QTY	20 pcs
产品特点/Product features	大流量排水，提笼设计方便清理避免管道堵塞，G1-1/2接口适配大多数水槽，安装简单便捷 High-flow drainage, the lifting cage design facilitates cleaning and prevents pipeline blockage. The G1-1/2 interface is compatible with most sinks, making installation simple and convenient.	装箱净重/PKG N.W.	7.90 kgs
		装箱毛重/PKG G.W.	8.24 kgs
下水器流量 / Drainer flow			
排水流量/Drainage flow:		外箱尺寸/MEAS	630x305x220 mm
镀铬 CH 拉丝铬金 PVD UABG 拉丝枪黑 PVD BBL 哑黑 MB 哑白 HMWH		可定制表面颜色 Customizable surface color	



WASTE SERIES
下水系列 >>> 厨房下水 Kitchen Sink Wastes




Model: WE346

厨房水槽下水带溢水
Kitchen Sink Waste with Overflow

下水器技术规格要求 / Technical specifications for launching apparatus			
材质/Material	不锈钢/Stainless Steel、PP	产品毛重/Product G.W.	
开孔尺寸/Hole size	90mm	装箱数量/QTY	
参考标准/Reference standards	EN274	装箱净重/PKG N.W.	
产品特点/Product features	伸缩波纹管，内嵌式溢水盖，提笼设计方便清理避免管道堵塞 Telescopic bellows, built-in overflow cover, and a lifting cage design facilitate cleaning and prevent pipeline blockage.	装箱毛重/PKG G.W.	
		外箱尺寸/MEAS	
下水器流量 / Drainer flow			
排水流量/Drainage flow:			
 镀铬 CH	 拉丝铬金 PVD UABG	可定制表面颜色 Customizable surface color	
 拉丝枪黑 PVD BBL	 哑黑 MB		
 哑白 HMWH			



WASTE SERIES
下水系列 >>> 厨房下水 Kitchen Sink Wastes




Model: WE316RBO

圆形铜溢水厨房塑料下水
Basket Strainer Waste S/S Grid with Round Brass Overflow

下水器技术规格要求 / Technical specifications for launching apparatus			
材质/Material	不锈钢/Stainless Steel、PP、ABS、铜/Brass	产品毛重/Product G.W.	0.442 kg
开孔尺寸/Hole size	90mm		
参考标准/Reference standards	EN274	装箱数量/QTY	20 pcs
产品特点/Product features	G1-1/2接口适配陶瓷带溢水孔的水槽，大流量排水，提篮设计方便清理避免管道堵塞，安装简单便捷 The G1-1/2 interface is compatible with ceramic sinks featuring overflow holes, ensuring high-flow drainage. The basket design facilitates cleaning and prevents pipe blockages, making installation simple and convenient.	装箱净重/PKG N.W.	8.49 kgs
		装箱毛重/PKG G.W.	8.84 kgs
下水器流量 / Drainer flow			
排水流量/Drainage flow:		外箱尺寸/MEAS	630x305x220 mm
 镀铬 CH  拉丝铬金 PVD UABG  拉丝枪黑 PVD BBL  哑黑 MB  哑白 HMWH		可定制表面颜色 Customizable surface color	




WASTE SERIES
下水系列 >>> 厨房下水 Kitchen Sink Wastes



Model: WE347

线控厨房水槽下水带溢水
Pop Up Kitchen Sink Wastes with Overflow

下水器技术规格要求 / Technical specifications for launching apparatus			
材质/Material	不锈钢/Stainless Steel、PP	产品毛重/Product G.W.	
开孔尺寸/Hole size	90mm	装箱数量/QTY	
参考标准/Reference standards	EN274	装箱净重/PKG N.W.	
产品特点/Product features	旋鈕按压控制排水，提籠设计方便清理避免管道堵塞，G1-1/2适配大多数水槽，带溢水管，安装简单便捷 The knob is pressed to control drainage, and the basket design facilitates cleaning to avoid pipeline blockage. G1-1/2 fits most sinks, with an overflow pipe, making installation simple and convenient.	装箱毛重/PKG G.W.	
下水器流量 / Drainer flow		外箱尺寸/MEAS	
排水流量/Drainage flow:			
 镀铬 CH  拉丝铬金 PVD UABG  拉丝枪黑 PVD BBL  哑黑 MB  哑白 HMWH		可定制表面颜色 Customizable surface color	



Model: WE343

线控厨房水槽下水带溢水
Pop Up Kitchen Sink Wastes with Overflow

下水器技术规格要求 / Technical specifications for launching apparatus			
材质/Material	不锈钢/Stainless Steel、PP	产品毛重/Product G.W.	
开孔尺寸/Hole size	90mm	装箱数量/QTY	
参考标准/Reference standards	EN274	装箱净重/PKG N.W.	
产品特点/Product features	旋钮按压控制排水，提笼设计方便清理避免管道堵塞，G1-1/2适配大多数水槽，带溢水管，安装简单便捷 The knob is pressed to control drainage, and the basket design facilitates cleaning to avoid pipeline blockage. G1-1/2 fits most sinks, with an overflow pipe, making installation simple and convenient.	装箱毛重/PKG G.W.	
		外箱尺寸/MEAS	
下水器流量 / Drainer flow			
排水流量/Drainage flow:			
镀铬 CH 拉丝铬金 PVD UABG 拉丝枪黑 PVD BBL 哑黑 MB 哑白 HMWH		可定制表面颜色 Customizable surface color	


WASTE SERIES
下水系列 >>> 厨房下水 Kitchen Sink Wastes



Model: WE349

不锈钢双菜盆水槽线控下水
Stainless Steel Double Bowl Sink with Wire Controlled Drainage

下水器技术规格要求 / Technical specifications for launching apparatus			
材质/Material	不锈钢/Stainless Steel、PP	产品毛重/Product G.W.	
开孔尺寸/Hole size	90mm		
参考标准/Reference standards	EN274	装箱数量/QTY	
产品特点/Product features	旋钮控制双水槽排水，提篮设计方便清理避免管道堵塞，G1-1/2适配大多数水槽，带溢水管，安装简单便捷 The knob controls the drainage of the double sinks, and the basket design facilitates cleaning to avoid pipeline blockage. G1-1/2 fits most sinks, with an overflow pipe, making installation simple and convenient.	装箱净重/PKG N.W.	
		装箱毛重/PKG G.W.	
下水器流量 / Drainer flow			
排水流量/Drainage flow：		外箱尺寸/MEAS	
镀铬 CH 拉丝铬金 PVD UABG 拉丝枪黑 PVD BBL 哑黑 MB 哑白 HMWH		可定制表面颜色 Customizable surface color	



WASTE SERIES
下水系列 >>> 厨房下水 Kitchen Sink Wastes

HOMES®



- Model: WE331**

不锈钢G2"水槽下水有溢水孔 Φ110mm
SS304 G2" Basket Strainer Waste Slotted
Φ110mm
- Model: WE332**

不锈钢G2"水槽下水无溢水孔 Φ110mm
SS304 G2" Basket Strainer Waste Unslotted
Φ110mm

- Model: WE305RP**


1 1/2"水槽铜下水有溢水孔
1 1/2" Brass Sink Waste Slotted
- Model: WE305URP**

1 1/2"水槽铜下水无溢水孔
1 1/2" Brass Sink Waste Unslotted

下水器技术规格要求 / Technical specifications for launching apparatus			
材质/Material	不锈钢/Stainless Steel、PP、PVC	产品毛重/Product G.W.	
开孔尺寸/Hole size	90mm	装箱数量/QTY	
参考标准 Reference standards	EN274	装箱净重/PKG N.W.	
产品特点/Product features	采用密封防臭设计，隔绝异味，G2"适配大多数水槽，易安装，预留溢水口连接管道 / Adopting a sealed odor-proof design to isolate odors, G2" is compatible with most sinks, easy to install, and has a reserved overflow port for connecting to a pipe.	装箱毛重/PKG G.W.	
		外箱尺寸/MEAS	
下水器流量 / Drainer flow			
排水流量/Drainage flow:			
最高使用温度/Maximum service temperature	10~60℃		
镀铬 CH 拉丝铬金 PVD UABG 拉丝枪黑 PVD BBL 哑黑 MB 哑白 HMWH		可定制表面颜色 Customizable surface color	


下水器技术规格要求 / Technical specifications for launching apparatus				
材质/Material	铜/Brass、ABS		产品毛重/Product G.W.	0.37 kg
开孔尺寸/Hole size	50mm		装箱数量/QTY	50 pcs
参考标准 Reference standards	EN274			
产品特点/Product features	带溢水孔水槽下水，圆珠链条，橡胶塞头 Sink waste with overflow hole, ball chain, rubber plug		装箱净重/PKG N.W.	18.00 kgs
			装箱毛重/PKG G.W.	18.50 kgs
下水器流量 / Drainer flow				
排水流量/Drainage flow：48.63L/min			外箱尺寸/MEAS	470x470x225 mm
最高使用温度/Maximum service temperature	10~60℃			
镀铬 CH 拉丝铬金 PVD UABG 拉丝枪黑 PVD BBL 哑黑 MB 哑白 HMWH			可定制表面颜色 Customizable surface color	

WASTE SERIES
下水系列 >>> 厨房下水 Kitchen Sink Wastes



Basket Design
READY TO USE
EASY TO INSTALL

ONE PRESS, ONE GRAB
EASY TO CLEAN



Model: WE348

厨房下水弹跳过滤篮
Click Clack Basket for Replace Old One

下水器技术规格要求 / Technical specifications for launching apparatus		
材质/Material	不锈钢/Stainless Steel、PP	产品毛重/Product G.W.
开孔尺寸/Hole size		装箱数量/QTY
参考标准 Reference standards	EN274	
产品特点/Product features	采用密封防臭设计，隔绝异味，避免管道堵塞，适配大多数水槽，易安装 / Adopting a sealed odor-proof design, it isolates odors, prevents pipe blockages, fits most sinks, and is easy to install.	装箱净重/PKG N.W.
		装箱毛重/PKG G.W.
下水器流量 / Drainer flow		
排水流量/Drainage flow:		外箱尺寸/MEAS
最高使用温度/Maximum service temperature	10~60℃	
 镀铬 CH  拉丝铬金 PVD UABG  拉丝枪黑 PVD BBL  哑黑 MB  哑白 HMWH		可定制表面颜色 Customizable surface color

HOMES®



Model: WE328

70mm塑料水槽下水
ABS Basket Strainer Waste 70mm



Model: WE329



迷你水槽下水过滤篮
Mini Basket Strainer Waste



Model: WE308UB

大面直漏水槽下水,铜六角帽
1 1/2" × 2" Tail Sink Waste Unslotted
Flush Grated with Brass Backnut

WASTE SERIES
下水系列 >>> 厨房下水 Kitchen Sink Wastes



Model: WE318

250/300mm深水槽排水器
250/300mm Drain for Deep Sink

下水器技术规格要求 / Technical specifications for launching apparatus				
材质/Material	不锈钢/Stainless Steel、PP	产品毛重/Product G.W.	0.34 kg	
开孔尺寸/Hole size	50mm	装箱数量/QTY	20 pcs	
参考标准 Reference standards	EN274			
产品特点/Product features		装箱净重/PKG N.W.	6.528 kgs	
		装箱毛重/PKG G.W.	6.80 kgs	
下水器流量 / Drainer flow				
排水流量/Drainage flow:				
最高使用温度/Maximum service temperature	10~60℃		外箱尺寸/MEAS	370x275x310 mm
 镀铬 CH  拉丝铂金 PVD UABG  拉丝枪黑 PVD BBL  哑黑 MB  哑白 HMWH			可定制表面颜色 Customizable surface color	



WASTE SERIES
下水系列 >>> 厨房下水 Kitchen Sink Wastes

HOMES®



Model: WE301RP
86mm圆形水槽下水
Round Sink Combi Waste S/S Grid 86mm

Model: WE301SF
86mm方形水槽下水
Square Sink Combi Waste S/S Grid 86mm

下水器技术规格要求 / Technical specifications for launching apparatus		产品毛重/Product G.W.	0.118 kg
材质/Material	不锈钢/Stainless Steel、PP、橡胶/Rubber	装箱数量/QTY	60 pcs
开孔尺寸/Hole size	90mm		
参考标准/Reference standards	EN274	装箱净重/PKG N.W.	6.50 kgs
产品特点/Product features	塑料厨房下水，不锈钢法兰，橡胶塞头，圆形溢水塞头，25cm圆珠链条 Plastic kitchen drain, stainless steel flange, rubber plug, round overflow plug, 25cm ball chain	装箱毛重/PKG G.W.	7.05 kgs
		下水器流量 / Drainer flow	
排水流量/Drainage flow:		外箱尺寸/MEAS	545x400x335 mm
镀铬 CH 拉丝铬金 PVD UABG 拉丝枪黑 PVD BBL 哑黑 MB 哑白 HMWH		可定制表面颜色 Customizable surface color	



Model: WE302B
厨房塑料下水83mm铜塞头
1 1/2 Sink Combi Waste with Barss Plug

Model: WE302RP
厨房塑料下水83mm橡胶塞头
1 1/2 Sink Combi Waste with Rubber Plug

下水器技术规格要求 / Technical specifications for launching apparatus			
材质/Material	不锈钢/Stainless Steel、铜/Brass、PP、橡胶/Rubber	产品毛重/Product G.W.	0.425 kg
开孔尺寸/Hole size	90mm		
参考标准/Reference standards	EN274	装箱数量/QTY	40 pcs
产品特点/Product features	厨房下水，Φ86法兰铜下水体，铜塞头，铜螺母，25cm圆珠链条 Kitchen drainage, Φ86 flange copper drainage body, copper plug, copper nut, 25cm ball chain	装箱净重/PKG N.W.	17.00 kgs
		装箱毛重/PKG G.W.	17.50 kgs
下水器流量 / Drainer flow			
排水流量/Drainage flow：		外箱尺寸/MEAS	570x460x200 mm
镀铬 CH 拉丝铬金 PVD UABG 拉丝枪黑 PVD BBL 哑黑 MB 哑白 HMWH		可定制表面颜色 Customizable surface color	

厨房下水
SINK WASTES

厨房下水
SINK WASTES

WASTE SERIES
下水系列 >>> 厨房下水 Kitchen Sink Wastes



Model: WE341SO

方形溢水双槽厨房塑料下水,带塑料排水P弯
Double Sink Waste with Square Overflow and Trap

下水器技术规格要求 / Technical specifications for launching apparatus			
材质/Material	不锈钢/Stainless Steel、PP	产品毛重/Product G.W.	
开孔尺寸/Hole size	90mm	装箱数量/QTY	
参考标准/Reference standards	EN274	装箱净重/PKG N.W.	
产品特点/Product features	双水槽排水，两排水孔管子间距可伸缩，提篮设计方便清理避免管道堵塞，G1-1/2接口适配大多数水槽，带溢水管和排水P弯，安装简单便捷 / Dual sink drainage, with adjustable spacing between the two drainage holes, and a basket design for easy cleaning to avoid pipe blockage. The G1-1/2 interface fits most sinks, with an overflow pipe and a drainage P-trap, making installation simple and convenient.	装箱毛重/PKG G.W.	
下水器流量 / Drainer flow			
排水流量/Drainage flow:		外箱尺寸/MEAS	
 镀铬 CH  拉丝铬金 PVD UABG  拉丝枪黑 PVD BBL  哑黑 MB  哑白 HMWH		可定制表面颜色 Customizable surface color	

HOMES®




Model: WE340RO

圆形溢水单槽厨房塑料下水,带塑料排水P弯
Single Sink Waste with Round Overflow and Trap



WASTE SERIES
下水系列 >>> 厨房下水 Kitchen Sink Wastes


HOMES®



Model: WE351

厨房水槽下水带溢水+排水管带防回流瓶
Kitchen Sink Waste with Overflow and Sink Plumbing with Anti-Syphon Bottle Trap

下水器技术规格要求 / Technical specifications for launching apparatus			
材质/Material	不锈钢/Stainless Steel、PP	产品毛重/Product G.W.	
开孔尺寸/Hole size	90mm	装箱数量/QTY	
参考标准/Reference standards	EN274	装箱净重/PKG N.W.	
产品特点/Product features	提笼设计方便清理避免管道堵塞，G1-1/2接口适配大多数水槽，四方溢水盖带溢水管和塑料瓶式下水排水管 The lifting cage design facilitates cleaning and prevents pipeline blockage. The G1-1/2 interface is compatible with most sinks, and the square overflow cover is equipped with an overflow pipe and a plastic bottle-type downpipe.	装箱毛重/PKG G.W.	
		外箱尺寸/MEAS	
下水器流量 / Drainer flow			
排水流量/Drainage flow:			
镀铬 CH 拉丝锆金 PVD UABG 拉丝枪黑 PVD BBL 哑黑 MB 哑白 HMWH		可定制表面颜色 Customizable surface color	




Model: WE350

排水管+防回流瓶
Sink Plumbing and Anti-Syphon Bottle Trap

下水器技术规格要求 / Technical specifications for launching apparatus			
材质/Material	PP	产品毛重/Product G.W.	
开孔尺寸/Hole size	90mm	装箱数量/QTY	
参考标准/Reference standards	EN274	装箱净重/PKG N.W.	
产品特点/Product features	G1-1/2弯头+塑料瓶式下水排水管（40mm管径） G1-1/2 elbow + plastic bottle-type sewage drainage pipe (40mm pipe diameter)	装箱毛重/PKG G.W.	
		外箱尺寸/MEAS	
下水器流量 / Drainer flow			
排水流量/Drainage flow：			
 镀铬 CH  拉丝锆金 PVD UABG  拉丝枪黑 PVD BBL  哑黑 MB  哑白 HMWH		可定制表面颜色 Customizable surface color	


WASTE SERIES
下水系列 >>> 厨房下水 Kitchen Sink Wastes



Model: WE355

U型排水管+蓄水弯
U-shaped Sink Plumbing and Trap

下水器技术规格要求 / Technical specifications for launching apparatus		产品毛重/Product G.W.	
材质/Material	PP		
开孔尺寸/Hole size	90mm	装箱数量/QTY	
参考标准/Reference standards	EN274		
产品特点/Product features	G1-1/2弯头+塑料U型排水管（40mm管径） G1-1/2 elbow + plastic U-shaped drainage pipe (40mm pipe diameter)	装箱净重/PKG N.W.	
		装箱毛重/PKG G.W.	
下水器流量 / Drainer flow		外箱尺寸/MEAS	
排水流量/Drainage flow:			
镀铬 CH 拉丝铬金 PVD UABG 拉丝枪黑 PVD BBL 哑黑 MB 哑白 HMWH		可定制表面颜色 Customizable surface color	




Model: WE352

单厨房水槽下水无溢水+U型排水管带蓄水弯
Single bowl Kitchen Sink Waste without Overflow and U-shaped Sink Plumbing with Trap

下水器技术规格要求 / Technical specifications for launching apparatus			
材质/Material	不锈钢/Stainless Steel、PP	产品毛重/Product G.W.	
开孔尺寸/Hole size	90mm	装箱数量/QTY	
参考标准/Reference standards	EN274	装箱净重/PKG N.W.	
产品特点/Product features	厨房水槽下水+G1-1/2弯头+塑料U型排水管（40mm管径），易安装 Kitchen sink drain + G1-1/2 elbow + plastic U-shaped drainage pipe (40mm diameter), easy to install	装箱毛重/PKG G.W.	
下水器流量 / Drainer flow		外箱尺寸/MEAS	
排水流量/Drainage flow:			
镀铬 CH 拉丝铬金 PVD UABG 拉丝枪黑 PVD BBL 哑黑 MB 哑白 HMWH		可定制表面颜色 Customizable surface color	

WASTE SERIES


下水系列 >>> 厨房下水 Kitchen Sink Wastes



Model: WE357

双厨房水槽下水无溢水+U型排水管组合
Double bowl Kitchen Sink Waste without Overflow and U-shaped Sink Plumbing Kit

下水器技术规格要求 / Technical specifications for launching apparatus		
材质/Material	不锈钢/Stainless Steel、PP	产品毛重/Product G.W.
开孔尺寸/Hole size	90mm	装箱数量/QTY
参考标准/Reference standards	EN274	装箱净重/PKG N.W.
产品特点/Product features	双水槽下水，两排水孔管子间距可伸缩，塑料U型排水管（40mm管径），易安装 Dual sink drainage, with adjustable spacing between the two drainage pipes, plastic U-shaped drainage pipe (40mm diameter), easy to install	装箱毛重/PKG G.W.
		外箱尺寸/MEAS
下水器流量 / Drainer flow		
排水流量/Drainage flow:		
可定制表面颜色 Customizable surface color		




Model: WE356

双下水排水管二合一
Double Bowl Kitchen Sink Plumbing Kit

下水器技术规格要求 / Technical specifications for launching apparatus		
材质/Material	PP	产品毛重/Product G.W.
开孔尺寸/Hole size	90mm	装箱数量/QTY
参考标准/Reference standards	EN274	装箱净重/PKG N.W.
产品特点/Product features	双弯头G1-1/2，两排水孔管子间距可伸缩+塑料U型排水管（40mm管径） Double elbow G1-1/2, with adjustable spacing between two rows of drainage holes + plastic U-shaped drainage pipe (40mm diameter)	装箱毛重/PKG G.W.
		外箱尺寸/MEAS
下水器流量 / Drainer flow		
排水流量/Drainage flow:		
可定制表面颜色 Customizable surface color		


WASTE SERIES
下水系列 >>> 厨房下水 Kitchen Sink Wastes



Model: WE353

双厨房水槽下水带溢水+排水管组合
Double Bowl Kitchen Sink Plumbing with Overflow kit

下水器技术规格要求 / Technical specifications for launching apparatus			
材质/Material	不锈钢/Stainless Steel、PP	产品毛重/Product G.W.	
开孔尺寸/Hole size	90mm	装箱数量/QTY	
参考标准/Reference standards	EN274		
产品特点/Product features	双水槽下水，两排水孔管子间距可伸缩，四方溢水盖带溢水管和排水P弯（40mm管径），易安装 Double sinks with drains, with adjustable spacing between the two drainage pipes, and a square overflow cover equipped with an overflow pipe and a drainage P-trap (40mm pipe diameter), easy to install.	装箱净重/PKG N.W.	
		装箱毛重/PKG G.W.	
下水器流量 / Drainer flow		外箱尺寸/MEAS	
排水流量/Drainage flow:			
镀铬 CH 拉丝铬金 PVD UABG 拉丝枪黑 PVD BBL 哑黑 MB 哑白 HMWH		可定制表面颜色 Customizable surface color	




Model: WE354

双下水排水管二合一
Double Bowl Kitchen Sink Plumbing Kit

下水器技术规格要求 / Technical specifications for launching apparatus			
材质/Material	PP	产品毛重/Product G.W.	
开孔尺寸/Hole size	90mm		
参考标准/Reference standards	EN274	装箱数量/QTY	
产品特点/Product features	双弯头G1-1/2，两排水孔管子间距可伸缩+排水P弯（40mm管径） Double elbow G1-1/2, with adjustable spacing between two rows of drainage holes + drainage P-bend (40mm pipe diameter)	装箱净重/PKG N.W.	
		装箱毛重/PKG G.W.	
下水器流量 / Drainer flow			
排水流量/Drainage flow：		外箱尺寸/MEAS	
镀铬 CH 拉丝铬金 PVD UABG 拉丝枪黑 PVD BBL 哑黑 MB 哑白 HMWH		可定制表面颜色 Customizable surface color	

WASTE SERIES
下水系列 >>> 厨房下水 Kitchen Sink Wastes



Model: WE359

厨房水槽下水+塑料瓶式下水
Kitchen Sink Waste and Plastic Bottle Trap

Model: WE358

厨房水槽塑料瓶式下水
Kitchen Sink Plastic Bottle Trap

下水器技术规格要求 / Technical specifications for launching apparatus			
材质/Material	不锈钢/Stainless Steel、PP	产品毛重/Product G.W.	
开孔尺寸/Hole size	90mm	装箱数量/QTY	
参考标准/Reference standards	EN274	装箱净重/PKG N.W.	
产品特点/Product features	厨房水槽下水+塑料瓶式下水排水管（40mm管径） Kitchen sink drain + plastic bottle-type drainage pipe (40mm diameter)	装箱毛重/PKG G.W.	
		外箱尺寸/MEAS	
下水器流量 / Drainer flow			
排水流量/Drainage flow:			
 镀铬 CH	 拉丝铬金 PVD UABG	可定制表面颜色 Customizable surface color	
 拉丝枪黑 PVD BBL	 哑黑 MB		
 哑白 HMWH			

HOMES®



Model: WE324
美式不锈钢厨房下水
Standard Basket Strainer Waste S/S Grid



Model: WE320
美式不锈钢厨房下水
Basket Strainer Waste S/S Grid



Model: WE361
垃圾处理器水槽安装法兰
GD Sink Mount Flange




Model: WE322
垃圾处理器法兰 / 停止
Garb Disp Flang / Stop

厨房下水
SINK WASTES

厨房下水
SINK WASTES

WASTE SERIES
下水系列 >>> 厨房下水 Kitchen Sink Wastes

HOMES®





功率/Power: 375W
电压/Voltage: 220V
频率/Frequency: 50Hz
产品转速/Product RPM: 3300r/min
研磨室容积/Grinding chamber volume: 1100ml

Model: WE344+WE342

金属红食物垃圾处理器 + UL认证不锈钢垃圾处理器空气开关
WE344 Metallic Red Food Garbage Disposer + WE342 UL Approved Air Switch for Garbage Disposals in Stainless Steel

下水器技术规格要求 / Technical specifications for launching apparatus			
材质/Material	不锈钢/Stainless Steel、PP	产品毛重/Product G.W.	5.94 kg
开孔尺寸/Hole size	90mm		
参考标准/Reference standards	EN274	装箱数量/QTY	2 pcs
产品特点/Product features	1.德国进口电机大扭矩，动力强劲 2.全不锈钢研磨系统 3.航空级阻燃隔音绵，静音设计 4.特殊涡流增压设计，三倍流速 5.1200ml大容量腔 6.自动过载过热保护装置 / 1. Imported from Germany, the motor boasts high torque and strong power. 2. The entire grinding system is made of stainless steel. 3. Aviation-grade flame-retardant soundproof cotton ensures a silent design. 4. Special vortex boost design triples the flow rate. 5. The large-capacity interior chamber holds 1200ml. 6. Automatic overload and overheat protection device	装箱净重/PKG N.W.	11.88 kgs
		装箱毛重/PKG G.W.	12.76 kgs
下水器流量 / Drainer flow			
排水流量/Drainage flow:		外箱尺寸/MEAS	300x500x460 mm
 镀铬 CH  拉丝铬金 PVD UABG  拉丝枪黑 PVD BBL  哑黑 MB  哑白 HMWH		可定制表面颜色 Customizable surface color	



Treatable garbage



Vegetable



Leftovers



Napkin



Small shellfish



Fish bone



Chicken&duck bones



Cut spare-rib



Eggshell



Tea residue



Fruit peel

Non treatable garbage



Pig&cow bones




Plastic



Metal



Rubber




Glass




Fiber fabric


Process flow




1. Turn on the tap.




2. Start food garbage disposer.




3. Using multi-functional basin plug to lead food waste into food garbage disposer.



4. Run the food waste disposer until you hear the motor and water flow.



5. Shut down the machine after grinding.




6. After the machine is shut down, keep the faucet running for 5S, and then close the faucet. The processing flow is completed.

Structure diagram of food waste disposer



*Indicates that there are differences between different models of machines!

Typical installation



Guide for use


I. Instructions

※Use process of air switch

1. Turn on the tap.
2. Press the air switch to start the food garbage disposer.
3. Use multi-functional basin plug to lead food garbage into food garbage disposer, please do not put in long fiber materials such as bone, plastic, iron, glass and feathers.
4. Run the food waste disposer until the sound of the motor and water flow is heard.
5. Keep the water flowing in during the grinding process, and turn off the faucet after grinding.
6. After the machine is shut down, keep the faucet running for 5 seconds, then close the faucet, and the processing flow is completed.

※Tips for proper use

1. Before using the dishwasher, make sure that the disposer is empty to ensure normal drainage.
2. When you do not use the disposer, please plug the basin plug to prevent foreign matters from falling.
3. Your disposer is durable and can handle normal food residues without maintenance for many years.
4. After grinding, allow water to flow for 15 seconds before shutting it down, which can ensure all food waste debris is discharged into the sewage pipe.
5. Cold water is recommended. Cold water keeps food waste and oil solid so it can be ground and drained away and will not attach to the drain wall.



Remove Nut & Washer & Connect Hose



Insert Hose and Assembly




Thread Nut & Washer onto Assembly




Connect Hose to the Bottom of the Disposer

HOMES®






Floor/ Shower room drain



WASTE SERIES
下水系列 >>> 地漏 Floor Drains


HOMES®



Model: WE447

全铜条型地漏300x80mm磁悬浮防臭铜芯
Brass Long Square Shower Bathroom Floor Drain 300x80mm Anti Odormagnetic Suction Technology

下水器技术规格要求 / Technical specifications for launching apparatus		产品毛重/Product G.W.	
材质/Material	铜/Brass		
参考标准/Reference standards	EN274	装箱数量/QTY	
产品特点/Product features	1.防臭、防虫、防返水内芯 / Anti odor, anti insect, and anti backflow inner core. 2.内置防堵滤网 / Built in anti clogging filter screen. 3.主体材质黄铜 / The main material is brass. 4.表面镀层通过24小时酸性盐雾测试 / The surface coating has passed a 24-hour acid salt spray test. 5.排水速度快 / Fast drainage speed.	装箱净重/PKG N.W.	
		装箱毛重/PKG G.W.	
下水器流量 / Drainer flow			
排水流量/Drainage flow:		外箱尺寸/MEAS	
最高使用温度/Maximum service temperature	10~60℃		
 镀铬 CH  拉丝铬金 PVD UABG  拉丝枪黑 PVD BBL  哑黑 MB  哑白 HMWH		可定制表面颜色 Customizable surface color	




Model: WE448

全铜条型地漏600x80mm磁悬浮防臭铜芯
Brass Long Square Shower Bathroom Floor Drain 600x80mm Anti Odormagnetic Suction Technology

下水器技术规格要求 / Technical specifications for launching apparatus		产品毛重/Product G.W.	
材质/Material	铜/Brass		
参考标准/Reference standards	EN274	装箱数量/QTY	
产品特点/Product features	1.防臭、防虫、防返水内芯 / Anti odor, anti insect, and anti backflow inner core. 2.内置防堵滤网 / Built in anti clogging filter screen. 3.主体材质黄铜 / The main material is brass. 4.表面镀层通过24小时酸性盐雾测试 / The surface coating has passed a 24-hour acid salt spray test. 5.排水速度快 / Fast drainage speed.		
		装箱净重/PKG N.W.	
		装箱毛重/PKG G.W.	
下水器流量 / Drainer flow			
排水流量/Drainage flow:		外箱尺寸/MEAS	
最高使用温度/Maximum service temperature	10~60℃		
 镀铬 CH  拉丝铬金 PVD UABG  拉丝枪黑 PVD BBL  哑黑 MB  哑白 HMWH		可定制表面颜色 Customizable surface color	

WASTE SERIES
下水系列 >>> 地漏 Floor Drains


HOMES®



Model: WE449

全铜隐形地漏300x80mm磁悬浮防臭铜芯
Brass Long Square Tile Shower Floor Drain 300x80mm Anti Odormagnetic Suction Technology

下水器技术规格要求 / Technical specifications for launching apparatus		产品毛重/Product G.W.	
材质/Material	铜/Brass	装箱数量/QTY	
参考标准/Reference standards	EN274	装箱净重/PKG N.W.	
产品特点/Product features	1.防臭、防虫、防返水内芯 / Anti odor, anti insect, and anti backflow inner core.	装箱毛重/PKG G.W.	
	2.内置防堵滤网 / Built in anti clogging filter screen.		
	3.主体材质黄铜 / The main material is brass.		
	4.表面镀层通过24小时酸性盐雾测试 / The surface coating has passed a 24-hour acid salt spray test.		
	5.排水速度快 / Fast drainage speed.		
下水器流量 / Drainer flow			
排水流量/Drainage flow:		外箱尺寸/MEAS	
最高使用温度/Maximum service temperature			
10~60℃			
镀铬 CH 拉丝铬金 PVD UABG 拉丝枪黑 PVD BBL 哑黑 MB 哑白 HMWH		可定制表面颜色 Customizable surface color	





Model: WE450

全铜隐形地漏200x100mm磁悬浮防臭铜芯
Brass Long Square Tile Shower Floor Drain 200x100mm Anti Odormagnetic Suction Technology

下水器技术规格要求 / Technical specifications for launching apparatus		产品毛重/Product G.W.	
材质/Material	铜/Brass		
参考标准/Reference standards	EN274	装箱数量/QTY	
产品特点/Product features	1.防臭、防虫、防返水内芯 / Anti odor, anti insect, and anti backflow inner core. 2.内置防堵滤网 / Built in anti clogging filter screen. 3.主体材质黄铜 / The main material is brass. 4.表面镀层通过24小时酸性盐雾测试 / The surface coating has passed a 24-hour acid salt spray test. 5.排水速度快 / Fast drainage speed.	装箱净重/PKG N.W.	
		装箱毛重/PKG G.W.	
下水器流量 / Drainer flow			
排水流量/Drainage flow:		外箱尺寸/MEAS	
最高使用温度/Maximum service temperature	10~60℃		
镀铬 CH 拉丝铬金 PVD UABG 拉丝枪黑 PVD BBL 哑黑 MB 哑白 HMWH		可定制表面颜色 Customizable surface color	

WASTE SERIES
下水系列 >>> 地漏 Floor Drains

HOMES®



Model: WE451

全铜条型地漏200x100mm磁悬浮防臭铜芯
Brass Long Square Shower Bathroom Floor Drain 200x100mm Anti Odormagnetic Suction Technology


Model: WE452

全铜条型地漏200x80mm磁悬浮防臭铜芯
Brass Long Square Shower Bathroom Floor Drain 200x80mm Anti Odormagnetic Suction Technology

下水器技术规格要求 / Technical specifications for launching apparatus		产品毛重/Product G.W.	
材质/Material	铜/Brass		
参考标准/Reference standards	EN274	装箱数量/QTY	
产品特点/Product features	1.防臭、防虫、防返水内芯 / Anti odor, anti insect, and anti backflow inner core.		
	2.内置防堵滤网 / Built in anti clogging filter screen.	装箱净重/PKG N.W.	
	3.主体材质黄铜 / The main material is brass.		
	4.表面镀层通过24小时酸性盐雾测试 / The surface coating has passed a 24-hour acid salt spray test.	装箱毛重/PKG G.W.	
	5.排水速度快 / Fast drainage speed.		
下水器流量 / Drainer flow			
排水流量/Drainage flow:		外箱尺寸/MEAS	
最高使用温度/Maximum service temperature	10~60℃		
 镀铬 CH  拉丝铂金 PVD UABG  拉丝枪黑 PVD BBL  哑黑 MB  哑白 HMWH		可定制表面颜色 Customizable surface color	


下水器技术规格要求 / Technical specifications for launching apparatus		产品毛重/Product G.W.	
材质/Material	铜/Brass		
参考标准/Reference standards	EN274	装箱数量/QTY	
产品特点/Product features	1.防臭、防虫、防返水内芯 / Anti odor, anti insect, and anti backflow inner core.		
	2.内置防堵滤网 / Built in anti clogging filter screen.	装箱净重/PKG N.W.	
	3.主体材质黄铜 / The main material is brass.		
	4.表面镀层通过24小时酸性盐雾测试 / The surface coating has passed a 24-hour acid salt spray test.	装箱毛重/PKG G.W.	
	5.排水速度快 / Fast drainage speed.		
下水器流量 / Drainer flow			
排水流量/Drainage flow:		外箱尺寸/MEAS	
最高使用温度/Maximum service temperature	10~60℃		
 镀铬 CH  拉丝铂金 PVD UABG  拉丝枪黑 PVD BBL  哑黑 MB  哑白 HMWH		可定制表面颜色 Customizable surface color	

WASTE SERIES
下水系列 >>> 地漏 Floor Drains



Model: WE453
全铜隐形地漏200x80mm磁悬浮防臭铜芯
Brass Long Square Tile Shower Floor Drain 200x80mm Anti Odormagnetic Suction Technology

下水器技术规格要求 / Technical specifications for launching apparatus		
材质/Material	铜/Brass	产品毛重/Product G.W.
参考标准/Reference standards	EN274	
产品特点/Product features	1.防臭、防虫、防返水内芯 / Anti odor, anti insect, and anti backflow inner core.	装箱数量/QTY
	2.内置防堵滤网 / Built in anti clogging filter screen.	
	3.主体材质黄铜 / The main material is brass.	装箱净重/PKG N.W.
	4.表面镀层通过24小时酸性盐雾测试 / The surface coating has passed a 24-hour acid salt spray test.	
	5.排水速度快 / Fast drainage speed.	装箱毛重/PKG G.W.
下水器流量 / Drainer flow		
排水流量/Drainage flow:		外箱尺寸/MEAS
最高使用温度/Maximum service temperature	10~60℃	
 镀铬 CH  拉丝铬金 PVD UABG  拉丝枪黑 PVD BBL  哑黑 MB  哑白 HMWH		可定制表面颜色 Customizable surface color



Model: WE501
100x100mm四方铜磁悬浮防臭地漏
100x100mm Brass Square Anti Odormagnetic Suction Technology Floor Drain

下水器技术规格要求 / Technical specifications for launching apparatus				
材质/Material	铜/Brass、PP		产品毛重/Product G.W.	0.501 kg
参考标准/Reference standards	EN274			
产品特点/Product features	1.防臭、防虫、防返水内芯 / Anti odor, anti insect, and anti backflow inner core. 2.内置防堵滤网 / Built in anti clogging filter screen. 3.主体材质黄铜 / The main material is brass. 4.表面镀层通过24小时酸性盐雾测试 / The surface coating has passed a 24-hour acid salt spray test. 5.排水速度快 / Fast drainage speed.		装箱数量/QTY	50 pcs
			装箱净重/PKG N.W.	25.05 kgs
			装箱毛重/PKG G.W.	26.10 kgs
下水器流量 / Drainer flow				
排水流量/Drainage flow:			外箱尺寸/MEAS	555x325x270 mm
最高使用温度/Maximum service temperature	10~60℃			
 镀铬 CH  拉丝铬金 PVD UABG  拉丝枪黑 PVD BBL  哑黑 MB  哑白 HMWH			可定制表面颜色 Customizable surface color	

WASTE SERIES

下水系列 >>> 地漏 Floor Drains

HOMES®



Model: WE514

全铜大面直条双用地漏 100x100mm 磁悬浮防臭铜芯
Brass Square 100x100mm Floor Drain Dual Use Anti Odormagnetic Suction Technology

Model: WE515

全铜四方条型双用地漏100x100mm磁悬浮防臭铜芯
Brass Square 100x100mm Floor Drain Dual Use Anti Odormagnetic Suction Technology

下水器技术规格要求 / Technical specifications for launching apparatus		产品毛重/Product G.W.	
材质/Material	铜/Brass	装箱数量/QTY	
参考标准/Reference standards	EN274	装箱净重/PKG N.W.	
产品特点/Product features	1.防臭、防虫、防返水内芯 / Anti odor, anti insect, and anti backflow inner core. 2.内置防堵滤网 / Built in anti clogging filter screen. 3.主体材质黄铜 / The main material is brass. 4.表面镀层通过24小时酸性盐雾测试 / The surface coating has passed a 24-hour acid salt spray test. 5.排水速度快 / Fast drainage speed.	装箱毛重/PKG G.W.	
下水器流量 / Drainer flow			
排水流量/Drainage flow:		外箱尺寸/MEAS	
最高使用温度/Maximum service temperature	10~60℃		
镀铬 CH 拉丝铂金 PVD UABG 拉丝枪黑 PVD BBL 哑黑 MB 哑白 HMWH		可定制表面颜色 Customizable surface color	



Model: WE516

全铜四方条型单用地漏100x100mm磁悬浮防臭铜芯
Brass Square 100x100mm Floor Drain Single Use Anti Odormagnetic Suction Technology



Model: WE517

全铜四方条型单用地漏100x100mm磁悬浮防臭铜芯
Brass Square 100x100mm Floor Drain Single Use Anti Odormagnetic Suction Technology

下水器技术规格要求 / Technical specifications for launching apparatus			
材质/Material	铜/Brass	产品毛重/Product G.W.	
参考标准/Reference standards	EN274		
产品特点/Product features	1.防臭、防虫、防返水内芯 / Anti odor, anti insect, and anti backflow inner core. 2.内置防堵滤网 / Built in anti clogging filter screen. 3.主体材质黄铜 / The main material is brass. 4.表面镀层通过24小时酸性盐雾测试 / The surface coating has passed a 24-hour acid salt spray test. 5.排水速度快 / Fast drainage speed.	装箱数量/QTY	
		装箱净重/PKG N.W.	
		装箱毛重/PKG G.W.	
下水器流量 / Drainer flow			
排水流量/Drainage flow：		外箱尺寸/MEAS	
最高使用温度/Maximum service temperature	10~60℃		
镀铬 CH 拉丝铂金 PVD UABG 拉丝枪黑 PVD BBL 哑黑 MB 哑白 HMWH		可定制表面颜色 Customizable surface color	

WASTE SERIES
下水系列 >>> 地漏 Floor Drains

HOMES®



Model: WE518

全铜四方条型双用地漏100x100mm磁悬浮防臭铜芯
Brass Square 100x100mm Floor Drain Dual Use
Anti Odormagnetic Suction Technology

Model: WE446

全铜条型地漏140x90mm磁悬浮防臭铜芯
Brass Long Square Shower Bathroom Floor Drain
140x90mm Anti Odormagnetic Suction Technology

下水器技术规格要求 / Technical specifications for launching apparatus				
材质/Material	铜/Brass		产品毛重/Product G.W.	
参考标准/Reference standards	EN274			
产品特点/Product features	1.防臭、防虫、防返水内芯 / Anti odor, anti insect, and anti backflow inner core.		装箱数量/QTY	
	2.内置防堵滤网 / Built in anti clogging filter screen.			
	3.主体材质黄铜 / The main material is brass.		装箱净重/PKG N.W.	
	4.表面镀层通过24小时酸性盐雾测试 / The surface coating has passed a 24-hour acid salt spray test.			
	5.排水速度快 / Fast drainage speed.		装箱毛重/PKG G.W.	
下水器流量 / Drainer flow				
排水流量/Drainage flow:			外箱尺寸/MEAS	
最高使用温度/Maximum service temperature	10~60℃			
镀铬 CH 拉丝铬金 PVD UABG 拉丝枪黑 PVD BBL 哑黑 MB 哑白 HMWH			可定制表面颜色 Customizable surface color	



Model: WE510

白色塑料地漏100x100mm
Plastic Floor Drain 100x100mm



Model: WE511

全铜阳台地漏100x100mm磁悬浮防臭铜芯
Brass 100x100 Balcony Floor Drain Anti
Odormagnetic Suction Technology

下水器技术规格要求 / Technical specifications for launching apparatus		
材质/Material	ABS	产品毛重/Product G.W.
参考标准/Reference standards	EN274	装箱数量/QTY
产品特点/Product features	快速排水不积水，带过滤，易清洁 Quick drainage without water accumulation, with filtration, easy to clean	装箱净重/PKG N.W.
		装箱毛重/PKG G.W.
		外箱尺寸/MEAS
下水器流量 / Drainer flow		
排水流量/Drainage flow:		
最高使用温度/Maximum service temperature	10~60℃	
 镀铬 CH  拉丝铬金 PVD UABG  拉丝枪黑 PVD BBL  哑黑 MB  哑白 HMWH		可定制表面颜色 Customizable surface color

WASTE SERIES
下水系列 >>> 地漏 Floor Drains

HOMES®




Model: WE512

全铜洗衣机地漏100x100mm磁悬浮防臭铜芯
Brass Square 100x100mm Washing Machine
Floor Drain Anti Odormagnetic Suction
Technology with Brass Elbow

Model: WE513

全铜大面直条单用100x100mm磁悬浮防臭铜芯
Brass Square 100x100mm Floor Drain Single
Use Anti Odormagnetic Suction Technology

下水器技术规格要求 / Technical specifications for launching apparatus		
材质/Material	铜/Brass	产品毛重/Product G.W.
参考标准/Reference standards	EN274	装箱数量/QTY
产品特点/Product features	1.防臭、防虫、防返水内芯 / Anti odor, anti insect, and anti backflow inner core.	装箱净重/PKG N.W.
	2.内置防堵滤网 / Built in anti clogging filter screen.	装箱毛重/PKG G.W.
	3.主体材质黄铜 / The main material is brass.	外箱尺寸/MEAS
下水器流量 / Drainer flow		
排水流量/Drainage flow:		
最高使用温度/Maximum service temperature	10~60℃	
可定制表面颜色 Customizable surface color		
镀铬 CH 拉丝铂金 PVD UABG 拉丝枪黑 PVD BBL 哑黑 MB 哑白 HMWH		



Model: WE413

800x80mm淋浴房线性不锈钢地漏，带防臭功能
800x80mm Linear Stainless Steel Floor Drain for Shower Room, with Odor-proof Function

下水器技术规格要求 / Technical specifications for launching apparatus		
材质/Material	铜/Brass、PP	产品毛重/Product G.W.
参考标准/Reference standards	EN274	1.823 kg
产品特点/Product features	1.防臭、防虫、防返水内芯 / Anti odor, anti insect, and anti backflow inner core.	装箱数量/QTY
	2.内置防堵滤网 / Built in anti clogging filter screen.	10 pcs
	3.主体材质黄铜 / The main material is brass.	装箱净重/PKG N.W.
下水器流量 / Drainer flow		18.23 kgs
排水流量/Drainage flow:		装箱毛重/PKG G.W.
最高使用温度/Maximum service temperature	10~60℃	19.34 kgs
可定制表面颜色 Customizable surface color		外箱尺寸/MEAS
镀铬 CH 拉丝铂金 PVD UABG 拉丝枪黑 PVD BBL 哑黑 MB 哑白 HMWH		925x345x235 mm



Model: WE401U
1 1/4 淋浴房下水无溢水孔
1 1/4 Flush Grated Waste Unslotted

Model: WE414UB-55
6小孔直漏淋浴房下水铜六角帽
1 1/2"×2" Tall Flush Grated Shower
Removable Plug with Brass Backnut

Model: WE403U
花式下水1 1/2大面地漏法兰无溢水孔
1 1/2 Shower Waste 86mm Flange
80mm Tail Flush Grated

Model: WE406U
1 1/2 淋浴房下水
1 1/2 Shower Waste Remove Top

下水器技术规格要求 / Technical specifications for launching apparatus				
材质/Material	铜/Brass、ABS		产品毛重/Product G.W.	0.191 kg
参考标准/Reference standards	EN274		装箱数量/QTY	50 pcs
产品特点/Product features	G1-1/4六小孔直漏下水-无溢水孔，塑料螺母 G1-1/4 six small-hole free flow - unslotted, plastic nut		装箱净重/PKG N.W.	9.55 kgs
			装箱毛重/PKG G.W.	10.02 kgs
下水器流量 / Drainer flow				
排水流量/Drainage flow:			外箱尺寸/MEAS	350x350x230 mm
最高使用温度/Maximum service temperature	10~60℃			
 镀铬 CH  拉丝铬金 PVD UABG  拉丝枪黑 PVD BBL  哑黑 MB  哑白 HMWH			可定制表面颜色 Customizable surface color	

下水器技术规格要求 / Technical specifications for launching apparatus				
材质/Material	铜/Brass、ABS		产品毛重/Product G.W.	0.176 kg
参考标准/Reference standards	EN274		装箱数量/QTY	50 pcs
产品特点/Product features	大面下水法兰，Φ86法兰铜下水体，无溢水孔 Large-area water inlet flange, Φ86 copper flange body, unslotted		装箱净重/PKG N.W.	8.47 kgs
			装箱毛重/PKG G.W.	8.82 kgs
下水器流量 / Drainer flow				
排水流量/Drainage flow:				
最高使用温度/Maximum service temperature		10~60℃	外箱尺寸/MEAS	470x470x225 mm
 镀铬 CH  拉丝铬金 PVD UABG  拉丝枪黑 PVD BBL  哑黑 MB  哑白 HMWH			可定制表面颜色 Customizable surface color	

WASTE SERIES

下水系列 >>> 地漏 Floor Drains



Model: WE408ELB

大流量淋浴房下水115mmABS封盖
High Flow Shower Tray Waste with 115mm ABS Cover

下水器技术规格要求 / Technical specifications for launching apparatus		产品毛重/Product G.W.	0.34 kg
材质/Material	ABS、PP	装箱数量/QTY	50 pcs
参考标准/Reference standards	EN274	装箱净重/PKG N.W.	16.19 kgs
产品特点/Product features	Φ115大面盖淋浴房下水器，防臭设计隔绝异味，带弯头连接（适配管径Φ39-Φ42），易安装 Φ115 large-surface shower room drain, featuring odor-proof design to isolate odors, with elbow connection (compatible with pipe diameters Φ39-Φ42), easy to install.	装箱毛重/PKG G.W.	16.86 kgs
下水器流量 / Drainer flow			
排水流量/Drainage flow:		外箱尺寸/MEAS	590x480x330 mm
最高使用温度/Maximum service temperature	10~60℃		
 镀铬 CH  拉丝铂金 PVD UABG  拉丝枪黑 PVD BBL  哑黑 MB  哑白 HMWH		可定制表面颜色 Customizable surface color	





Model: WE408B

淋浴房落水，铜盖板直径115mm
90mm Shower Tray Drain Fitting
(115mm Brass Cover)

Model: WE408FW

塑料淋浴房落水电镀盖板直径115mm和伸缩管
90mm High Flow Shower Tray Waste
(115mm ABS Cover) with 45 Flexible Hose

下水器技术规格要求 / Technical specifications for launching apparatus				
材质/Material	铜/Brass、PP		产品毛重/Product G.W.	0.28 kg
参考标准/Reference standards	EN274		装箱数量/QTY	50 pcs
产品特点/Product features	Φ115全铜面盖淋浴房下水器，防臭设计隔绝异味，易安装 Φ115 full copper surface cover shower room water drainage device, with odor-proof design to isolate odor, easy to install		装箱净重/PKG N.W.	13.34 kgs
			装箱毛重/PKG G.W.	13.90 kgs
下水器流量 / Drainer flow				
排水流量/Drainage flow:			外箱尺寸/MEAS	590x390x320 mm
最高使用温度/Maximum service temperature	10~60℃			
镀铬 CH 拉丝铬金 PVD UABG 拉丝枪黑 PVD BBL 哑黑 MB 哑白 HMWH			可定制表面颜色 Customizable surface color	



Model: WE408BO

90mm淋浴房下水底部出口
90mm Straight Shower Tray Waste
Bottom Outlet

Model: WE430ELB

1-1/2 淋浴房下水110mm铜封盖
1-1/2 Shower Tray Wastes with 110mm
Remove Brass Cover

下水器技术规格要求 / Technical specifications for launching apparatus				
材质/Material	ABS、PP		产品毛重/Product G.W.	0.266 kg
参考标准/Reference standards	EN274		装箱数量/QTY	50 pcs
产品特点/Product features	Φ115面盖淋浴房下水器，底部排水口，防臭设计隔绝异味 Φ115 surface-mounted shower room water drainage device, featuring a bottom drainage outlet and odor-proof design to isolate unpleasant smells.		装箱净重/PKG N.W.	13.30 kgs
			装箱毛重/PKG G.W.	14.32 kgs
下水器流量 / Drainer flow				
排水流量/Drainage flow:			外箱尺寸/MEAS	
最高使用温度/Maximum service temperature	10~60℃			
镀铬 CH 拉丝铬金 PVD UABG 拉丝枪黑 PVD BBL 哑黑 MB 哑白 HMWH			可定制表面颜色 Customizable surface color	

WASTE SERIES

下水系列 >>> 地漏 Floor Drains

HOMES®



Model: WE443

淋浴房下水，塑料封盖
Shorter Shower Waste with 114mm ABS Cap
for 40mm Pipe

Model: WE445

淋浴房下水+G1/2进水口
Shower Tray Waste with 110mm ABS Cover
& G1/2 Water Inlet

下水器技术规格要求 / Technical specifications for launching apparatus				
材质/Material	PP、ABS		产品毛重/Product G.W.	0.42 kg
参考标准/Reference standards	EN274		装箱数量/QTY	20 pcs
产品特点/Product features	Φ 114塑料封盖-排水管内径40mm，塑料体深度48mm		装箱净重/PKG N.W.	8.40 kgs
	Φ 114 plastic cover - drainage pipe inner diameter 40mm, plastic body depth 48mm		装箱毛重/PKG G.W.	9.04 kgs
下水器流量 / Drainer flow				
排水流量/Drainage flow:			外箱尺寸/MEAS	510x300x420 mm
最高使用温度/Maximum service temperature	10~60℃			
 镀铬 CH  拉丝铬金 PVD UABG  拉丝枪黑 PVD BBL  哑黑 MB  哑白 HMWH			可定制表面颜色 Customizable surface color	



Model: WE424

配50mm孔淋浴排水+85mm盖子
50mm Fast Flow Shower Waste with 85mm Cover


Model: WE509S

150x150方形不锈钢地漏
Square Stainless Steel Shower Floor Drain

下水器技术规格要求 / Technical specifications for launching apparatus				
材质/Material	PP、ABS		产品毛重/Product G.W.	0.43 kg
参考标准/Reference standards	EN274		装箱数量/QTY	24 pcs
产品特点/Product features	Φ85塑料封盖，两种排水管连接方式适用大多数连接口，易安装 Φ85 plastic cover, with two types of drainage pipe connection methods suitable for most connection ports, easy to install		装箱净重/PKG N.W.	9.89 kgs
			装箱毛重/PKG G.W.	10.30 kgs
下水器流量 / Drainer flow				
排水流量/Drainage flow:			外箱尺寸/MEAS	660x345x380 mm
最高使用温度/Maximum service temperature	10~60℃			
镀铬 CH 拉丝铬金 PVD UABG 拉丝枪黑 PVD BBL 哑黑 MB 哑白 HMWH			可定制表面颜色 Customizable surface color	


WASTE SERIES

下水系列 >>> 地漏 Floor Drains



Model: WE440

美式Φ110mm圆形不锈钢地漏
Brass USA Design Φ110mm Round Shower Drain



Model: WE439

美式115x115mm方形不锈钢地漏
Brass USA Design 115x115mm Square Shower Drain

下水器技术规格要求 / Technical specifications for launching apparatus				
材质/Material	不锈钢/Stainless Steel、PVC		产品毛重/Product G.W.	0.81 kg
参考标准/Reference standards	EN274		装箱数量/QTY	24 pcs
产品特点/Product features	坚固耐用，快速排水，防堵塞和异味，易清洁 Strongand sturdy, rapid drainage, prevent blocking and odors, easy to clean		装箱净重/PKG N.W.	18.62 kgs
			装箱毛重/PKG G.W.	19.40 kgs
			下水器流量 / Drainer flow	
排水流量/Drainage flow:			外箱尺寸/MEAS	510x345x450 mm
最高使用温度/Maximum service temperature	10~60℃			
镀铬 CH 拉丝铬金 PVD UABG 拉丝枪黑 PVD BBL 哑黑 MB 哑白 HMWH			可定制表面颜色 Customizable surface color	



WASTE SERIES


下水系列 >>> 美式下水 USA Drains >> 面盆下水 Basin Drains



- One piece body
- Easy cleaning clic clac plug
- Easy lock backnut

Model: WA116

美式易清洗ABS开槽面盆弹跳下水
USA Easy Clean ABS Slotted Click Clack Basin Waste



材 质 / Material	铜 / Brass
产品毛重 / Product G.W.	0.26 kg
装箱数量 / QTY	24 pcs
装箱净重 / PKG N.W.	11.04 kgs
装箱毛重 / PKG G.W.	11.28 kgs
外箱尺寸 / MEAS	500x380x310 mm


HOMES®



Model: WA117

易清洗面盆排水管
Easy Cleaning Basin Drain


材 质 / Material	
产品毛重 / Product G.W.	
装箱数量 / QTY	
装箱净重 / PKG N.W.	
装箱毛重 / PKG G.W.	
外箱尺寸 / MEAS	



材 质 / Material	铜 / Brass
产品毛重 / Product G.W.	0.26 kg
装箱数量 / QTY	24 pcs
装箱净重 / PKG N.W.	11.04 kgs
装箱毛重 / PKG G.W.	11.28 kgs
外箱尺寸 / MEAS	500x380x310 mm

Model: WA102

美式装饰伞水槽排水管
USA Decorative Umbrella Sink Drain




材 质 / Material	铜 / Brass
产品毛重 / Product G.W.	0.318 kg
装箱数量 / QTY	24 pcs
装箱净重 / PKG N.W.	12.44 kgs
装箱毛重 / PKG G.W.	13.68 kgs
外箱尺寸 / MEAS	500x380x310 mm

Model: WA106

美式面盆弹跳下水带溢水
USA Basin Drain Clic-clac Slotted

WASTE SERIES


下水系列 >>> 美式下水 USA Drains >> 面盆下水 Basin Drains



Model: WA101

美式铜提拉面盆下水
Brass USA Pop-up Assembly


材 质 / Material	铜 / Brass
产品毛重 / Product G.W.	0.258 kg
装箱数量 / QTY	24 pcs
装箱净重 / PKG N.W.	11.00 kgs
装箱毛重 / PKG G.W.	11.46 kgs
外箱尺寸 / MEAS	430x420x345 mm



Model: WA111

美式塑料面盆提拉下水
USA Easy Cleaning Plastic Pop-up LAV Drain

材 质 / Material	塑料 / Plastic
产品毛重 / Product G.W.	0.178 kg
装箱数量 / QTY	24 pcs
装箱净重 / PKG N.W.	7.86 kgs
装箱毛重 / PKG G.W.	8.85 kgs
外箱尺寸 / MEAS	565x415x325 mm




Model: WA115P

美式ABS提拉下水
USA ABS LAV Nonmetallic Pop-up Drain Assembly

材 质 / Material	ABS
产品毛重 / Product G.W.	0.26 kg
装箱数量 / QTY	15 pcs
装箱净重 / PKG N.W.	3.27 kgs
装箱毛重 / PKG G.W.	3.85 kgs
外箱尺寸 / MEAS	300x250x200 mm


HOMES®



Model: WA110

美式塑料面盆提拉下水配伸缩管
USA Easy Cleaning Plastic LAV Drain With Flexible


材 质 / Material	
产品毛重 / Product G.W.	
装箱数量 / QTY	
装箱净重 / PKG N.W.	
装箱毛重 / PKG G.W.	
外箱尺寸 / MEAS	



Model: WA236

带塞子的黄铜面盆排水管
Brass Basin Drain With Stopper

材 质 / Material	铜 / Brass
产品毛重 / Product G.W.	0.208 kg
装箱数量 / QTY	24 pcs
装箱净重 / PKG N.W.	4.98 kgs
装箱毛重 / PKG G.W.	5.08 kgs
外箱尺寸 / MEAS	365x335x230 mm



Model: WA107

美式19孔面盆下水
USA 19 Holes Basin Drain

材 质 / Material	铜 / Brass
产品毛重 / Product G.W.	0.209 kg
装箱数量 / QTY	24 pcs
装箱净重 / PKG N.W.	7.41 kgs
装箱毛重 / PKG G.W.	8.12 kgs
外箱尺寸 / MEAS	460x360x310 mm


WASTE SERIES

下水系列 >>> 台盆支架 Basin Stands



Model: WE966

复古单台盆铜支架
Traditional Washstand



材 质 / Material	不锈钢 / Stainless Steel
产品毛重 / Product G.W.	11.70 kg
装箱数量 / QTY	1 pcs
装箱净重 / PKG N.W.	11.30 kgs
装箱毛重 / PKG G.W.	11.70 kgs
外箱尺寸 / MEAS	600x275x85 mm




WASTE SERIES

下水系列 >>> 台盆支架 Basin Stands



Model: WE966+WE976

47CM单台盆铜支架+530*360*8玻璃置物架
470mm Basin Stand with 530*360*8 Glass Shelf



HOMES®




WASTE SERIES

下水系列 >>> 台盆支架 Basin Stands



Model: WE987QG

77cm加高四方柱单台盆铜支架+玻璃板
77cm Basin Stand Square Leg with Glass Shelf



HOMES®




WASTE SERIES
下水系列 >>> 台盆支架 Basin Stands

台盆支架
BASIN STANDS



Model: WE970EF-810

66 × 475 × 820 复古台盆支架+80瓦电热毛巾架
66 × 475 × 820 Traditional Basin Stand with 80WATT Electric Heated Towel




HOMES®

台盆支架
BASIN STANDS




WASTE SERIES

下水系列 >>> 台盆支架 Basin Stands



Model: WE970EHT-PVD UKG

66 × 475 × 820 复古台盆支架+80瓦电热毛巾架
66 × 475 × 820 Traditional Basin Stand with 80WATT Electric Heated Towel



HOMES®




WASTE SERIES
下水系列 >>> 台盆支架 Basin Stands

台盆支架
BASIN STANDS



Model: WE984-PVD UABG

可长度调节台盆支架 – 长度可由安装人员切割
Adjustable Basin Support - The Length Can Be Cut By Installer



材 质 / Material	不锈钢 / Stainless Steel
产品毛重 / Product G.W.	4.62 kg
装箱数量 / QTY	1 pcs
装箱净重 / PKG N.W.	4.44 kgs
装箱毛重 / PKG G.W.	4.62 kgs
外箱尺寸 / MEAS	600x250x90 mm



HOMES®

台盆支架
BASIN STANDS

WASTE SERIES


下水系列 >>> 台盆支架 Basin Stands

台盆支架
BASIN STANDS



Model: WE988-PVD UAG

双台盆铜支架
Double Basin Stand



HOMES®

台盆支架
BASIN STANDS




WASTE SERIES
下水系列 >>> 台盆支架 Basin Stands



Model: WE969-PVD UKG

单台盆支架
Brass Basin Stand



材 质 / Material	铜 / Brass
产品毛重 / Product G.W.	5.623 kg
装箱数量 / QTY	1 pcs
装箱净重 / PKG N.W.	4.323 kgs
装箱毛重 / PKG G.W.	5.623 kgs
外箱尺寸 / MEAS	700x345x108 mm

HOMES®




WASTE SERIES

下水系列 >>> 台盆支架 Basin Stands



Model: WE9103

台盆铜支架搭配毛巾架
Basin Stand with Towel Bracket



HOMES®




WASTE SERIES

下水系列 >>> 台盆支架 Basin Stands



Model: WE9104

弧形单台盆支架
Arc Basin Stand




HOMES®




WASTE SERIES

下水系列 >>> 下水配件 Waste Accessories



Model: WE975


小台盆铜支架的英式毛巾架
Towel Rack for Small Basin Stand



Model: WE967-PVD UAG


可调节面盆毛巾杆
Adjustable towel rail for basin stand

材质 / Material	铜 / Brass
产品毛重 / Product G.W.	0.559 kg
装箱数量 / QTY	10 pcs
装箱净重 / PKG N.W.	5.59 kgs
装箱毛重 / PKG G.W.	6.32 kgs
外箱尺寸 / MEAS	350x325x270 mm



Model: WE976


台盆铜支架的英式毛巾架
Towel Rack for Basin Stand



Model: WE967R-PVD UAG


可调节面盆毛巾杆
Adjustable towel rail for basin stand

材质 / Material	铜 / Brass
产品毛重 / Product G.W.	0.559 kg
装箱数量 / QTY	10 pcs
装箱净重 / PKG N.W.	5.59 kgs
装箱毛重 / PKG G.W.	6.32 kgs
外箱尺寸 / MEAS	350x325x270 mm




Model: WE924-38

面盆下水铜塞
Basin Brass Plug



Model: WE928


面盆下水铜塞头带链条
Basin Brass Plug and Ball Chain



Model: WE964-B


1 1/4面盆提拉下水陶瓷塞头
1 1/4 Ceramic Plug Only for Basin Pop-up Waste

HOMES®




Model: WE924R-38

1 1/4" 橡胶塞头
1 1/4" plastic sink plug



Model: WE932

面盆下水橡胶塞头带链条
Basin Rubber Plug and Ball Chain




Model: WE924PR-38

1 1/4" ABS下水塞头
1 1/4" ABS Waste Plug


WASTE SERIES

下水系列 >>> 下水配件 Waste Accessories




Model: WE995

铜面盆溢水盖带孔
Brass Insert for Basin Sink Overflow Hole




Model: WE958

ABS面盆溢水盖
ABS Basin Overflow Cover



Model: WE9108-MB

椭圆形面盆ABS溢水环
Oval Basin ABS Overflow Cover



Model: WE9108SQ-HMWH

方形面盆ABS溢水环
Square ABS Overflow Cover



WASTE SERIES

下水系列 >>> 过滤网 Mesh Strainer


HOMES®



GL1001-2-1/2" GL1001-3-3/4" GL1001-4" GL1001-4.5"



不锈钢过滤网
Tub SS Mesh Strainer




Model: GL5001-2-3/4"

2-3/4" 厨房不锈钢过滤网
2-3/4" Kitchen Stainless Steel Mesh Strainer

WASTE SERIES

下水系列 >>> 角阀 Angle Vavles



Model: JF018

1/2角阀黄铜截止阀
Angle Valve 1/2 Brass Stop Valve

材 质 / Material	铜 / Brass 不锈钢 / Stainless Steel
产品毛重 / Product G.W.	0.124 kg
装箱数量 / QTY	120 pcs
装箱净重 / PKG N.W.	14.91 kgs
装箱毛重 / PKG G.W.	15.53 kgs
外箱尺寸 / MEAS	420x310x350 mm



Model: JF005B

铜圆形角阀
Brass Round Angle Valve

材 质 / Material	铜 / Brass 不锈钢 / Stainless Steel
产品毛重 / Product G.W.	0.2 kg
装箱数量 / QTY	100 pcs
装箱净重 / PKG N.W.	19.00 kgs
装箱毛重 / PKG G.W.	20.36 kgs
外箱尺寸 / MEAS	425x325x230 mm



Model: JF017

1/2豪华角阀黄铜截止阀
Luxury Angle Valve 1/2 Brass Stop Valve


材 质 / Material	铜 / Brass 不锈钢 / Stainless Steel
产品毛重 / Product G.W.	0.15 kg
装箱数量 / QTY	100 pcs
装箱净重 / PKG N.W.	15.00 kgs
装箱毛重 / PKG G.W.	15.60 kgs
外箱尺寸 / MEAS	535x395x335 mm



Model: JF015C3-C-PVD UAG

传统全铜角阀配六角装饰底座
1/2 Brass Angle Valve with Hexagon Flange


材 质 / Material	铜&陶瓷 / Brass&Ceramic
产品毛重 / Product G.W.	0.48 kg
装箱数量 / QTY	40 pcs
装箱净重 / PKG N.W.	19.20 kgs
装箱毛重 / PKG G.W.	19.50 kgs
外箱尺寸 / MEAS	410x380x420 mm



Model: JF012C3

传统全铜角阀-对装
1/2 Traditional Brass Angle Valve Pair

材 质 / Material	铜&陶瓷 / Brass&Ceramic
产品毛重 / Product G.W.	0.58 kg
装箱数量 / QTY	20 pcs
装箱净重 / PKG N.W.	11.17 kgs
装箱毛重 / PKG G.W.	11.64 kgs
外箱尺寸 / MEAS	380x300x310 mm



Model: JF012C14

传统全铜进水阀
Traditional Brass Cistern Cut-off Valve

材 质 / Material	铜&陶瓷 / Brass&Ceramic
产品毛重 / Product G.W.	0.524 kg
装箱数量 / QTY	20 pcs
装箱净重 / PKG N.W.	10.40 kgs
装箱毛重 / PKG G.W.	10.76 kgs
外箱尺寸 / MEAS	380x300x300 mm




Toilet Series

马桶系列



TOILET SERIES

马桶系列 >>> 高位&低位马桶 High & Low Level Toilets



Model: 1HMEF201SS

英伦古典陶瓷水箱分体高位马桶组合
Traditional Ceramic Tank High Toilet Kit

HOMES®



Model: 1LMEF201SS

英伦古典陶瓷水箱分体低位马桶组合
Traditional Ceramic Tank Low Toilet Kit

TOILET SERIES

马桶系列 >>> 马桶&马桶盖 Toilets & Toilet Seats



Model: 8HMEF21OSS-BN

传统拉丝镍水箱嵌铜面板高位分体马桶组合件
(部件包括: 拉丝镍高位水箱&铜铭牌、外部供水角阀、排水管、装饰罩、锌合金装饰支架、缓冲夹、拉手&墙支架、厕纸架、马桶刷、冲洗阀、陶瓷马桶&实木缓降马桶盖、水箱内部套件)
Traditional Brushed Nickel with Brass Brand Board High Toilet Kit
(Included: Brushed Nickel Tank with Brass Brand Board, Out Water Supply Angle Valve, High Level Cistern Flush Pipe, Cowel, Zinc Decorative Brackets, Buffer Clip, Flush Handle with Pull Rod & Wall Bracket, Toilet Roll Holder, Toilet Brush, Douche Spray Kit, Ceramic Toilet and Solid Black Wooden with Slow Down Cushion, Close Coupled Cistern Internal Kit)



Model: ME9703

壁挂式马桶
Wall Hung Toilet Pan



Model: ME9702W

英式墙排马桶
UK Style Wall Drain Pan



Model: ME9702F

英式地排马桶
UK Style Floor Drain Pan



Model: ME9803B

黄铜缓降关闭标准固定件带固定装置套件
Brass Soft Close Standard Fix with Fixing Kit



Model: ME9701SD-BR

棕色实木板马桶坐垫配缓降铰链
Solid Brown Wooden Cushion with Slow Down Function and Metal Link



Model: ME9701SD -RBR

红棕色实木板马桶坐垫配缓降铰链
Solid Red Brown Wooden Cushion with Slow Down Function and Metal Link



Model: ME9701MDF-RBR

红棕色中密度板马桶坐垫配缓降铰链
MDF Red Brown Cushion with Slow Down Function and Metal Link




Model: ME9701SD-BL

黑色实木板马桶坐垫配缓降铰链
Solid Black Wooden Cushion with Slow Down Function and Metal Link


TOILET SERIES

马桶系列 >>> 水箱手柄&按钮 Cistern Levers & Push Buttons




Model: ME9101

4"水箱冲洗手柄
4" Cistern Lever




Model: ME9131-16

16"水箱冲洗手柄
16" Cistern Lever



Model: ME9102

4"水箱冲洗手柄
4" Cistern Lever




Model: ME9103-6

6"水箱冲洗手柄
6" Cistern Lever


TOILET SERIES

马桶系列 \ \ \ 水箱手柄&按钮 Cistern Levers & Push Buttons





Model: ME9107-9.6

9.6"水箱冲洗手柄3/8
9.6" Cistern Lever 3/8




Model: ME9112

4"水箱冲洗手柄3/8
4" Cistern Lever 3/8



Model: ME9137

4"四方水箱冲洗手柄
4" Square Cistern Lever



Model: ME9115

4"水箱冲洗手柄
4" Cistern Lever


TOILET SERIES

马桶系列 >>> 水箱手柄&按钮 Cistern Levers & Push Buttons



Model: ME9129

4"侧动式水箱手柄
4" Side Action Cistern Lever




Model: ME9130

4" 现代水箱手柄
4" Modern Cistern Lever


205

HOMES®



Model: ME9121

4"传统白色陶瓷冲洗手柄
4" White Ceramic Traditional Cistern Lever



Model: ME9122-PVD UKG

4"传统白色陶瓷冲洗手柄
4" White Ceramic Traditional Cistern Lever


206

水箱手柄
CISTERNA | EVEREST

水箱手柄
CISTERN LEVERS


TOILET SERIES

马桶系列 >>> 水箱手柄&按钮 Cistern Levers & Push Buttons



Model: ME9123

4"传统白色陶瓷冲洗手柄
4" White Ceramic Traditional Cistern Lever




Model: ME9123BA-11.5

11.5" 白色陶瓷传统水箱冲洗手柄+黄铜杆
11.5" White Ceramic Traditional Cistern Lever with Brass Lever



Model: ME9143

传统带链条的水箱拉手
Traditional Ceramic Chain Pull




Model: ME9157

4"水箱冲洗手柄
4" Cistern Lever

TOILET SERIES


马桶系列 >>> 水箱手柄&按钮 Cistern Levers & Push Buttons

HOMES®




Model: ME9158

白色陶瓷水箱扳手
White Ceramic Cistern Lever Handle




Model: MA9101

美式经典水箱扳手
USA Classics Tank Lever



Model: ME9159

工业风滚花水箱扳手
Industrial Style Cistern Lever



Model: MA9103

美式四方水箱扳手
USA Square Tank Lever

水箱手柄
CISTERN LEVERS

水箱手柄
CISTERN LEVERS


TOILET SERIES

马桶系列 >>> 水箱手柄&按钮 Cistern Levers & Push Buttons



Model: ME9114A-48-6PVD BBL

马桶冲水塑料按钮
Dual Flush Button




材 质 / Material	塑料 / Plastic
表面处理 / Finishes	PVD拉丝枪黑(封釉) PVD Brushed Gun Black(AF)
产品毛重 / Product G.W.	0.05 kg
装箱数量 / QTY	100 pcs
装箱净重 / PKG N.W.	5.00 kgs
装箱毛重 / PKG G.W.	5.70 kgs
外箱尺寸 / MEAS	505x300x320 mm

HOMES®

TOILET SERIES

马桶系列 >>> 冲水管 Flush Pipes



Model: HME9604KIT


SS304易安装传统高位地排排水管组合件
(包括: 冲洗管、缓冲夹、SS304装饰罩、带铜拉杆&拉手、锌合金装饰支架)
SS304 Easy Installation Design Traditional High Level Flush Pipe Kit (Included: Flush Pipe, Buffer Clip, SS304 Cowels, Flush Handle with Pull Rod, Zinc Decorative Brackets)



材 质 / Material	不锈钢 / SS304
表面处理 / Finishes	镀铬 / Chrome
产品毛重 / Product G.W.	4.26 kg
装箱数量 / QTY	1 pcs
装箱净重 / PKG N.W.	3.26 kgs
装箱毛重 / PKG G.W.	4.26 kgs
外箱尺寸 / MEAS	1430x260x70 mm

TOILET SERIES
马桶系列 >>> 冲水管 Flush Pipes


HOMES®



Model: HME9601KIT

传统高位水箱冲洗管组合件
(包括: 冲洗管、缓冲夹、SS304装饰罩、铜拉杆&拉手、铜装饰支架)
Traditional High Level Cistern Flush Pipe Kit (Included: Flush Pipe, Buffer Clip, SS304 Cowel, Flush Handle with Pull Rod & Wall Bracket, Brass Decorative Brackets)

材 质 / Material	不锈钢 / SS304
表面处理 / Finishes	镀铬 / Chrome
产品毛重 / Product G.W.	4.24 kg
装箱数量 / QTY	1 pcs
装箱净重 / PKG N.W.	3.24 kgs
装箱毛重 / PKG G.W.	4.24 kgs
外箱尺寸 / MEAS	1430x260x70 mm




Model: HME9610KIT-1SH

传统高位水箱冲洗管组合件
(包括: 冲洗管、缓冲夹、黄铜装饰罩、铜拉杆&墙壁支架的冲洗拉手、锌合金装饰支架)
Traditional High Level Cistern Flush Pipe Kit (Included: Flush Pipe, Buffer Clip, Brass Cowel, Flush Handle with Brass Pull Rod & Wall Bracket, Zinc Decorative Brackets)

材 质 / Material	不锈钢 / SS304
表面处理 / Finishes	镀铬 / Chrome
产品毛重 / Product G.W.	7.40 kg
装箱数量 / QTY	1 pcs
装箱净重 / PKG N.W.	7.02 kgs
装箱毛重 / PKG G.W.	7.40 kgs
外箱尺寸 / MEAS	132x320x110 mm


TOILET SERIES

马桶系列 >>> 冲水管 Flush Pipes



Model: ME9602S


低水位马桶冲洗管
Low Lever Flush Pipe



Model: ME9602KITSS


低水位马桶冲洗管+铜支架
Low Level Flush Pipe with Brass Bracket Kit

HOMES®



Model: ME9609KITSS

低水位马桶冲洗管铜八角锁紧帽
Low Level Flush Pipe with Octagonal Brass Lock Nut




Model: ME9609KITSSZ

低水位马桶冲洗管铜八角锁紧帽+锌合金支架
Low Level Flush Pipe with Octagonal Brass Lock Nut and Zinc Bracket Kit


TOILET SERIES

马桶系列 >>> 冲水管 Flush Pipes




Model: ME9607SS

SS304低位地排马桶冲水管
SS304 Low Level Flush Pipe for floor drain pan




Model: ME9603

一对铜水箱支架
Brass Cistern Support Brackets Pair



Model: ME9616SS

中高水箱套件
Mid Height Cistern Kit




Model: ME9618KITSSZ

中高水箱套件和一对用于固定水箱的锌合金支架
Mid Height Cistern Kit and Pair Zinc Brackets for Hold Cistern


TOILET SERIES

马桶系列 >>> 排水阀 Flush Valves



Model: ME9401

排水阀
Flush Valve




Model: ME9411

排水阀，高度不可调节，9-1/2"马桶水件
Flush Valve,Standard 9 1/2" Syphon with Pipe Lock Nut

HOMES®

TOILET SERIES

马桶系列 >>> 隐藏式水箱 Concealed Cisterns



Model: ME9201

壁挂式马桶隐形水箱
Wall Hung WC Frame-thin Hidden Water Tank-114~126cm

安装尺寸：500x125x1400mm
材料：HDPE
实际排量：全排：4.5L-7.5L；半排：3L-4.5L
框架承重：500kgs。座便器专用规格。
操作方式：按压按钮控制。
操作面板尺寸：340*185mm。
操作面板表面处理：ABS（白色/镀铬/镀金）
适用范围：140mm厚度以上的实心墙或假墙安装。

Installation size: 500 x125x1400mm
Material: HDPE
Actual delivery: the whole row: 4.5 L-7.5L;
Half volume: 3 L -4.5 L
Frame bearing strendth: 500 KGS.
Seat toilet application specific.
Operation mode:Push button control.
Operation panel size: 340*185 mm.
Operation panel finish: ABS (white/chrome/gold plated)
Suit for: 140mm dry wall or pre-cast wall.




Carton(cm)			PCS/ CTN	CBM/ PCS	20GP	40HQ
L	W	H			PCS	PCS
123	18	52	1	0.115	234	581

TOILET SERIES
马桶系列 >>> 水泵系统 Macetator System



Model: ME90101

家用4进1出污水处理器CE认证(紫铜线圈电机)
4 Inlet + 1 Outlet, Multifunction Item For Family Using: Toilet WC & Basin Sink & Bath
400 watts Macetator Sanitary Waste Removal C Sysem with Copper Wire Motor
- CE Approved & Two Years Guarantee



材 质 / Material	塑料 / Plastic
表面处理 / Finishes	白色 / White
产品毛重 / Product G.W.	7.17 kg
装箱数量 / QTY	3 pcs
装箱净重 / PKG N.W.	21.51 kgs
装箱毛重 / PKG G.W.	22.41 kgs
外箱尺寸 / MEAS	740x470x370 mm



ME90101, is 4 in 1. Multifunction design can use for a complete bathroom, silent & low water start level. In the unlikely event that switch system fails, the manual switch also can force start the motor




ME90101

FEATURE

Silent


Forced start

Low start level




Watts (Consumption):	400W
Electrical Supply:	220~240/50Hz
Max Flow Rate:	145L /Min
Water Temperature:	1~75 °C (90°C in 4 hours without motor thermal protection)
Horizontal Discharge:	80 Meters
Vertical Discharge:	8 Meters
Inlet Pipe:	1×100mm/3×40mm
Discharge Pipe:	23/28/32/44mm
IP Rating:	IPX4

TOILET SERIES
马桶系列 >>> 水泵系统 Macetator System



Model: ME90103


3进1出污水处理器CE认证(紫铜线圈电机)
3 Water Inlet with 1 Water Outlet Can Using Max 90°C Water & Black Rubber Tank: Toilet WC & Basin Sink & Bath 600 Watts Macetator Sanitary Waste Removal Pump Sysem with Copper Wire Motor - CE Approved & Two Years Guarantee



材 质 / Material	塑料 / Plastic
表面处理 / Finishes	白色 / White
产品毛重 / Product G.W.	8.26 kg
装箱数量 / QTY	1 pcs
装箱净重 / PKG N.W.	7.26 kgs
装箱毛重 / PKG G.W.	8.26 kgs
外箱尺寸 / MEAS	450x255x340 mm

HOMES®

ME90103, is 3 in 1, it can connect toilet + basin + washing machine etc by one time. Motor separated with water tank, can use Max 90°C water. With manual switch, can force start the motor when air-switch fails



Watts (Consumption):	600W
Electrical Supply:	220~240V/50Hz
Max Flow Rate:	240L/Min
Water Temperature:	1~90 °C
Horizontal Discharge:	100 Meters
Vertical Discharge:	10 Meters
Inlet Pipe:	1x100mm / 2x40mm
Discharge Pipe:	40mm
IP Rating:	IPX4

TOILET SERIES

马桶系列 >>> 水泵系统 Macetator System




Model: ME90107

紧凑型淋浴和洗脸盆废水泵系统（2个进水口）
2个进水口配1个出水口：尺寸最小，最适合淋浴或洗脸盆使用
Compact Shower and Basin Waste Water Pump System (2 Inlets)
2 water Inlet with 1 water outlets: mallest size, best for shower or washbowl

TOILET SERIES


马桶系列 >>> 马桶排污移位器 WC Drainer Shifter

HOMES®



Model: ME9622

墙排塑管
Flexible 90 Degree Pan Connector



适用于孔径为102 ± 5mm的排污孔
Use for soil pipe 102 ± 5mm I.D.

Model: ME9627-310

墙排改地排转接头
Extension Pan Connector

TOILET SERIES

马桶系列 >>> 马桶排污移位器 WC Drainer Shifter

排污移位器
DRAINER SHIFTER



Model: ME9626

墙排塑管
Flexible 90 Degree Pan Connector



Model: ME9625

墙排改地排转接头
Extension Pan Connector

TOILET SERIES

马桶系列 >>> 马桶配件 Toilet Accessories

HOMES®


马桶配件
ACCESSORIES



ME9308KIT-W




ME9309KIT




Model: ME9308KIT-W

螺栓、螺母、垫圈、套筒和白色盖子套装
Set Of Threaded Bolts, Nuts, Washers, Sleeves & Covers White



Model: ME9628

4\"/>




Model: ME9908

马桶紧密固定件
Close Coupled Fixing Plate



Model: ME9301


马桶配件螺丝组合
WC Pan Floor Fixing Kit



TOILET SERIES

马桶系列 >>> 马桶配件 Toilet Accessories

HOMES®



Model: ME9902-PVD UABG

一对 $\Phi 46$ 铰链装饰盖带凹槽
 $\Phi 46$ Seat Hinge Covers with Grooves Pair



Model: ME9901-45

一对 $\Phi 45$ 铰链装饰盖
 $\Phi 45$ Seat Hinge Covers Pair



Accessible Bathroom Series

无障碍浴室系列




ACCESSIBLE BATHROOM SERIES

无障碍浴室系列 浴室扶手&把手 Bathroom Grab Rails & Grips

HOMES®




型号/Code : AS8028-16	16"不锈钢斜角扶手 16" Stainless Steel Angled Grab Rail
型号/Code : AS8028-18	18"不锈钢斜角扶手 18" Stainless Steel Angled Grab Rail
型号/Code : AS8028-20	20"不锈钢斜角扶手 20" Stainless Steel Angled Grab Rail
型号/Code : AS8028-24	24"不锈钢斜角扶手 24" Stainless Steel Angled Grab Rail




Model: AS8001-12

12"/14"/16"/18"/20"/24"/30"不锈钢扶手
12"/14"/16"/18"/20"/24"/30" Stainless Steel Grab Rail




Model: AS8024-12

12"/14"/18"/24"弧形扶手
12"/14"/18"/24" Contemporary Curved Grab Rail



型号/Code : AS8026-16	16"不锈钢斜角扶手带肥皂篮 16" Stainless Steel Angled Grab Rail with Soap Basket
型号/Code : AS8026-18	18"不锈钢斜角扶手带肥皂篮 18" Stainless Steel Angled Grab Rail with Soap Basket
型号/Code : AS8026-24	24"不锈钢斜角扶手带肥皂篮 24" Stainless Steel Angled Grab Rail with Soap Basket



AS8027-300	300mm浴室扶手 300mm Straight Grab Rail
AS8027-450	450mm浴室扶手 450mm Straight Grab Rail




AS8025-12-PVD UABG	12"不锈钢扶手 12" Stainless Steel Grab Rail
AS8025-36-PVD UABG	36"不锈钢扶手 36" Stainless Steel Grab Rail
AS8025-42-PVD UABG	42"不锈钢扶手 42" Stainless Steel Grab Rail

ACCESSIBLE BATHROOM SERIES


无障碍浴室系列 浴室扶手&把手 Bathroom Grab Rails & Grips

HOMES®



Model: AZ8001


一对浴缸把手
Pair Bath Grip



材 质 / Material	锌合金 / Zinc
表面处理 / Finishes	镀铬 / Chrome
产品毛重 / Product G.W.	0.854 kg
装箱数量 / QTY	20 pcs
装箱净重 / PKG N.W.	16.80 kgs
装箱毛重 / PKG G.W.	17.56 kgs
外箱尺寸 / MEAS	380x335x200 mm






型号/Code : AA8029-12	12" ABS白色扶手 12" ABS White Grab Rail
型号/Code : AA8029-18	18" ABS白色扶手 18" ABS White Grab Rail
型号/Code : AA8029-24	24" ABS白色扶手 24" ABS White Grab Rail



材 质 / Material	塑料 / ABS
表面处理 / Finishes	白色 / White
产品毛重 / Product G.W.	0.456 kg
装箱数量 / QTY	25 pcs
装箱净重 / PKG N.W.	11.40 kgs
装箱毛重 / PKG G.W.	12.24 kgs
外箱尺寸 / MEAS	410x490x475 mm


ACCESSIBLE BATHROOM SERIES

无障碍浴室系列 >>> 浴室扶手&把手 Bathroom Grab Rails & Grips




Model: AS8022

白色折叠铰链支撑臂
White Fold Up Hinged Arm Support



Model: AS8023

白色折叠铰链支撑臂带脚
White Fold Up Hinged Arm Support with Legs




Model: AS8022KIT

1x 钢铰链扶手30" / 760mm, 4x 长自锁臂24" / 600mm, 1x 钢制扶手18" / 450mm, 钢制扶手 Φ 35mm
1 x Steel Hinged Grab Rail 30" / 760mm, 4 x Length Self-Locking Arm 24" / 600mm, 1 x Steel Grab Rail 18" / 450mm, Steel Grab Rail Φ 35mm

ACCESSIBLE BATHROOM SERIES

无障碍浴室系列 >>> 淋浴座椅 Shower Seats



Model: AW9003

壁挂式带铰链的淋浴座椅
Wall Mounted Shower Seat with Hinges



承重: 160KG
Load capacity: 160KG

Model: AP9006


壁挂式可折叠淋浴座椅
Wall Mounted Fold Up Shower Seat



ACCESSIBLE BATHROOM SERIES

无障碍浴室系列 >>> 淋浴座椅 Shower Seats


HOMES®



承重: 150KG
Load capacity: 150KG

Model: AA9008

壁挂式白色折叠式淋浴座椅
Wall Mounted Fold Up Shower Seat White



Model: AP9013



淋浴凳
Shower Stools



承重: 180KG
Load capacity: 180KG

Model: AA9002

壁挂式白色折叠式带腿淋浴座椅
Wall Mounted White Fold Up Shower Seat with Legs



Model: AP9014

可调节高度淋浴凳
Adjustable Height Shower Stools

ACCESSIBLE BATHROOM SERIES

无障碍浴室系列 >>> 淋浴座椅 Shower Seats


HOMES®



承重：100KG
Load capacity: 100KG

Model: AP9012


可调节高度淋浴凳
Adjustable Height Shower Stools



承重：135KG
Load capacity: 135KG

Model: AP9011


豪华可调节腿旋转淋浴座椅360-32.5 × 32.5 × 35.5-54.5CM
Luxury Swivel Bath Chair 360-32.5 × 32.5 × 35.5-54.5cm Adjustable Leg



承重：135KG
Load capacity: 135KG

Model: AP9010

可调节高度淋浴凳带靠背
Adjustable Height Shower Stools with Back



Model: AP9001

可调节腿淋浴凳带靠背51.5 × 44 × 70.5-83cm
Adjustable Leg Shower Stools with Lazyback 51.5 × 44 × 70.5-83cm

