



全国免费服务热线:

400-181-0001

HOMES® 家家卫浴
Bathroom technology

浙江家家卫浴科技有限公司 Zhejiang HOMES bathroom technology Co.,Ltd.


地址: 浙江省玉环经济开发区金海大道256号 M: +86-137 7762 4949
Address: No.256 Jinhai road, economic development zone, Yuhuan, Zhejiang, China.
Tel: +86-576-80766658 Fax: +86-576-80766689 PC: 317600
E-mail: derek@homes-group.cn Http://homes-group.en.alibaba.com

www.homes-group.cn

HOMES® 家家卫浴
Bathroom technology

FOCUS ON INTRLLIGENT FAUCET
FOR MORE THAN
TEN YEARS

专注智能龙头十余年



“智” 您所想
'Intelligent' for your thoughts



目录 CONTENTS

企业历程 History	01
生产设备 Equipment	03
 感应水龙头 Sensor tap	05
 感应排水阀 Sensor valve	08
 感应皂液器 Sensor soap dispenser	09
 节水智能水龙头 Water-saving with intelligent tap	10
 空气能节水龙头 Air energy Non-Concussive tap	18
 坐便器净身器 Attachable bidet system	23



2004

家家卫浴成立, 经营感应水龙头

Homes established and business in sensor faucet

2007

通过了ISO9001认证和CUPC认证

HOMES got ISO9001 and CUPC certificate

2009

Microban抗菌
电镀工艺获得成功

Microban technologies in surface plating obtained successful



2013

节水智能水龙头获国家发明专利
并通过CE和中国著名品牌认证

During 2009-2013 Homes successful developed water-saving with intelligent faucet and got patent for invention & CE & China famous brand certificate.

2015.01

46000平方米新厂房投入
生产智能节水龙头和感应龙头

46000m² new facility put into production water-saving with intelligent faucet



品牌引导

设计理念: 安全、节水、智能

经营理念: 掌握核心科技

品牌理念: 专业化, 国际化, 自主化的国际品牌

核心价值观: 强企 高品 育人

BRAND INTRODUCATION

Design Philosophy

Safety, Water-saving and intelligent

Business Philosophy

The Master of Core Technology!

Brand Philosophy

Professional, international self-dependent of international brands

Core values

Make a strong Homes, High quality products and people education

生产设备 Production Equipment



材质分析 Materials analysis



压铸车间 Die-Casting Workshop



锻造车间 Forging workshop



精工车间 CNC workshop



抗菌电镀 Microban Plating



装配车间 Assembly workshop



自动抛光机 Automatic polishing



模具加工中心 Mould machining center



塑料车间 Plastic Workshop



测试 Testing



日本原装发射管，北美原装芯片
Japan original transmitting tube with
North American original chip

HOMES®

HOMES®

感应水龙头
Sensor tap



CODE | ST005KIT

面盆感应水龙头和泡沫皂液器组合
Basin Sensor tap and foam
soap dispenser KIT



CODE | ST002KIT

面盆感应水龙头和泡沫皂液器组合
Basin Sensor tap and foam
soap dispenser KIT



CODE | SD001KIT

面盆感应水龙头和皂液器组合
Basin Sensor tap and soap
dispenser KIT



CODE | ST007KIT

面盆感应水龙头和皂液器组合
Basin Sensor tap and soap
dispenser KIT



CODE | ST005

面盆感应水龙头
Basin Sensor tap



CODE | ST002

面盆感应水龙头
Basin Sensor tap



CODE | ST008

面盆感应水龙头
Basin Sensor tap



CODE | ST003

面盆感应水龙头
Basin Sensor tap



CODE | ST006

面盆感应水龙头
High basin sensor tap



CODE | ST007

面盆感应水龙头
Basin Sensor tap

感应水龙头
Sensor tap

HOMES®



CODE | ST001

面盆感应水龙头
Basin Sensor tap




CODE | MST08

入墙式面盆感应混合水龙头
Wall Basin Sensor tap



CODE | ST004

面盆感应冷热混合水龙头
Basin Sensor mixed tap



CODE | MV001

感应水龙头冷热混合阀
Mixed valve for Sensor tap

HOMES®



CODE | US001

感应小便池冲洗阀
Urinal Sensor valve



感应排水阀
Sensor valve



CODE | US002

感应&脚踏双功能脚踏冲洗阀
Sensor and Tread double function Toilet valve





CODE | FSD01

感应泡沫皂液器-镀铬
Sensor foam soap
dispenser-CP



CODE | FSD01WB

感应泡沫皂液器
Sensor foam soap
dispenser-white and black



CODE | SD001

感应皂液器
Sensor soap dispenser



CODE | SD002

墙式感应皂液器
Wall Sensor soap
dispenser



CODE | SD003

墙式感应皂液器
Wall Sensor soap
dispenser



CODE | PSD01

墙式按压式皂液器
Wall push type soap
dispenser



CODE | PSD02

墙式按压式双槽皂液器
Wall push type doble
soap dispenser



节水-智能水龙头功能

The new functions of the water-saving with intelligent tap

专利号/Patented: 201420335215.4

1. 首先, 具备了传统水龙头的所有功能

The first, it is included all conventional mixed tap's functions

2. 流水定时、定量智能控制, 防止水资源浪费和节约消费者浴缸或水桶注水等待时间

Intelligent control the flow running time and quantitative. In order to prevent waste of water and saving your waiting time when tap is filling water to bathtub.

3. 智能水温数字直观显示, 防止烫伤

The water temperature was visual display on the top of handle to prevent scald.



HOT/烫



Conventional mixed tap
传统水龙头

4. 安全、节能, 不需要外部电源或电池输入, 实现3.5-6.5伏电压自供

The tap do not needs external power supply and battery, the 3.5-6.5V voltage made by tapself, so the tap was safety, energy savin



Free Lead

5. 健康: 采用不锈钢304制造和无铅铜制造
Healthy: Made by stainless steel 304 and free lead Brass

6. 使用方式和安装方式与传统冷热混合水龙头一样


The habit of using and installation method SAME AS present mixer taps.



TZ003



节水智能面盆无铅铜龙头

Water-saving and intelligent basin mixer- Free lead brass





TZ003H
节水智能高脚面盆无铅铜龙头
Water-saving and intelligent
Hight basin mixer- Free lead brass



TZ001
节水智能浴缸和淋浴无铅铜龙头
Water-saving and intelligent
bath mixer- Free lead brass




TZ002
节水智能淋浴无铅铜龙头
Water-saving and intelligent
shower mixer- Free lead brass




TZ008

节水智能浴缸和淋浴组合无铅铜龙头
Water-saving and intelligent-bath and shower mixed kit - Free lead brass



TZ004


节水智能落地式浴缸无铅铜龙头
Water-saving and intelligent floor-mounted - Free lead brass





TZ010SEN

节水智能感应厨房无铅铜龙头
Water-saving and intelligent-kitchen
Sensor mixed - Free lead brass



TZ005

节水智能厨房无铅铜龙头
Water-saving and intelligent-
kitchen mixed - Free lead brass



国际专利号:
International Patent No PCT/GB2014/051251.

HOMES®

空气能延时阀/水龙头, 国际专利技术
Air energy delay time tap/valve,
International Patent technology with
four major innovations

四大创新

1. 延时装置不跟水接触, 永不堵塞, 品质可靠。
The quality is reliable, due to the delay time
mechanism did not met water.



ATJ101
空气能可调节延时单孔面盆节水阀
Air energy adjustable tradition
non concussive basin tap



2. 可自行设定出水延时时间
Easy to set delay time
by yourself

3. 内设稳压装置, 延时时间不受
水压高低影响, 一秒不差
The delay time is not affected by
water pressure high or low latency
due to stable pressure design



4. 按压手感, 不受水压高低影响,
更能满足老人或小孩使用需求
Easy for CHILDS and OLD people
to use, due to the hand-feeling is
not affected by water pressure
high or low



仅销售中国市场 中国专利号: 2014204646780
Only China Market because Patented. China Patent No.2014204646780

HOMES®



CODE TJ001T

空气能可调节时滤芯
Air energy adjustable non
concussive cartridge



CODE TJ101T

空气能可调节时单孔面盆节水阀
Air energy adjustable tradition
non concussive basin tap



CODE TJ102T

空气能可调节时单孔面盆节水阀
Air energy adjustable non
concussive basin tap



CODE TJ103T

空气能可调节时单孔面盆节水阀
Air energy adjustable Modern
non concussive basin tap



CODE TJ105

空气能可调节时单孔面盆节水阀
Air energy adjustable Modern
non concussive basin tap



CODE TJ301T

空气能可调节时小便池冲水阀
Air energy adjustable non
concussive urinal flush-6S

HOMES®



CODE TJ104T

空气能可调节时单孔面盆四方节水阀
Air energy adjustable Square
non concussive basin tap



CODE TJ104MT

空气能可调节时冷热水混合单孔面盆四方节水阀
Air energy adjustable MIXER square
non concussive basin tap

空气能节水龙头
Air energy Non-Concussive tap



1. 左右转动手轮可调节温度
1. Turn handle right or left to adjust temperature
2. 按下出水手轮出水
2. Push handle for water



HOMES®

专利号/Patented: 201420335214.X



CODE TJ201T

可调温单孔面盆节水阀
Adjustable Modern non concussive
basin tap with temperature control

空气节水龙头
Air energy Non-Concussive tap

HOW TO INSTALL YOUR GoBidet™ 2003

Tools Needed:

Pliers, Flat Head Screwdriver 5/64" Allen Wrench, Adjustable Wrench or 7/16", 9/16", 5/8", 3/4" Combination Wrenches as required, Silicone Grease

Note: To avoid damaging finish during installation of this product, do not use Adjustable Pliers for assembly. Use Adjustable Wrench or a Combination Wrench as needed.

Remove Toilet Seat, Fig. 1.


1. Turn off water supply to toilet at Shut-off Valve (A).
2. Flush toilet to empty of water.
3. Disconnect Water Supply Line (B) from Shut-off Valve at wall and from the toilet tank. **Note:** Water may leak from shut-off valve and toilet when water supply line is removed.
4. Loosen Nut holding Toilet Seat (C) in place on underside of bowl. Remove Toilet Seat and clean top of toilet bowl. Save seat mounting parts for re-use.

GoBidet Assembly


Note: If installing on a one-piece toilet, first mark the location of the Plastic Cap (D) and Mounting Bracket Bushing (E). Tighten Bushing with Pliers. If installing on a two-piece toilet, this step is not necessary.

5. Unthread Hex Nut (F) from Mounting Bracket Bushing and remove Plastic Washer (G) and Rubber Washer (H).
6. Loosen Hex Nut (I) securing Mounting Bracket (J) to Water Control Valve (K).
7. Place Mounting Bracket (J) on Toilet with Spray Arm Assembly (L) positioned over the bowl rim. Insert Mounting Bracket Bushing (E) into left hole. On the underside of bowl, install the Rubber Washer (H) first. Place the Plastic Washer (G) on next and secure with Hex Nut (F). Do not tighten completely.
8. Fully extend Spray Arm (M) by pulling Control Knob (N). Adjust placement of Mounting Bracket (J) and Water Control Valve (K) so Spray Head (O) is in center of bowl. Now retract Spray Arm (M) fully by pulling Control Knob (N) backward to ensure it rests just beneath left side of bowl rim. When positioned correctly, tighten Hex Nut (I) that secures the Mounting Bracket (J) to the Water Control Valve (K).
9. Fully tighten Hex Nut (F) on underside of Mounting Bracket (J). Do not over-tighten.


Placement on Toilet




Spray Arm Operation



Side View



Product Detail



CODE | 2003

坐便器冲身器
Attachable bidet
system



Two-Piece Toilet



One-Piece Toilet

Mounting to one-piece toilets
Keep location of plastic cap and bracket
marking to position device.



Parts Breakdown

GoBidet Component Parts

2003.01 Complete Bidet Assembly

2003.02 Bidet Body Casing

2003.03 Single Lever Ceramic Mixer Cartridge

2003.04 Water Control Assembly

2003.05 5/8" Plug - Stop Hot Line

2003.06 Hose Flow Regulating Check Valve

2003.07 Glass Insulated Offsets

2003.08 Bracket with Bushing, Nut, & Washer

2003.09 One Inch Plastic Spacer

2003.10 1/4" Brass Plug

2003.11 1/4" Brass Plug

2003.12 1/4" Brass Plug

2003.13 1/4" Brass Plug

2003.14 1/4" Brass Plug

2003.15 1/4" Brass Plug

2003.16 1/4" Brass Plug

2003.17 1/4" Brass Plug

2003.18 1/4" Brass Plug

2003.19 1/4" Brass Plug

2003.20 1/4" Brass Plug

2003.21 1/4" Brass Plug

2003.22 1/4" Brass Plug

2003.23 1/4" Brass Plug

2003.24 1/4" Brass Plug

2003.25 1/4" Brass Plug

2003.26 1/4" Brass Plug

2003.27 1/4" Brass Plug

2003.28 1/4" Brass Plug

2003.29 1/4" Brass Plug

2003.30 1/4" Brass Plug

2003.31 1/4" Brass Plug

2003.32 1/4" Brass Plug

2003.33 1/4" Brass Plug

2003.34 1/4" Brass Plug

2003.35 1/4" Brass Plug

2003.36 1/4" Brass Plug

2003.37 1/4" Brass Plug

2003.38 1/4" Brass Plug

2003.39 1/4" Brass Plug


2003.40 1/4" Brass Plug

2003.41 1/4" Brass Plug

2003.42 1/4" Brass Plug

2003.43 1/4" Brass Plug

2003.44 1/4" Brass Plug



MODEL 2003 - Completed Assembly



Typical Installation Location



Spray Arm and Control Knob Assembly