



China HOMES:

Zhejiang Homes Bathroom Technology Co.,Ltd

Add: No.256 Jinhai road,economic development zone,Yuhuan Zhejiang China,317600

浙江家家卫浴科技股份有限公司

中国浙江省玉环市经济开发区金海大道256号

Vietnam HOMES:

VIETNAM ZHIJIA HARDWARE CO.,LTD

Add: Factory Lot A0.5, Road N4, Thanh Thanh Cong Industrial Zone, An Hoa Ward, Trang Bang Town, Tay Ninh Province, Vietnam

越南智家五金有限公司

地址：越南西宁省展鹏市安和坊成成功工业区N4 路, A0.5 地块 工厂

CÔNG TY TNHH NGŨ KIM TRÍ GIA VIỆT NAM

Địa chỉ: Nhà xưởng Lô A0.5, đường N4, KCN Thành Thành Công, Phường Trảng Bàng, Tỉnh Tây Ninh, Việt Nam

Celine Chen | Export Dept 5

M: +86 19957663938

E-mail: sales5@homes-group.cn sales@homes-group.cn

www.homesbathroom.com

HOMES

Professional OEM & ODM Manufacturer



Made In Vietnam

China HOMES:



Vietnam HOMES:



CONTENTS



1/4 Turn Ball Valve Design 02-09



Washing Machine Valves with Hammer Arrester 10-13




Washing Machine Valves 14-15



Ice Maker Valves with Hammer Arrester 16-19



Ice Maker Valves 20-21



Stub Outs 22



Drains 23-26



Casters..... 27-29

1/4 Turn Ball Valve Design

Technical Reference

- Forged Lead Free  brass body
- Nickel plated and brass surface
- Pressure Rating: 125 psi / 180°F
- Precision machined brass ball is specially engineered and mated with PTFE seats to provide smooth operation without freeze ups even after long periods of non-use
- Chloramine/chlorine resistant O-rings will not break down due to oxidation.
- 100% leak tested

Water inlets:


3/8" FIP
1/2" FIP
3/8" OD Comp
5/8" OD Comp(1/2" Nom Comp)
1/2" CPVC
3/8" FEM OD Comp
1/2" SWEAT
1/2" PEX F1807
1/2" PEX F1960
1/2" PEX F3347
1/2" PRESS
1/2" PUSH

Water outlets:

1/4" OD Comp
3/8" OD Comp
3/8" FEM OD Comp
1/2" SWEAT
1/2" PEX F1807
1/2" PEX F1960
1/2" PEX F3347
1/2" or 7/16" Slip Jiont
3/4" M.H.Thd
1/2" PRESS
1/2" PUSH

Specifications

No.	Name	Material	Qty.
1	Screw	S.S	1
2	Handle	ABS	1
3	O-ring	EPDM	2
4	Stem	Lead Free Brass	1
5	Body	Lead Free Brass	1
6	Ball seat	PTFE	2
7	Ball	Lead Free Brass	1
8	Adapter	Lead Free Brass	1
9	Sleeve-3/8"	Copper	1
10	Compression Nut-3/8"	Brass	1
11	Sleeve-5/8"	Copper	1
12	Compression Nut-5/8"	Brass	1



1/4 TURN ANGLE STOP VAVLES



Product No.	Product Description	
JF1101-21	3/8" FIP X 1/4" OD Comp	LEAD FREE
JF1101-22	3/8" FIP X 3/8" OD Comp	LEAD FREE
JF1103-21	1/2" FIP X 1/4" OD Comp	LEAD FREE
JF1103-22	1/2" FIP X 3/8" OD Comp	LEAD FREE
JF1103-11	1/2" FIP X 1/2" or 7/16" Slip Jiont	LEAD FREE

1/4 TURN STRAIGHT STOP VAVLES



Product No.	Product Description	
JF1201-21	3/8" FIP X 1/4" OD Comp	LEAD FREE
JF1201-22	3/8" FIP X 3/8" OD Comp	LEAD FREE
JF1201-25	3/8" FIP X 3/8" FEM OD Comp	LEAD FREE
JF1203-21	1/2" FIP X 1/4" OD Comp	LEAD FREE
JF1203-22	1/2" FIP X 3/8" OD Comp	LEAD FREE
JF1203-25	1/2" FIP X 3/8" FEM OD Comp	LEAD FREE

1/4 TURN ANGLE STOP VAVLES



Product No.	Product Description	
JF1124-21	5/8" OD Comp X 1/4" OD Comp	LEAD FREE
JF1124-22	5/8" OD Comp X 3/8" OD Comp	LEAD FREE
JF1124-25	5/8" OD Comp X 3/8" FEM OD Comp	LEAD FREE
JF1124-11	5/8" OD Comp X 1/2" or 7/16" Slip	LEAD FREE

1/4 TURN STRAIGHT STOP VAVLES



Product No.	Product Description	
JF1222-21	3/8" OD Comp X 1/4" OD Comp	LEAD FREE
JF1222-22	3/8" OD Comp X 3/8" OD Comp	LEAD FREE
JF1222-25	3/8" OD Comp X 3/8" FEM OD Comp	LEAD FREE
JF1224-21	5/8" OD Comp X 1/4" OD Comp	LEAD FREE
JF1224-22	5/8" OD Comp X 3/8" OD Comp	LEAD FREE
JF1224-25	5/8" OD Comp X 3/8" FEM OD Comp	LEAD FREE

1/4 TURN ANGLE STOP VAVLES



Product No.	Product Description	
JF1131-22	1/2" SWEAT X 3/8" OD Comp	LEAD FREE
JF1131-31	1/2" SWEAT X 1/2" SWEAT	LEAD FREE

1/4 TURN STRAIGHT STOP VAVLES



Product No.	Product Description	
JF1231-22	1/2" SWEAT X 3/8" OD Comp	LEAD FREE
JF1231-31	1/2" SWEAT X 1/2" SWEAT	LEAD FREE

1/4 TURN ANGLE STOP VAVLES



Product No.	Product Description	
JF1171-21	1/2" CPVC X 1/4" OD Comp	LEAD FREE
JF1171-22	1/2" CPVC X 3/8" OD Comp	LEAD FREE

1/4 TURN STRAIGHT STOP VAVLES



Product No.	Product Description	
JF1271-21	1/2" CPVC X 1/4" OD Comp	LEAD FREE
JF1271-22	1/2" CPVC X 3/8" OD Comp	LEAD FREE

1/4 TURN ANGLE STOP VAVLES



Product No.	Product Description	
JF1142-21	1/2" PEX F1807 X 1/4" OD Comp	LEAD FREE
JF1142-22	1/2" PEX F1807 X 3/8" OD Comp	LEAD FREE
JF1142-42	1/2" PEX F1807 X 1/2" PEX F1807	LEAD FREE

1/4 TURN STRAIGHT STOP VAVLES



Product No.	Product Description	
JF1242-21	1/2" PEX F1807 X 1/4" OD Comp	LEAD FREE
JF1242-22	1/2" PEX F1807 X 3/8" OD Comp	LEAD FREE
JF1242-42	1/2" PEX F1807 X 1/2" PEX F1807	LEAD FREE

1/4 TURN ANGLE STOP VAVLES



Product No.	Product Description	
JF1145-21	8/2" PEX F1807 X 1/4" OD Comp	LEAD FREE
JF1145-22	1/2" PEX F1960 X 3/8" OD Comp	LEAD FREE
JF1145-45	1/2" PEX F1960 X 1/2" PEX F1960	LEAD FREE

1/4 TURN STRAIGHT STOP VAVLES



Product No.	Product Description	
JF1245-21	1/2" PEX F1960 X 1/4" OD Comp	LEAD FREE
JF1245-22	1/2" PEX F1960 X 3/8" OD Comp	LEAD FREE
JF1245-45	1/2" PEX F1960 X 1/2" PEX F1960	LEAD FREE

1/4 TURN ANGLE STOP VAVLES



Product No.	Product Description	
JF1148-21	1/2" PEX F3347 X 1/4" OD Comp	LEAD FREE
JF1148-22	1/2" PEX F3347 X 3/8" OD Comp	LEAD FREE
JF1148-48	1/2" PEX F3347 X 1/2" PEX F3347	LEAD FREE

1/4 TURN STRAIGHT STOP VAVLES



Product No.	Product Description	
JF1248-21	1/2" PEX F3347 X 1/4" OD Comp	LEAD FREE
JF1248-22	1/2" PEX F3347 X 3/8" OD Comp	LEAD FREE
JF1248-48	1/2" PEX F3347 X 1/2" PEX F3347	LEAD FREE

1/4 TURN ANGLE STOP VAVLES



Product No.	Product Description	
JF1161-22	1/2" PUSH X 3/8" OD Comp	LEAD FREE

1/4 TURN STRAIGHT STOP VAVLES



Product No.	Product Description	
JF1261-22	1/2" PUSH X 3/8" OD Comp	LEAD FREE
JF1261-61	1/2" PUSH X 1/2" PUSH	LEAD FREE

1/4 TURN ANGLE STOP VAVLES



Product No.	Product Description	
JF1103-13	1/2" FIP X 3/4" M.H.Thd	
JF1124-13	5/8" OD Comp X 3/4" M.H.Thd	
JF1171-13	1/2" CPVC X 3/4" M.H.Thd	

1/4 Turn Ball Valve Design

Technical Reference

- One-piece Chrome Plated Brass Body Provides Strength, Durability and Long-Lasting Performance
- Zinc Alloy Nickel-Plated Flag-Style Handle: Secure grip and smooth on/off operation
- Self Lubricating PTFE Seats and Double O-Ring for Added Safety
- Lead Free Compliant
- 125 psi, Max Temperature 160 F
- Conforms to ASME A112.18.1-2011, NSF/ANSI 61/372



NSF / ANSI 61



Water inlets:


3/8" FIP
1/2" FIP
3/8" OD Comp
5/8" OD Comp(1/2" Nom Comp)
1/2" CPVC
3/8" FEM OD Comp
1/2" SWEAT
1/2" PEX F1807
1/2" PEX F1960
1/2" PEX F3347
1/2" PRESS
1/2" PUSH

Water outlets:

1/4" OD Comp
3/8" OD Comp
3/8" FEM OD Comp
1/2" SWEAT
1/2" PEX F1807
1/2" PEX F1960
1/2" PEX F3347
1/2" or 7/16" Slip Jiont
3/4" M.H.Thd
1/2" PRESS
1/2" PUSH

Specifications

No.	Name	Material	Qty.
1	Screw	S.S	1
2	Handle	ABS	1
3	O-ring	EPDM	2
4	Stem	Lead Free Brass	1
5	Body	Lead Free Brass	1
6	Ball seat	PTFE	2
7	Ball	Lead Free Brass	1
8	Adapter	Lead Free Brass	1
9	Sleeve-3/8"	Copper	1
10	Compression Nut-3/8"	Brass	1
11	Sleeve-5/8"	Copper	1
12	Compression Nut-5/8"	Brass	1



1/4 TURN ANGLE STOP VAVLES



Product No.	Product Description	
JF1601-21	3/8" FIP X 1/4" OD Comp	LEAD FREE
JF1601-22	3/8" FIP X 3/8" OD Comp	LEAD FREE
JF1603-21	1/2" FIP X 1/4" OD Comp	LEAD FREE
JF1603-22	1/2" FIP X 3/8" OD Comp	LEAD FREE
JF1603-11	1/2" FIP X 1/2" or 7/16" Slip Jiont	LEAD FREE

1/4 TURN STRAIGHT STOP VAVLES



Product No.	Product Description	
JF1701-21	3/8" FIP X 1/4" OD Comp	LEAD FREE
JF1701-22	3/8" FIP X 3/8" OD Comp	LEAD FREE
JF1701-25	3/8" FIP X 3/8" FEM OD Comp	LEAD FREE
JF1703-21	1/2" FIP X 1/4" OD Comp	LEAD FREE
JF1703-22	1/2" FIP X 3/8" OD Comp	LEAD FREE
JF1703-25	1/2" FIP X 3/8" FEM OD Comp	LEAD FREE

1/4 TURN ANGLE STOP VAVLES



Product No.	Product Description	
JF1624-21	5/8" OD Comp X 1/4" OD Comp	LEAD FREE
JF1624-22	5/8" OD Comp X 3/8" OD Comp	LEAD FREE
JF1624-25	5/8" OD Comp X 3/8" FEM OD Comp	LEAD FREE
JF1624-11	5/8" OD Comp X 1/2" or 7/16" Slip	LEAD FREE

1/4 TURN STRAIGHT STOP VAVLES



Product No.	Product Description	
JF1722-21	3/8" OD Comp X 1/4" OD Comp	LEAD FREE
JF1722-22	3/8" OD Comp X 3/8" OD Comp	LEAD FREE
JF1722-25	3/8" OD Comp X 3/8" FEM OD Comp	LEAD FREE
JF1724-21	5/8" OD Comp X 1/4" OD Comp	LEAD FREE
JF1724-22	5/8" OD Comp X 3/8" OD Comp	LEAD FREE
JF1724-25	5/8" OD Comp X 3/8" FEM OD Comp	LEAD FREE

1/4 TURN ANGLE STOP VAVLES



Product No.	Product Description	
JF1631-22	1/2" SWEAT X 3/8" OD Comp	LEAD FREE
JF1631-31	1/2" SWEAT X 1/2" SWEAT	LEAD FREE

1/4 TURN STRAIGHT STOP VAVLES



Product No.	Product Description	
JF1731-22	8/2" SWEAT X 3/8" OD Comp	LEAD FREE
JF1731-31	1/2" SWEAT X 1/2" SWEAT	LEAD FREE

1/4 TURN ANGLE STOP VAVLES



Product No.	Product Description	
JF1671-21	1/2" CPVC X 1/4" OD Comp	LEAD FREE
JF1671-22	1/2" CPVC X 3/8" OD Comp	LEAD FREE

1/4 TURN STRAIGHT STOP VAVLES



Product No.	Product Description	
JF1771-21	1/2" CPVC X 1/4" OD Comp	LEAD FREE
JF1771-22	1/2" CPVC X 3/8" OD Comp	LEAD FREE

1/4 TURN ANGLE STOP VAVLES



Product No.	Product Description	
JF1642-21	1/2" PEX F1807 X 1/4" OD Comp	LEAD FREE
JF1642-22	1/2" PEX F1807 X 3/8" OD Comp	LEAD FREE
JF1642-42	1/2" PEX F1807 X 1/2" PEX F1807	LEAD FREE

1/4 TURN STRAIGHT STOP VAVLES



Product No.	Product Description	
JF1742-21	1/2" PEX F1807 X 1/4" OD Comp	LEAD FREE
JF1742-22	1/2" PEX F1807 X 3/8" OD Comp	LEAD FREE
JF1742-42	1/2" PEX F1807 X 1/2" PEX F1807	LEAD FREE

1/4 TURN ANGLE STOP VAVLES



Product No.	Product Description	
JF1645-21	1/2" PEX F1807 X 1/4" OD Comp	LEAD FREE
JF1645-22	1/2" PEX F1960 X 3/8" OD Comp	LEAD FREE
JF1645-45	1/2" PEX F1960 X 1/2" PEX F1960	LEAD FREE

1/4 TURN STRAIGHT STOP VAVLES



Product No.	Product Description	
JF1745-21	1/2" PEX F1960 X 1/4" OD Comp	LEAD FREE
JF1745-22	1/2" PEX F1960 X 3/8" OD Comp	LEAD FREE
JF1745-45	1/2" PEX F1960 X 1/2" PEX F1960	LEAD FREE

1/4 TURN ANGLE STOP VAVLES



Product No.	Product Description	
JF1648-21	1/2" PEX F3347 X 1/4" OD Comp	LEAD FREE
JF1648-22	1/2" PEX F3347 X 3/8" OD Comp	LEAD FREE
JF1648-48	1/2" PEX F3347 X 1/2" PEX F3347	LEAD FREE

1/4 TURN STRAIGHT STOP VAVLES



Product No.	Product Description	
JF1748-21	1/2" PEX F3347 X 1/4" OD Comp	LEAD FREE
JF1748-22	1/2" PEX F3347 X 3/8" OD Comp	LEAD FREE
JF1748-48	1/2" PEX F3347 X 1/2" PEX F3347	LEAD FREE

1/4 TURN ANGLE STOP VAVLES



Product No.	Product Description	
JF1661-22	1/2" PUSH X 3/8" OD Comp	LEAD FREE

1/4 TURN STRAIGHT STOP VAVLES



Product No.	Product Description	
JF1761-22	1/2" PUSH X 3/8" OD Comp	LEAD FREE
JF1761-61	1/2" PUSH X 1/2" PUSH	LEAD FREE

1/4 TURN ANGLE STOP VAVLES



Product No.	Product Description	
JF1603-13	1/2" FIP X 3/4" M.H.Thd	
JF1624-13	5/8" OD Comp X 3/4" M.H.Thd	
JF1671-13	1/2" CPVC X 3/4" M.H.Thd	

1/4 TURN STRAIGHT STOP VAVLES




Product No.	Product Description	
JF1703-13	1/2" FIP X 3/4" M.H.Thd	
JF1724-13	5/8" OD Comp X 3/4" M.H.Thd	




Washing Machine Outlet Box Hammer Arrester Valves

- Quarter turn ball valve.
- Red copper water hammer arrestor, ASSE 1010.
- Robust brass: crack & cprrosion resistant, ASME A112.18.1 compliant.
- Double O-ring stem + high-strength PTFE seat, superior durability.




Washing Machine Outlet Box Hammer Arrester Valves




Product No.	Product Description
-------------	---------------------

SC2531-13-R SC2531-13-B	1/2" MIP/SWEAT X 3/4" MALE HOSE
----------------------------	---------------------------------




Product No.	Product Description
-------------	---------------------

SC2542-13-R SC2542-13-B	1/2" F1807 PEX X 3/4" MALE HOSE
----------------------------	---------------------------------




Product No.	Product Description
-------------	---------------------

SC2545-13-R SC2545-13-B	1/2" F1960 PEX X 3/4" MALE HOSE
----------------------------	---------------------------------



Product No.	Product Description
-------------	---------------------

SC2572-13-R SC2572-13-B	1/2" CPVC X 3/4" MALE HOSE
----------------------------	----------------------------




Product No.	Product Description
-------------	---------------------

SC2561-13-R SC2561-13-B	1/2" PUSH X 3/4" MALE HOSE
----------------------------	----------------------------



Washing Machine Outlet Box Hammer Arrester Valves

- Quarter turn ball valve.
- 304 stainless steel water hammer arrestor, ASSE 1010.
- Robust & reliable brass body: crack &cprrosion resistant, ASME A112.18.1 compliant.
- Double O-ring stem + high-strength PTFE seat, superior durability.



Washing Machine Outlet Box Hammer Arrester Valves



Product No.	Product Description
SC2931-13-R SC2931-13-B	1/2" MIP/SWEAT X 3/4" MALE HOSE



Product No.	Product Description
SC2942-13-R SC2942-13-B	1/2" F1807 PEX X 3/4" MALE HOSE



Product No.	Product Description
SC2945-13-R SC2945-13-B	1/2" F1960 PEX X 3/4" MALE HOSE



Product No.	Product Description
SC2972-13-R SC2972-13-B	1/2" CPVC X 3/4" MALE HOSE



Product No.	Product Description
SC2961-13-R SC2961-13-B	1/2" PUSH X 3/4" MALE HOSE



Washing Machine Outlet Box Valves

- Quarter turn ball valve.
- Durable brass resists cracking and corrosion.
- Valve are certified to ASME A112.18.1 standard.
- Durable double O-ring valve stem and sturdy PTFE valve seat.



Washing Machine Outlet Box Valves

	Product No.	Product Description
	JF1531-13-R	1/2" MIP/SWEAT X 3/4" MALE HOSE
	JF1531-13-B	

	Product No.	Product Description
	JF1542-13-R	1/2" F1807 PEX X 3/4" MALE HOSE
	JF1542-13-B	



Product No.	Product Description
JF1545-13-R	1/2" F1960 PEX X 3/4" MALE HOSE
JF1545-13-B	



Product No.	Product Description
JF1572-13-R	1/2" CPVC X 3/4" MALE HOSE
JF1572-13-B	



Product No.	Product Description
JF1561-13-R	1/2" PUSH X 3/4" MALE HOSE
JF1561-13-B	



Ice Maker Outlet Box Hammer Arrester Valves

- Quarter turn ball valve.
- 1/4" compression outlets and 1/2" inlets.
- Red copper water hammer arrestor, ASSE 1010.
- Robust brass: crack & cprrosion resistant, ASME A112.18.1 compliant.
- Double O-ring stem + high-strength PTFE seat, superior durability.



Ice Maker Outlet Box Hammer Arrester Valves



Product No.	Product Description
-------------	---------------------

SC2531-21-N 1/2" MIP/SWEAT X 1/4" OD Comp



Product No.	Product Description
-------------	---------------------

SC2542-21-N 1/2" F1807 PEX X 1/4" OD Comp



Product No.	Product Description
-------------	---------------------

SC2545-21-N 1/2" F1960 PEX X 1/4" OD Comp



Product No.	Product Description
-------------	---------------------

SC2572-21-N 1/2" CPVC X 1/4" OD Comp



Product No.	Product Description
-------------	---------------------

SC2561-21-N 1/2" PUSH X 1/4" OD Comp



Ice Maker Outlet Box Hammer Arrestor Valves

- Quarter turn ball valve.
- 1/4" compression outlets and 1/2" inlets.
- 304 stainless steel water hammer arrestor, ASSE 1010.
- Robust brass: crack & cprrosion resistant, ASME A112.18.1 compliant.
- Double O-ring stem + high-strength PTFE seat, superior durability.



Ice Maker Outlet Box Hammer Arrestor Valves

A vertical hammer arrestor valve with a brass body and a stainless steel top. It has a 1/2" MIP/SWEAT connection at the bottom and a 1/4" OD Comp connection on the side. A small label is visible on the side of the valve.

Product No.	Product Description
-------------	---------------------

SC2931-21-N	1/2" MIP/SWEAT X 1/4" OD Comp
-------------	-------------------------------

A vertical hammer arrestor valve with a brass body and a stainless steel top. It has a 1/2" F1807 PEX connection at the bottom and a 1/4" OD Comp connection on the side. A small label is visible on the side of the valve.

Product No.	Product Description
-------------	---------------------

SC2942-21-N	1/2" F1807 PEX X 1/4" OD Comp
-------------	-------------------------------



Product No.	Product Description
SC2945-21-N	1/2" F1960 PEX X 1/4" OD Comp



Product No.	Product Description
SC2972-21-N	1/2" CPVC X 1/4" OD Comp



Product No.	Product Description
SC2961-21-N	1/2" PUSH X 1/4" OD Comp



Ice Maker Outlet Box Valves

- Quarter Tum Ball Valves.
- Durable brass resists cracking and corrosion.
- 1/4" compression outlets and 1/2" inlets.
- Valves are certified to ASME A112.18.1/CSA 125.1 Standard.
- Long lasting double O-rings stem and tough PTFE seats.



NSF / ANSI 61

Ice Maker Outlet Box Valves

Product No.	Product Description
-------------	---------------------



JF1531-21-N	1/2" MIP/SWEAT X 1/4" OD Comp
-------------	-------------------------------

Product No.	Product Description
-------------	---------------------



JF1542-21-N	1/2" F1807 PEX X 1/4" OD Comp
-------------	-------------------------------



Product No.	Product Description
-------------	---------------------

JF1545-21-N	1/2" F1960 PEX X 1/4" OD Comp
-------------	-------------------------------



Product No.	Product Description
-------------	---------------------


JF1572-21-N	1/2" CPVC X 1/4" OD Comp
-------------	--------------------------



Product No.	Product Description
-------------	---------------------

JF1561-21-N	1/2" PUSH X 1/4" OD Comp
-------------	--------------------------

Stub Outs



NSF / ANSI 61



Stub Outs

Product No.	Product Description
TG3101	1/2" x 1/2" Copper Female Sweat, 6" Straight
TG3103	1/2" x 1/2" Copper Female Sweat, 8" Straight
TG3104	1/2" x 1/2" Copper Female Sweat, 8" Straight w/Flange
TG3105	1/2" x 1/2" Copper Female Sweat, 8" Elbow
TG3106	1/2" x 1/2" Copper Female Sweat, 8" Elbow w/Flange
TG4101	1/2" x 3/8" F1807 PEX, 6" Straight
TG4103	1/2" x 3/8" F1807 PEX, 8" Straight
TG4104	1/2" x 3/8" F1807 PEX, 8" Straight w/Flange
TG4105	1/2" x 3/8" F1807 PEX, 8" Elbow
TG4106	1/2" x 3/8" F1807 PEX, 8" Elbow w/Flange
TG4201	1/2" x 1/2" F1807 PEX, 6" Straight
TG4203	1/2" x 1/2" F1807 PEX, 8" Straight
TG4204	1/2" x 1/2" F1807 PEX, 8" Straight w/Flange
TG4205	1/2" x 1/2" F1807 PEX, 8" Elbow
TG4206	1/2" x 1/2" F1807 PEX, 8" Elbow w/Flange
TG4501	1/2" x 1/2" F1960 PEX, 6" Straight
TG4503	1/2" x 1/2" F1960 PEX, 8" Straight
TG4504	1/2" x 1/2" F1960 PEX, 8" Straight w/Flange
TG4505	1/2" x 1/2" F1960 PEX, 8" Elbow
TG4506	1/2" x 1/2" F1960 PEX, 8" Elbow w/Flange

Cast Iron Roof Drain

- 6-1/2-inch cast-iron dome
- Prevents branches and other debris from entering the piping system
- Connects to existing cast-iron pipes via a no-hub bottom outlet connection



Product No.	Product Description
ROOF DRAIN 8-1/2 SERIES / BOTTOM OUTLET	
LD0001-02	2" No-Hub
LD0002-03	3" No-Hub
LD0003-04	4" No-Hub



Product No.	Product Description
ROOF DRAIN 8-1/2 SERIES / SIDE OUTLET	
LD0004-02	2" No-Hub
LD0005-03	3" No-Hub
LD0006-04	4" No-Hub

- Durable cast-iron roof drain and overflow combo ideal for flat roofs
- 6-1/2-inch cast-iron dome prevents unwanted materials from entering the drain
- Connects via no-hub connection



Product No.	Product Description
ROOF DRAIN OVERFLOW COMBINATION	
LD0007-02	2" x 2" No-Hub
LD0008-03	3" x 3" No-Hub
LD0009-04	4" x 4" No-Hub

Cast Iron Shower Drain

- Shower drain for tile and marble showers
- Rugged two-piece construction with included 3-1/2-inch steel strainer



Product No.	Drain Pipe Size	Outlet Type	Strainer
FRANK PATTERN AREA DRAINS			
YD0001-02	2"	Instant Set	3-1/2" Round

Cast Iron Closet Flange

- Simple installation
- Creates a reliable foundation for your toilet installation
- Includes a test cap that can be easily removed once the system has been properly tested
- Securely connects the toilet to the drain pipe



Product No.	Product Description
“Set-N-Go” Closet Ring	
MD0001-03	3" x 2" Closet Ring
MD0002-03	3" x 2" Closet Ring w/Test Cap
MD0003-04	4" x 2" Closet Ring
MD0004-04	4" x 2" Closet Ring w/Test Cap
MD0005-04	4" x 2" Closet Ring w/Test Cap,Slotted
MD0006-04	4" x 4" Deep Closet Ring
MD0007-04	4" x 6" Deep Closet Ring
MD0008-04	4" x 2" Closet Ring 3/4 Offset

Cast Iron Cleanouts & Floor Access Covers

- Flush-mounted floor installation
- Heavy-duty and load-bearing construction
- Secured with countersunk screws for a completely flush, seamless surface—no protrusions
- Stainless steel cover: corrosion-resistant, durable, and visually sleek



Product No.	Product Description
FLUSH FLOOR	
DD0001-02	Pipe Size: 2"-3", Material Iron/304SS
DD0002-03	Pipe Size: 3"-4", Material Iron/304SS

Cast Iron Floor Drain

- Durable cast-iron floor drain
- Connects via no-hub connection
- Adjustable grate for preventing unwanted materials from entering drain



Product No.	Drain Pipe Size	Outlet Type	Strainer
7" ADJUSTABLE FLOOR DRAINS WITH STAINLESS STEEL STRAINER			
SD0001-02	2"	No-Hub	5" Round
SD0002-03	3"	No-Hub	5" Round
SD0004-02	2"	No-Hub	5" Square
SD0005-03	3"	No-Hub	5" Square

Product No.	Drain Pipe Size	Outlet Type	Strainer
7" ADJUSTABLE FLOOR DRAINS WITH STAINLESS STEEL STRAINER AND MEMBRANE CLAMP			
SD0006-02	2"	No-Hub	5" Round
SD0007-03	3"	No-Hub	5" Round
SD0008-02	2"	Instant Set	5" Round
SD0009-02	2"	No-Hub	5" Square
SD0010-03	3"	No-Hub	5" Square
SD0011-02	2"	Instant Set	5" Square

Cast Iron Area Drain

- Slotted grate
- Connects to existing cast-iron pipes via no-hub connection



Product No.	Drain Pipe Size	Outlet Type	Strainer
FRANK PATTERN AREA DRAINS			
WD0001-02	2"	Instant Set	6" Slotted grate
WD0002-03	3"	Instant Set	7" Slotted grate
WD0003-04	4"	Instant Set	8" Slotted grate

PVC/ABS Floor Drain

- Easy-to-install PVC/ABS floor drain
- No-hub connection (installation method)
- Adjustable grate prevents debris from entering the drain

Product No.	Drain Pipe Size	Outlet Type	Strainer
6.5" ADJUSTABLE FLOOR DRAINS WITH STAINLESS STEEL STRAINER AND MEMBRANE C			
WE439	3"	No-Hub	4.5" Round
WE440	3"	No-Hub	4.5" Square



Toilet Wax Rings, Flange Repair

- For 3-inch drain-waste pipes: built-in seal, watertight joints, no adhesives needed.
- Push-fit operation ensures secure pipe connection and stable floor anchoring.
- Ideal for new installs & flange repairs, delivers pro-grade performance easily.
- Perfect for pros & DIYers: fast, reliable, efficient toilet flange installation.




Product No.	Product Description
Push-In Closet Flange	
HO01112394	3 Inch, Material ABS, PUSHSEAL-BLACK
HO01112395	3 Inch, Material ABS, PUSHSEAL-WHITE



Stainless Steel Base Caster
Swivel / Fixed Type





- 304 stainless steel construction, ideal for most corrosive environments.
- PU (polyurethane) wheel tread for high strength and durability
- Dual-ball-race design for enhanced performance and longevity.
- All metal components (bolts, nuts, bushings, etc.) are 304 stainless steel.



					
RigId Caster Model Number	Wheel Dlameter (mm)	Tread Width (mm)	Bearing	Capacity (kg)	Load Helght (Plate)
HO-DXJL001	100 mm (4 inches)	25	Axle	70	125mm
HO-DXJL002		25	Single Ball Bearing	80	130mm
HO-DXJL003		25	Dual-ball-race Bearing	80	125mm
HO-DXJL004		32	Delrin	130	133mm
HO-DXJL005		32	Single Ball Bearing	130	135mm
HO-DXJL006		32	Dual-ball-race Bearing	130	133mm
HO-DXJL007		38	Dual-ball-race Bearing	250	138mm
HO-DXJL008		50	Dual-ball-race Bearing	320	138mm
HO-DXJL009	125 mm (5 inches)	31	Single Ball Bearing	110	160mm
HO-DXJL010		32	Delrin	120	160mm
HO-DXJL011		32	Dual-ball-race Bearing	140	160mm
HO-DXJL012		38	Dual-ball-race Bearing	250	166mm
HO-DXJL013		50	Dual-ball-race Bearing	350	165mm
HO-DXJL014		50	Delrin	350	188mm
HO-DXJL015	150 mm (6 inches)	31	Single Ball Bearing	110	186mm
HO-DXJL016		31	Single Ball Bearing	130	186mm
HO-DXJL017		38	Dual-ball-race Bearing	250	191mm
HO-DXJL018		50	Dual-ball-race Bearing	380	188mm
HO-DXJL019		50	Dual-ball-race Bearing	420	191mm
HO-DXJL020	200 mm (8 inches)	50	Dual-ball-race Bearing	420	237mm
HO-DXJL021		50	Delrin	420	237mm



Stainless Steel Base Caster
Swivel / Fixed Type



					
Swivel Caster Model Number	Wheel Diameter (mm)	Tread Width (mm)	Bearing	Capacity (kg)	Load Height (Plate)
HO-WXJL001	100 mm (4 inches)	25	Axle	70	125mm
HO-WXJL002		25	Single Ball Bearing	80	125mm
HO-WXJL003		25	Dual-ball-race Bearing	80	125mm
HO-WXJL004		31	Single Ball Bearing	130	135mm
HO-WXJL005		32	Delrin	130	133mm
HO-WXJL006		32	Dual-ball-race Bearing	150	133mm
HO-WXJL007		38	Dual-ball-race Bearing	250	138mm
HO-WXJL008		50	Delrin	350	138mm
HO-WXJL009		50	Dual-ball-race Bearing	320	138mm
HO-WXJL010	125 mm (5 inches)	31	Single Ball Bearing	130	160mm
HO-WXJL011		32	Delrin	150	160mm
HO-WXJL012		32	Dual-ball-race Bearing	150	160mm
HO-WXJL013		38	Dual-ball-race Bearing	250	166mm
HO-WXJL014		50	Dual-ball-race Bearing	350	163mm
HO-WXJL015		50	Delrin	350	163mm
HO-WXJL016	150 mm (6 inches)	31	Single Ball Bearing	130	186mm
HO-WXJL017		38	Dual-ball-race Bearing	250	191mm
HO-WXJL018		50	Dual-ball-race Bearing	380	188mm
HO-WXJL019		50	Delrin	380	188mm
HO-WXJL020	200 mm (8 inches)	50	Dual-ball-race Bearing	420	237mm
HO-WXJL021		50	Delrin	420	237mm

Stainless Steel Base Caster
Swivel / Fixed Type



					
Swivel Caster with Brake Model Number	Wheel Diameter (mm)	Tread Width (mm)	Bearing	Capacity (kg)	Load Height (Plate)
HO-WXSC001	100 mm (4 inches)	25	Axle	70	125mm
HO-WXSC002		25	Dual-ball-race Bearing	80	125mm
HO-WXSC003		32	Delrin	130	160mm
HO-WXSC004		32	Dual-ball-race Bearing	150	133mm
HO-WXSC005		38	Dual-ball-race Bearing	250	138mm
HO-WXSC006		50	Dual-ball-race Bearing	250	138mm
HO-WXSC007		50	Delrin	320	138mm
HO-WXSC009	125 mm (5 inches)	25	Dual-ball-race Bearing	250	166mm
HO-WXSC010		32	Dual-ball-race Bearing	150	160mm
HO-WXSC011		32	Delrin	120	160mm
HO-WXSC012		50	Dual-ball-race Bearing	350	165mm
HO-WXSC013		50	Delrin	350	165mm
HO-WXSC014	150 mm (6 inches)	38	Dual-ball-race Bearing	250	191mm
HO-WXSC015		50	Delrin	380	188mm
HO-WXSC016		50	Dual-ball-race Bearing	380	191mm
HO-WXSC017	200 mm (8 inches)	50	Dual-ball-race Bearing	420	237mm
HO-WXSC018		50	Delrin	420	237mm

DRAINS



Made by China HOMES



Made by China HOMES

FAUCET STEMS



Made by China HOMES